


Azzardo®



New collection

2025/2026

AZzardo

new collection
2025/2026

pictorial
list



ILINE TRACK 202 AGORA 133




ALEXANDRIA 151 ALFA TRACK MAGNETIC 205 AMORO 143 ANCONA 165 ANDORA 79 APUS 111



ARTE 107 ARTEMIS 7 ASTRID 53 AZALEA 37 BABIL 153 BARLETTA 11



BETA TRACK MAGNETIC 229 BUBBLES 127 BURANO 19 CAMELIA 33 CASTOR 141 CAVALIO IP65 179



CUBIC IP54 197 DECORATIVE STONE 102 DELTA TRACK SUPER SLIM 257 DEMETER 9 DISC 89 DRAGONFLY 69




DURANTE IP54 195 EAGLE 93 EBRO IP65 173 ECLIPSE 99 ELMO IP44 167 EUFORIA 83



EXO 147 FADA 113 FARO 145 FIGARO IP54 187 FLOW 41 FRAME IP65 175



FUEGO IP65 183 GAMBINO IP65 199 GUSTO IP54 191 HESTIA 5 IVY 59 KRYPTON 97



LANTERN IP54 185 LARA 144 LAYLA 103 LENNART IP54 193 LIMAN 152 MANTA 67



MARTON IP44 161 MEADOW 75 MEDUSA 71 MEMPHIS 47 MIRABELLA 105 MIRT IP65 157



MIZUKI 46 MOLLY 137 MOONS 98 MORTEN IP54 196 NAZAR 77 ONTARIO 135



OPLO IP54 189 ORION 117 OUTDOOR PLUG IP54 188 PALOS 115 PAMELA 101 PANDINO IP44 163




PANDORA IP44 170 PELLE 49 PERLA 123 PESCARA 57 POND 51 PORTOFINO 1



PRONTO IP44 169 PUMA 3 PUR 151 RIBANA 31 RICO 139 RIPPLE 91



SATURN 95 SERENITY 121 SHIRO 45 SPARK 25 TRACK IP65 281 TROST 146




VALIRA 18 VILAGIO IP65 181 VIRGO 53 ZAMBEZI 23 ZIGZAG 55 ZOE 119

PORTOFINO 80 3-STEP DIMM




Portofino 80 3-Step DIMM
AZ6661

3-STEP DIMM SYSTEM



Portofino 80 3-Step DIMM


Code/Color	○ AZ6661 white/ black
Finish	matte / matte
Material	aluminium
Light source	1 x LED integrated
Power	39W
Lumens	1300lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



Oriol Llahona, Barcelona

He studied Industrial Design at Elisava Universitat Pompeu Fabra Barcelona, Universität Essen, University Southampton and Graduated in 1999 and Postgraduated in 2004. Internship at Franc FernándezArquitecte where he learned to extract the essence and the soul of things. His works have been shown at Milan, Frankfurt and Tokyo..

This is a lamp with extremely simple design but harmonious and beautiful lines. Soft light and good environmental lighting effect. The design of three sizes enables her to adapt to all kinds of spaces from home to engineering, and can bring a sense of harmonious personality to the space.



„Design thinking can be applied to any product or service. Based in our experience, we focus on next areas to provide meaningful designs.“

Oriol Llahona

PUMA





Puma Red
AZ6785



Puma Bk
AZ6786

Puma
Code/Color ● AZ6785 red / white
 ● AZ6786 black / white
Finish matte / matte
Material FRP / glass
Light source 1 x E27 only LED



HESTIA BK





Hestia Bk
AZ6787

Hestia Bk

Code/Color
Finish
Material
Light source

- AZ6787 black / white
matt / matt
- FRP / aluminium / glass
- 1 x E27 only LED



ARTEMIS BK



Artemis Bk
AZ6783

Artemis Bk



Code/Color

Finish

Material

Light source

- AZ6783 black / white
matt / matt
- FRP / aluminium / glass
- 1 x E27 only LED



DEMETER GO



Demeter Go
AZ6784

Demeter Go

Code/Color

● AZ6784 gold / white

Finish


shiny / matt

Material


FRP / aluminium / glass

Light source

1 x E27 only LED




BARLETTA 60 TOP & PENDANT 3-STEP DIMM



Barletta 60 Top 3-Step DIMM Go
AZ6902


Barletta 60 Top 3-Step DIMM Go

Code/Color	● AZ6902 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	60W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER





Barletta 60 Pendant 3-Step DIMM Go
AZ6901

3-STEP DIMM SYSTEM



Barletta 60 Pendant 3-Step DIMM Go

Code/Color	● AZ6901 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	60W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER




BARLETTA 80 TOP & PENDANT 3-STEP DIMM



Barletta 80 Top 3-Step DIMM Go
AZ6903


Barletta 80 Top 3-Step DIMM Go

Code/Color	● AZ6903 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	90W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER





Barletta 80 Pendant 3-Step DIMM Go
AZ6900

3-STEP DIMM SYSTEM



Barletta 80 Pendant 3-Step DIMM Go

Code/Color	● AZ6900 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	90W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER




BARLETTA 60+100 PENDANT 3-STEP DIMM




Barletta 60+100 Pendant 3-Step DIMM Go
AZ6904

3-STEP DIMM SYSTEM



Barletta 60+100 Pendant 3-Step DIMM Go

- Code/Color ● AZ6904 rose gold / clear
- Finish shiny / shiny
- Material aluminium / crystal
- Light source 2 x LED integrated
- Power 180W
- Lumens 1m
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER




BARLETTA 120 OVAL 3-STEP DIMM GO




Barletta 120 Oval 3-Step DIMM Go
AZ6905

3-STEP DIMM SYSTEM



Barletta 120 Oval 3-Step DIMM Go

- Code/Color ● AZ6905 rose gold / clear
- Finish shiny / shiny
- Material aluminium / crystal
- Light source 1 x LED integrated
- Power 120W
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER




BARLETTA WALL GO



Barletta Wall Go
AZ6906

Barletta Wall Go

Code/Color	● AZ6906 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	18W
Kelvins	3000K





VALIRA WALL RGO



Valira Wall Rgo
AZ6912

Valira Wall Rgo

Code/Color	● AZ6912 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	2 x LED integrated
Power	20W
Kelvins	3000K




BURANO 40 TOP CH



Burano 40 Top Ch
AZ6911

Burano 40 Top Ch
 Code/Color ● AZ6911 chrome / clear
 Finish shiny / shiny
 Material aluminium / crystal
 Light source 5 x E14 only LED




BURANO 60 PENDANT & TOP CH




Burano 60 Pendant Ch
AZ6908

Burano 60 Pendant Ch
 Code/Color ● AZ6908 chrome / clear
 Finish shiny / shiny
 Material aluminium / crystal
 Light source 11 x E14 only LED



Burano 60 Top Ch
AZ6910

Burano 60 Top Ch
 Code/Color ● AZ6910 chrome / clear
 Finish shiny / shiny
 Material aluminium / crystal
 Light source 11 x E14 only LED




BURANO 100 PENDANT CH



Burano 100 Pendant Ch
AZ6907

Burano 100 Pendant Ch


Code/Color ● AZ6907 chrome / clear
Finish shiny / shiny
Material aluminium / crystal
Light source 28 x E14 only LED



BURANO 100 TOP CH
AZ6909

Burano 100 Top Ch

Code/Color ● AZ6909 chrome / clear
Finish shiny / shiny
Material aluminium / crystal
Light source 28 x E14 only LED




ZAMBEZI 120 PENDANT GO



Zambezi 120 Pendant Go
AZ6913

Zambezi 120 Pendant Go

Code/Color	● AZ6913 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	18 x E14 only LED



SPARK OVAL PENDANT 120 CCT DIMM + REMOTE CONTROL



Spark Oval Pendant 120 CCT DIMM Go + Remote Control
AZ6711






Spark Oval Pendant 120 CCT DIMM Ch + Remote Control
AZ6710



Remote Control

Spark Oval Pendant 120 CCT DIMM + Remote Control

Code/Color	● AZ6710 chrome / clear ● AZ6711 gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	2 x LED integrated
Power	71W
Kelvins	3000 - 6000K
Dimmable	yes
CCT	yes
Remote Control	yes
Type of control	REMOTE CONTROL



SPARK WAVES PENDANT CCT DIMM + REMOTE CONTROL




Spark Waves Pendant 120 CCT DIMM Go + Remote Control
AZ6563






Remote Control

- Spark Waves Pendant 120 Cct DIMM Ch + Remote Control**
- Control
 - Code/Color ● AZ6562 chrome / clear
 - Code/Color ● AZ6563 gold / clear
 - Finish shiny / shiny
 - Material aluminium / glass
 - Light source 2 x LED integrated
 - Power 68W
 - Lumens 4465lm
 - Kelvins 3000 - 4000K
 - Dimmable yes
 - CCT yes
 - Remote Control yes
 - Type of control REMOTE CONTROL



Spark Waves Pendant 120 CCT DIMM Ch + Remote Control
AZ6562

- Spark Waves Pendant 150 CCT DIMM + Remote Control**
- Code/Color ● AZ6564 chrome / clear
 - Code/Color ● AZ6565 gold / clear
 - Finish shiny / shiny
 - Material aluminium / glass
 - Light source 2 x LED integrated
 - Power 97W
 - Lumens 5738lm
 - Kelvins 3000 - 4000K
 - Dimmable yes
 - CCT yes
 - Remote Control yes
 - Type of control REMOTE CONTROL



SPARK SPIRAL XXL CCT SWITCH DIMM





Spark Spiral XXL CCT Switch DIMM Go
AZ6898



Spark Spiral XXL CCT Switch DIMM Ch
AZ6897

Spark Spiral XXL CCT Switch DIMM Ch

Code/Color	● AZ6897 chrome / clear
Code/Color	● AZ6898 gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	2 x LED integrated
Power	280W
Kelvins	3000 / 3500 / 4000K
Dimmable	yes
CCT	yes
Type of control	CCT SWITCH, TRIAC DIMMER




RIBANA 3-STEP DIMM BK






RIBANA 3-STEP DIMM BK
AZ6780

3-STEP DIMM SYSTEM




Ribana 3-Step DIMM Bk

- Code/Color ● AZ6780 black
- Finish matt
- Material aluminium / silicone
- Light source 2 x LED integrated
- Power 167W
- Lumens 7352lm
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER




CAMELIA 60 3-STEP DIMM GO




Camelia 60 3-Step DIMM Go
AZ6770

3-STEP DIMM SYSTEM



Camelia 60 3-Step DIMM Go

Code/Color	● AZ6770 rose gold / clear
Finish	brushed / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	41W
Lumens	1739lm
Kelvins	2968K
Dimmable	yes
Type of control	3-STEP DIMMER




CAMELIA 100 OVAL 3-STEP DIMM GO




CAMELIA 100 OVAL 3-STEP DIMM Go
AZ6771

3-STEP DIMM SYSTEM



Camelia 100 Oval 3-Step DIMM Go

Code/Color	● AZ6771 rose gold / clear
Finish	brushed / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	60W
Lumens	2400lm
Kelvins	2934K
Dimmable	yes
Type of control	3-STEP DIMMER




CAMELIA 40+60+80 3-STEP DIMM GO





CAMELIA 40+60+80 3-STEP DIMM Go
AZ6769

3-STEP DIMM SYSTEM




Camelia 40+60+80 3-Step DIMM Go

- Code/Color ● AZ6769 rose gold / clear
- Finish brushed / shiny
- Material aluminium / crystal
- Light source 3 x LED integrated
- Power 118W
- Lumens 4867lm
- Kelvins 2931K
- Dimmable yes
- Type of control 3-STEP DIMMER




AZALEA 60 3-STEP DIMM BK





Azalea 60 3-Step DIMM Bk
AZ6772

3-STEP DIMM SYSTEM




Azalea 60 3-Step DIMM Bk

- Code/Color ● AZ6772 black / clear
- Finish brushed / shiny
- Material aluminium / crystal
- Light source 1 x LED integrated
- Power 30W
- Lumens 1480lm
- Kelvins 2936K
- Dimmable yes
- Type of control 3-STEP DIMMER




AZALEA 60+40 3-STEP DIMM BK




Azalea 60+40 3-Step DIMM Bk
AZ6773

3-STEP DIMM SYSTEM



Azalea 60+40 3-Step DIMM Bk

- Code/Color ● AZ6773 black / clear
- Finish brushed / shiny
- Material aluminium / crystal
- Light source 2 x LED integrated
- Power 41W
- Lumens 1967lm
- Kelvins 2906K
- Dimmable yes
- Type of control 3-STEP DIMMER





AZALEA SPIRAL BK



Azalea Spiral Bk

- Code/Color ● AZ6774 black / clear
- Finish brushed / shiny
- Material aluminium / crystal
- Light source 8 x LED integrated
- Power 238W
- Lumens 12027lm
- Kelvins 2983K



FLOW 41 PENDANT 3-STEP DIMM 3000K






Flow 41 Pendant 3-Step DIMM 3000K BK
AZ6819



Flow 41 Pendant 3-Step DIMM 3000K Go
AZ6818

Flow 41 Pendant 3-Step DIMM 3000K

Code/Color	● AZ6818 gold ● AZ6819 black
Finish	shiny
Material	aluminium / PVC
Light source	41 x LED integrated
Power	324W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER





FLOW 13 PENDANT 3-STEP DIMM 3000K



Flow 13 Pendant 3-Step DIMM 3000K Bk
AZ6817





Flow 13 Pendant 3-Step DIMM 3000K Go
AZ6816

Flow 13 Pendant 3-Step DIMM 3000K

- Code/Color ● AZ6816 gold
- Code/Color ● AZ6817 black
- Finish shiny
- Material aluminium / PVC
- Light source 13 x LED integrated
- Power 108W
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER

3-STEP DIMM SYSTEM



SHIRO WALL





Shiro Wall Bk
AZ6823



Shiro Wall Go
AZ6822

Shiro Wall

- Code/Color
 - AZ6822 gold
 - AZ6823 black
- Finish
 - gold / shiny, black / matt
- Material
 - aluminium / silicone
- Light source
 - 2 x LED integrated
- Power
 - 16W
- Lumens
 - 390lm
- Kelvins
 - 2800K



MIZUKI WALL





Mizuki Wall Go
AZ6824




Mizuki Wall Bk
AZ6825

Mizuki Wall


- Code/Color
 - AZ6824 gold
 - AZ6825 black
- Finish
 - gold / shiny, black / matt
- Material
 - aluminium / silicone
- Light source
 - 1 x LED integrated
- Power
 - 20W
- Lumens
 - 438lm
- Kelvins
 - 2770K



MEMPHIS PENDANT 3-STEP DIMM



Memphis Pendant 3-Step DIMM Bk
AZ6815






Memphis Pendant 3-Step DIMM Go
AZ6814

3-STEP DIMM SYSTEM


1st click	2nd click	3rd click
100% light	50% light	25% light

Memphis Pendant 3-Step DIMM

- Code/Color ● AZ6814 gold
- AZ6815 black
- Finish gold / shiny, black / matt
- Material aluminium / silicone
- Light source 2 x LED integrated
- Power 55W
- Lumens 2580lm
- Kelvins 2800K
- Dimmable yes
- Type of control 3-STEP DIMMER



PELLE 3-STEP DIMM




Pelle 3-Step DIMM Bk
AZ5756





Pelle 3-Step DIMM Go
AZ5656

3-STEP DIMM SYSTEM




Pelle 3-Step DIMM

- Code/Color
 - AZ5756 black
 - AZ5757 gold
- Finish: matt
- Material: aluminium
- Light source: 2 x LED integrated
- Power: 32W
- Lumens: 2400lm
- Kelvins: 3000K



POND 120 PENDANT 3-STEP DIMM CHAMPAGNE & POND 40 WALL CHAMPAGNE




Pond 120 Pendant 3-Step DIMM Champagne
AZ6782



Pond 40 Wall Champagne
AZ6781

3-STEP DIMM SYSTEM






Pond 120 Pendant 3-Step DIMM Champagne


Code/Color	● AZ6782 champagne / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	58W
Lumens	3742lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER

Pond 40 Wall Champagne

Code/Color	● AZ6781 champagne / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	12W
Lumens	887lm
Kelvins	3000K



VIRGO PENDANT 120 3-STEP DIMM BK & VIRGO FLOOR DIMM BK




Virgo Pendant 120 3-Step DIMM Bk
AZ7151



Virgo Floor DIMM Bk
AZ7153

3-STEP DIMM SYSTEM




Virgo Pendant 120 3-Step DIMM Bk

Code/Color	● AZ7151 black
Finish	matt
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	28W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER

Virgo Floor DIMM Bk

Code/Color	● AZ7153 black
Finish	matt
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	35W
Kelvins	3000K
Dimmable	yes
Type of control	FOOT DIMMER





VIRGO PENDANT 150 3-STEP DIMM BK



Virgo Pendant 150 3-Step DIMM Bk

Code/Color	● AZ7152 black
Finish	matt
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	35W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



ZIGZAG GO





Zigzag Go
AZ6528

3-STEP DIMM SYSTEM


1st click	2nd click	3rd click
100% light	50% light	25% light

Zigzag Go

- Code/Color ● AZ6528 brass
- Finish brushed
- Material aluminium / silicone
- Light source 1 x LED integrated
- Power 42W
- Lumens 2618lm
- Kelvins 2850K
- Dimmable yes
- Type of control 3-STEP DIMMER



PESCARA PENDANT 120 3-STEP DIMM BK & PESCARA WALL BK



Pescara Pendant 120 3-Step DIMM Bk
AZ6745



Pescara Wall Bk
AZ6747

3-STEP DIMM SYSTEM



1st click	2nd click	3rd click
100% light	50% light	25% light

Pescara Pendant 120 3-Step DIMM Bk

Code/Color	● AZ6745 black / white
Finish	matt / matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	25W
Lumens	2000lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER

Pescara Wall Bk

Code/Color	● AZ6747 black / white
Finish	matt / matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	10W
Lumens	800lm
Kelvins	3000K




PESCARA PENDANT 150 3-STEP DIMM BK



Pescara Pendant 150 3-Step DIMM Bk

Code/Color	● AZ6746 black / white
Finish	matt / matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	33W
Lumens	2640lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



IVY FLOOR DIMM BK & IVY WALL BK

Ivy Floor DIMM Bk
AZ6749






Ivy Wall Bk
AZ6748

Ivy Floor DIMM Bk

Code/Color	● AZ6749 black / white
Finish	matt / matt
Material	aluminium / fabric
Light source	1 x LED integrated
Power	24W
Lumens	1920lm
Kelvins	3000K
Dimmable	yes
Type of control	TOUCH DIMMER

Ivy Wall Bk

Code/Color	● AZ6748 black / white
Finish	matt / matt
Material	aluminium / fabric
Light source	1 x LED integrated
Power	10W
Lumens	800lm
Kelvins	3000K





IVY 3m 3-STEP DIMM BK




IVY 3m 3-STEP DIMM Bk
AZ6751

IVY 3m 3-STEP DIMM BK

Code/Color	o AZ6751 black / white
Finish	matt / matt
Material	aluminium / fabric
Light source	1 x LED integrated
Power	33W
Lumens	2640lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



3-STEP DIMM SYSTEM





IVY 5m 3-STEP DIMM BK




IVY 5m 3-STEP DIMM Bk
AZ6750

IVY 5m 3-STEP DIMM BK


Code/Color	o AZ6750 black / white
Finish	matt / matt
Material	aluminium / fabric
Light source	1 x LED integrated
Power	55W
Lumens	4400lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



3-STEP DIMM SYSTEM



ASTRID 1 PENDANT BK & ASTRID FLOOR DIMM BK



Astrid 1 Pendant Bk
AZ7196





Astrid Floor DIMM Bk
AZ6893

Astrid 1 Pendant Bk

Code/Color	● AZ7196 black / clear
Finish	matt / shiny
Material	aluminium / glass
Light source	1 x LED integrated
Power	6W
Kelvins	3000K

Astrid Floor DIMM Bk

Code/Color	● AZ6893 black / clear
Finish	matt / shiny
Material	aluminium / glass
Light source	3 x LED integrated
Power	24W
Kelvins	3000K
Dimmable	yes
Type of control	FOOT DIMMER




ASTRID 4 PENDANT DIMM BK



Astrid 4 Pendant DIMM Bk
AZ6892

Astrid 4 Pendant DIMM Bk

Code/Color	● AZ6892 black / clear
Finish	matt / shiny
Material	aluminium / glass
Light source	4 x LED integrated
Power	34W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER




MANTA 120 PENDANT 3000K BK



Manta 120 Pendant 3000K Bk
AZ6794

Manta 120 Pendant 3000K Bk

Code/Color	● AZ6794 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	38W
Lumens	212lm
Kelvins	3000K





MANTA WALL 3000K BK



Manta Wall 3000K Bk

Code/Color	● AZ6795 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	8W
Lumens	75lm
Kelvins	3000K





DRAGONFLY PENDANT 3000K BK




Dragonfly Pendant 3000K Bk

Code/Color	● AZ6791 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	35W
Lumens	2360lm
Kelvins	3100K




DRAGONFLY TOP 3000K BK




Dragonfly Top 3000K Bk

Code/Color	● AZ6792 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	35W
Lumens	2200lm
Kelvins	3100K





MEDUSA 50 PENDANT 3000K BK



Medusa 50 Pendant 3000K Bk
AZ6788

Medusa 50 Pendant 3000K Bk

Code/Color	● AZ6788 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	30W
Lumens	2200lm
Kelvins	3100K




MEDUSA 50 TOP 3000K BK



Medusa 50 Top 3000K Bk

Code/Color	● AZ6790 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	30W
Lumens	2200lm
Kelvins	3100K






MEDUSA 70 PENDANT 3000K BK




Medusa 70 Pendant 3000K BK


Code/Color	● AZ6789 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	30W
Lumens	2170lm
Kelvins	3100K



MEADOW 3-STEP DIMM GO




Meadow 4 3-Step DIMM Go
AZ6775



Meadow 6 3-Step DIMM Go
AZ6776

3-STEP DIMM SYSTEM







Meadow 4 3-Step DIMM Go

Code/Color	● AZ6775 gold / clear
Finish	brushed / shiny
Material	aluminium / PVC
Light source	4 x LED integrated
Power	17W
Lumens	1028lm
Kelvins	2961K
Dimmable	yes
Type of control	3-STEP DIMMER

Meadow 6 3-Step DIMM Go

Code/Color	● AZ6776 gold / clear
Finish	brushed / shiny
Material	aluminium / PVC
Light source	6 x LED integrated
Power	24W
Lumens	1472lm
Kelvins	2942K
Dimmable	yes
Type of control	3-STEP DIMMER



NAZAR PENDANT 5 3-STEP DIMM & NAZAR WALL



Nazar Pendant 5 3-Step DIMM
AZ6531



Nazar Wall 20
AZ6529



Nazar Wall 30
AZ6530

Nazar Pendant 5 3-Step DIMM

Code/Color	● AZ6531 amber / brass
Finish	shiny / brushed
Material	glass / aluminium
Light source	10 x LED integrated
Power	56W
Lumens	998lm
Kelvins	3100K
Dimmable	yes
Type of control	3-STEP DIMMER





Nazar Wall 20

Code/Color	● AZ6529 amber / brass
Finish	shiny / brushed
Material	glass / aluminium
Light source	1 x LED integrated
Power	11W
Lumens	120lm
Kelvins	2849K



Nazar Wall 30


Code/Color	● AZ6530 amber / brass
Finish	shiny / brushed
Material	glass / aluminium
Light source	1 x LED integrated
Power	11W
Lumens	158lm
Kelvins	3191K



ANDORA L PENDANT 1





Andora L Pendant 1 Amber
AZ6882



Andora L Pendant 1 Smoky
AZ6883

Andora L Pendant 1

- Code/Color
 - AZ6882 amber / brass
 - AZ6883 smoky / black
- Finish
 - shiny / satin
- Material
 - glass / aluminium
- Light source
 - 1 x LED integrated
- Power
 - 12W
- Kelvins
 - 3000K



ANDORA PENDANT 3 LINE 3-STEP DIMM




Andora Pendant 3 Line 3-Step DIMM Amber
AZ6884





Andora Pendant 3 Line 3-Step DIMM Smoky
AZ6885

Andora Pendant 3 Line 3-Step DIMM

- Code/Color
 - AZ6884 amber / brass
 - AZ6885 smoky / black
- Finish
 - shiny / satin
- Material
 - glass / aluminium
- Light source
 - 3 x LED integrated
- Power
 - 27W
- Kelvins
 - 3000K
- Dimmable
 - yes
- Type of control
 - 3-STEP DIMMER




3-STEP DIMM SYSTEM



ANDORA PENDANT 5 3-STEP DIMM



3-STEP DIMM SYSTEM




Andora Pendant 5 3-Step DIMM Amber
AZ6886

Andora Pendant 5 3-Step DIMM Smoky
AZ6887

Andora Pendant 5 3-Step DIMM

- Code/Color
 - AZ6886 amber / brass
 - AZ6887 smoky / black
- Finish
 - shiny / satin
- Material
 - glass / aluminium
- Light source
 - 5 x LED integrated
- Power
 - 44W
- Kelvins
 - 3000K
- Dimmable
 - yes
- Type of control
 - 3-STEP DIMMER



ANDORA WALL




Andora L Wall Amber
AZ6889



Andora M Wall Smoky
AZ6890


Andora M Wall

- Code/Color
 - AZ6888 amber / brass
 - AZ6890 smoky / black
- Finish
 - shiny / satin
- Material
 - glass / aluminium
- Light source
 - 1 x LED integrated
- Power
 - 8W
- Kelvins
 - 3000K



Andora L Wall

- Code/Color
 - AZ6889 amber / brass
 - AZ6891 smoky / black
- Finish
 - shiny / satin
- Material
 - glass / aluminium
- Light source
 - 1 x LED integrated
- Power
 - 12W
- Kelvins
 - 3000K



EUFORIA PENDANT 1




Euforia 13 Pendant 1 Go
AZ6734



Euforia 16 Pendant 1 Ch
AZ6796

Euforia 13 Pendant 1

Code/Color	● AZ6734 gold / clear ● AZ6797 chrome / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	6W
Lumens	450lm
Kelvins	3000K



Euforia 16 Pendant 1

Code/Color	● AZ6735 gold / clear ● AZ6796 chrome / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	6W
Lumens	450lm
Kelvins	3000K



EUFORIA PENDANT 2 GO & EUFORIA WALL 1 GO




Euforia Pendant 2 Go
AZ6736



Euforia Wall 1 Go
AZ6741


Euforia Wall 1 Go

Code/Color	● AZ6741 gold / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	6W
Kelvins	3000K



Euforia Pendant 2 Go

Code/Color	● AZ6736 gold / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	2 x LED integrated
Power	12W
Lumens	900lm
Kelvins	3000K




EUFORIA PENDANT LINE 5 3-STEP DIMM GO



Euforia Pendant Line 5 3-Step DIMM Go
AZ6737

Euforia Pendant Line 5 3-Step DIMM Go

Code/Color	● AZ6737 gold / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	5 x LED integrated
Power	30W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER




EUFORIA PENDANT ROUND 5 3-STEP DIMM GO




Euforia Pendant Round 5 3-Step DIMM Go
AZ6738

Euforia Pendant Round 5 3-Step DIMM Go

Code/Color	● AZ6738 gold / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	5 x LED integrated
Power	30W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



3-STEP DIMM SYSTEM




EUFORIA PENDANT ROUND 10 3-STEP DIMM GO





Euforia Pendant Round 10 3-Step DIMM Go
AZ6739

3-STEP DIMM SYSTEM



Euforia Pendant Round 10 3-Step DIMM Go

- Code/Color ● AZ6739 gold / clear
- Finish shiny / shiny
- Material aluminium / acrylic
- Light source 10 x LED integrated
- Power 52W
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER




EUFORIA PENDANT ROUND 19 3-STEP DIMM GO




Euforia Pendant Round 19 3-Step DIMM Go
AZ6740

3-STEP DIMM SYSTEM




Euforia Pendant Round 19 3-Step DIMM Go


- Code/Color ● AZ6740 gold / clear
- Finish shiny / shiny
- Material aluminium / acrylic
- Light source 19 x LED integrated
- Power 105W
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER




DISC PENDANT 35



Disc Pendant 35 Beige
AZ6742







Disc Pendant 35 Bk
AZ6578



Disc Pendant 35 Auburn
AZ6743

Disc Pendant 35

Code/Color	● AZ6578 black ● AZ6742 beige ● AZ6743 auburn
Finish	matt
Material	aluminium
Light source	1 x LED integrated
Power	12W
Lumens	1190lm
Kelvins	3000K
Dimmable	yes
Type of control	TRIAC DIMMER





RIPPLE WALL



Ripple Wall 40 Beige
AZ6579





Ripple Wall 50 Auburn
AZ6582

Ripple Wall 40

Code/Color	<ul style="list-style-type: none"> ● AZ6579 beige / black ● AZ6580 auburn / black
Finish	matt / matt
Material	aluminium / aluminium
Light source	1 x LED integrated
Power	6W
Lumens	108lm
Kelvins	2740K

Ripple Wall 50

Code/Color	<ul style="list-style-type: none"> ● AZ6581 beige / black ● AZ6582 auburn / black
Finish	matt / matt
Material	aluminium / aluminium
Light source	1 x LED integrated
Power	6W
Lumens	108lm
Kelvins	2675K



EAGLE WALL



Eagle Wall Bk
AZ6575





Eagle Wall Coffee
AZ6576



Eagle Wall Beige
AZ6577

Eagle Wall

Code/Color	● AZ6575 black / black
	● AZ6576 brown / black
	● AZ6577 beige / black
Finish	matt / matt
Material	felt / aluminium
Light source	1 x LED integrated
Power	6W
Lumens	18lm
Kelvins	2985K





SATURN WALL 3000K




Saturn 52 Wall 3000K
AZ6662

Saturn 72 Wall 3000K
AZ6663


Saturn 52 Wall 3000K

Code/Color	● AZ6662 brown / black
Finish	stone / matt
Material	stone / aluminium / silicone
Light source	2 x LED integrated
Power	20W
Lumens	148lm
Kelvins	2850K



Saturn 72 Wall 3000K

Code/Color	● AZ6663 brown / black
Finish	stone / matt
Material	stone / aluminium / silicone
Light source	2 x LED integrated
Power	29W
Lumens	276lm
Kelvins	3000K



KRYPTON PENDANT 60 3-STEP CCT & KRYPTON TOP 60 3-STEP CCT



Krypton Top 60 3-Step CCT
AZ6665





Krypton Pendant 60 3-Step CCT
AZ6664

Krypton Pendant 60 3-Step CCT

Code/Color	● AZ6664 black / brown
Finish	matt / stone
Material	aluminium / gypsum / PVC
Light source	1 x LED integrated
Power	37W
Lumens	1200lm
Kelvins	2930 / 6100K
CCT	yes
Type of control	3-STEP CCT

Krypton Top 60 3-Step CCT

Code/Color	● AZ6665 black / brown
Finish	matt / stone
Material	aluminium / gypsum / PVC
Light source	1 x LED integrated
Power	37W
Lumens	1200lm
Kelvins	2930 / 6100K
CCT	yes
Type of control	3-STEP CCT





MOONS 3-STEP CCT WALL



Moons 3-Step CCT Wall
AZ6666

Moons 3-Step CCT Wall

Code/Color	● AZ6666 brown / black
Finish	stone / matt
Material	stone / aluminium / silicone
Light source	2 x LED integrated
Power	31W
Lumens	193lm
Kelvins	2800 / 4000 / 5490K
CCT	yes
Type of control	3-STEP CCT



ECLIPSE WALL 3000K



Eclipse Wall 10W 3000K
AZ6667






Eclipse Wall 14W 3000K
AZ6668

Eclipse Wall 10W 3000K

Code/Color	● AZ6667 beige / black
Finish	stone / matt
Material	travertine / aluminium
Light source	2 x LED integrated
Power	9W
Lumens	232lm
Kelvins	2906K

Eclipse Wall 14W 3000K

Code/Color	● AZ6668 beige / black
Finish	stone / matt
Material	travertine / aluminium
Light source	2 x LED integrated
Power	13,5W
Lumens	291lm
Kelvins	2867K




PAMELA 27 TABLE SMOKY



Pamela 27 Table Smoky

Code/Color	● AZ6899 smoky / black
Finish	shiny / matt
Material	aluminium / glass
Light source	1 x LED integrated
Power	9W
Lumens	960lm
Kelvins	3000K
Dimmable	yes
Type of control	TOUCH DIMMER



DECORATIVE STONE FOR PENDANT LAMP

Optional natural stone decorative element for **Azzardo** pendants.



Decorative Stone For Pendant Lamp D60


Code/Color	● AZ6671 beige
Finish	matt
Material	stone

Decorative Stone For Pendant Lamp D80

Code/Color	● AZ6670 beige
Finish	matt
Material	stone

Decorative Stone For Pendant Lamp D100

Code/Color	● AZ6669 beige
Finish	matt
Material	stone



Decorative Stone For Pendant Lamp D60
AZ6671

Decorative Stone For Pendant Lamp D80
AZ6670


Decorative Stone For Pendant Lamp D80
AZ6670

LAYLA 120 3000K DIMM



Layla 120 3000K DIMM Wh
AZ6754



Layla 120 3000K DIMM Bk
AZ6755



Layla 120 3000K DIMM Beige
AZ6756

Layla 120 3000K DIMM

Code/Color	○ AZ6754 white ● AZ6755 black ● AZ6756 beige
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	50W
Kelvins	3000K
Dimmable	yes
Type of control	TRIAC DIMMER




LAYLA 150 3000K DIMM



Layla 150 3000K DIMM

Code/Color	○ AZ6757 white ● AZ6758 black ● AZ6759 beige
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	60W
Kelvins	3000K
Dimmable	yes
Type of control	TRIAC DIMMER




MIRABELLA 90 3000K DIMM



Mirabella 90 3000K DIMM Wh
AZ6752




Mirabella 90 3000K DIMM Bk
AZ6744



Mirabella 90 3000K DIMM

Code/Color	● AZ6744 black ○ AZ6752 white
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	48W
Lumens	3840lm
Kelvins	3000K
Dimmable	yes
Type of control	TRIAC DIMMER





MIRABELLA 120 3000K DIMM WH




Mirabella 120 3000K DIMM Wh

Code/Color	○ AZ6753 white
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	60W
Lumens	4800lm
Kelvins	3000K
Dimmable	yes
Type of control	TRIAC DIMMER




ARTE WALL 25W CCT SWITCH BK



Arte Wall 25W CCT Switch Bk
AZ7009

Arte Wall 25W CCT Switch Bk

Code/Color	● AZ7009 black
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	25W
Kelvins	3000 / 4000 / 6000K
Dimmable	yes
CCT	yes
Type of control	CCT SWITCH, TRIAC DIMMER



ARTE TOP 15W+15W CCT SWITCH BK




Arte Top 15W+15W CCT Switch Bk
AZ7010

Arte Top 15W+15W CCT Switch Bk

Code/Color	● AZ7010 black
Finish	matt
Material	aluminium / silicone
Light source	2 x LED integrated
Power	30W
Kelvins	3000 / 4000 / 6000K
Dimmable	yes
CCT	yes
Type of control	CCT SWITCH, TRIAC DIMMER

Up & Down light




ARTE TOP 25W+25W CCT SWITCH BK



Arte Top 25W+25W CCT Switch Bk

Code/Color	● AZ7011 black
Finish	matt
Material	aluminium / silicone
Light source	2 x LED integrated
Power	50W
Kelvins	3000 / 4000 / 6000K
Dimmable	yes
CCT	yes
Type of control	CCT SWITCH, TRIAC DIMMER




APUS 80 BK




APUS 80 BK
AZ6532


Apus 80 Bk

Code/Color	● AZ6532 black
Finish	matt
Material	aluminium / PVC
Light source	10 x LED integrated
Power	41W
Lumens	3174lm
Kelvins	3100K






FADA 120 BK



Fada 120 Bk

Code/Color	● AZ6533 black
Finish	matt
Material	aluminium / PVC
Light source	8 x LED integrated
Power	34W
Lumens	761lm
Kelvins	3126K





PALOS 3 3-STEP DIMM BK




Palos 3 3-Step DIMM BK


- Code/Color ● AZ6777 black / clear
- Finish brushed / shiny
- Material aluminium / glass
- Light source 3 x LED integrated
- Power 29W
- Lumens 1543lm
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER



PALOS 6 3-STEP DIMM BK




Palos 6 3-Step DIMM BK
AZ6778



Palos 6 3-Step DIMM Bk

- Code/Color ● AZ6778 black / clear
- Finish brushed / shiny
- Material aluminium / glass
- Light source 6 x LED integrated
- Power 57W
- Lumens 3035lm
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER







ORION BK



Orion Bk
AZ6535

Orion Bk
Code/Color ● AZ6535 black / white
Finish matt / matt
Material aluminium / PVC
Light source 3 x LED integrated
Power 32W
Lumens 1500lm
Kelvins 3000K




ZOE 60 3-STEP DIMM BK





Zoe 60 3-Step DIMM Bk
AZ6779

3-STEP DIMM SYSTEM



Zoe 60 3-Step DIMM Bk

- Code/Color ● AZ6779 black
- Finish matt
- Material aluminium / silicone
- Light source 1 x LED integrated
- Power 41W
- Lumens 1823lm
- Kelvins 2944K
- Dimmable yes
- Type of control 3-STEP DIMMER





SERENITY 12 BK

Serenity 12 Bk
AZ6534




Adjustable shade position

Serenity 12 Bk

Code/Color	● AZ6534 black / white
Finish	matt / matt
Material	aluminium / glass
Light source	12 x LED integrated
Power	84W
Lumens	3200lm
Kelvins	3000K




PERLA PENDANT 40 3-STEP DIMM BK




Perla Pendant 40 3-Step DIMM Bk
AZ6894

3-STEP DIMM SYSTEM



Perla Pendant 40 3-Step DIMM Bk

- Code/Color ● AZ6894 black / white
- Finish matt / matt
- Material aluminium / glass
- Light source 9 x LED integrated
- Power 19W
- Lumens 1520lm
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER




PERLA PENDANT 60 3-STEP DIMM BK




Perla Pendant 60 3-Step DIMM Bk
AZ6895

3-STEP DIMM SYSTEM



Perla Pendant 60 3-Step DIMM Bk

- Code/Color ● AZ6895 black / white
- Finish matt / matt
- Material aluminium / glass
- Light source 15 x LED integrated
- Power 30W
- Lumens 2400lm
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER



PERLA PENDANT LINE 3-STEP DIMM BK




Perla Pendant Line 3-Step DIMM Bk
AZ6896

3-STEP DIMM SYSTEM

1st click	2nd click	3rd click
100% light	50% light	25% light

Perla Pendant Line 3-Step DIMM Bk

- Code/Color ● AZ6896 black / white
- Finish matt / matt
- Material aluminium / glass
- Light source 15 x LED integrated
- Power 26W
- Lumens 2080lm
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER




BUBBLES

Bubbles
lampbody

Bubbles
shades

Bubbles
lampbody + shade



Bubbles
glass shade white

- ø 12cm | AZ6732
- ø 15cm | AZ6731
- ø 18cm | AZ6733



Bubbles
glass shade clear

- ø 12cm | AZ5955
- ø 15cm | AZ5884
- ø 18cm | AZ5958



Bubbles
lampbody 1

- black | AZ5918
- gold | AZ5954
- white | AZ5953



Bubbles
glass shade amber

- ø 12cm | AZ6451
- ø 15cm | AZ6452
- ø 18cm | AZ6453



Bubbles
glass shade smoky

- ø 12cm | AZ5956
- ø 15cm | AZ5885
- ø 18cm | AZ5959

BUBBLES 1 EXAMPLE SETS



AZ5918+AZ6732



AZ5918+AZ6731



AZ5918+AZ6733



AZ5953+AZ6732



AZ5953+AZ6731



AZ5953+AZ6733



AZ5954+AZ6732




AZ5954+AZ6731



AZ5954+AZ6733

BUBBLES

Bubbles
lampbody



Bubbles
lampbody round 10

- black AZ5869
- gold AZ5871
- white AZ5870



Bubbles
shades



Bubbles
glass shades set 10

- 3x ø 10cm ○ white AZ6728
- 3x ø 12cm ○ clear AZ5872
- 2x ø 15cm ● smoky AZ5873
- 2x ø 18cm ● amber AZ6454

Bubbles
lampbody + shade




Bubbles
lampbody round 15

- black AZ5875
- gold AZ5877
- white AZ5876

Bubbles
glass shades set 15

- 6x ø 10cm ○ white AZ6730
- 5x ø 12cm ○ clear AZ5878
- 2x ø 15cm ● smoky AZ5879
- 2x ø 18cm ● amber AZ6455



BUBBLES 10 EXAMPLE SETS



AZ5871+AZ6728

AZ5869+AZ6728




AZ5876+AZ6730

BUBBLES

Bubbles
lampbody

Bubbles
shades

Bubbles
lampbody + shade





Bubbles
lampbody line 10

- black | AZ5866
- gold | AZ5868
- white | AZ5867



Bubbles
glass shades set 10

- 3x ø 10cm | ○ white AZ6728
- 3x ø 12cm | ○ clear AZ5872
- 2x ø 15cm | ● smoky AZ5873
- 2x ø 18cm | ● amber AZ6454




Bubbles
lampbody wall 1

- black | AZ5881
- gold | AZ5883
- white | AZ5882



Bubbles
glass shades

- 1x ø 12cm | ○ white AZ6732
- 1x ø 12cm | ○ clear AZ5955
- 1x ø 12cm | ● smoky AZ5956
- 1x ø 12cm | ● amber AZ6451



BUBBLES LINE 10 EXAMPLE SETS



AZ5868+AZ6728



AZ5867+AZ6728

BUBBLES WALL EXAMPLE SETS



AZ5882+AZ6732



AZ5883+AZ6732



AZ5881+AZ6732

AGORA PENDANT



Agora Pendant White
AZ6641



Agora Pendant Beige
AZ6644






Agora Pendant Pink
AZ6645




Agora Pendant Blue
AZ6642

Agora Pendant

Code/Color	○ AZ6641 white / white
	● AZ6642 blue / white
	● AZ6644 beige / white
	● AZ6645 pink / white
Finish	fabric / matt
Material	fabric / aluminium
Light source	1x E27 only LED



ONTARIO FLOOR DIMM SWITCH




Ontario Floor DIMM Switch Beige
AZ6804



Ontario Floor DIMM Switch BK
AZ6803

Ontario Floor DIMM Switch

- | | |
|-----------------|--------------------|
| Code/Color | ● AZ6803 black |
| | ● AZ6804 beige |
| | ○ AZ7202 white |
| | ● AZ7203 red |
| Finish | matt |
| Material | aluminium / PVC |
| Light source | 1 x LED integrated |
| Power | 15W |
| Lumens | 1200lm |
| Kelvins | 3000K |
| Dimmable | yes |
| Type of control | SWITCH DIMMER |




MOLLY WALL



Molly S Wall Beige
AZ6806



Molly M Wall Bk
AZ6807





OPTION

Molly S Wall

Code/Color	● AZ6805 black ● AZ6806 beige
Finish	matt
Material	aluminium / PVC
Light source	1 x LED integrated
Power	6W
Lumens	450lm
Kelvins	3000K
Dimmable	yes
Type of control	TOUCH DIMMER

Molly M Wall Bk

Code/Color	● AZ6807 black ● AZ6808 beige
Finish	matt
Material	aluminium / PVC
Light source	1 x LED integrated
Power	6W
Lumens	450lm
Kelvins	3000K
Dimmable	yes
Type of control	TOUCH DIMMER



MOLLY FLOOR DIMM





Molly Floor DIMM Beige
AZ6810



Molly Floor DIMM Bk
AZ6809

Molly Floor DIMM

Code/Color	● AZ6809 black ● AZ6810 beige
Finish	matt
Material	aluminium / PVC
Light source	1 x LED integrated
Power	6W
Lumens	450lm
Kelvins	3000K
Dimmable	yes
Type of control	TOUCH DIMMER



RICO WALL 10W+6W 3000K






Rico Wall 10W+6W 3000K Bk
AZ7090




Rico Wall 10W+6W 3000K Wh
AZ7091

Rico Wall 10W+6W 3000K

Code/Color	● AZ7090 black ○ AZ7091 white
Finish	matt
Material	aluminium
Light source	2 x LED integrated
Power	10W + 5W
Kelvins	3000K



CASTOR WALL 70 CCT SWITCH




Castor Wall 70 CCT Switch WH
AZ7086

Castor Wall 70 CCT Switch BK
AZ7087

Castor Wall 70 CCT Switch

Code/Color	○ AZ7086 white ● AZ7087 black
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	6W
Kelvins	3000 / 4000 / 6000K
CCT	yes
Type of control	CCT SWITCH




CASTOR WALL 90 CCT SWITCH



Castor Wall 90 CCT Switch

Code/Color	● AZ7088 white ● AZ7089 black
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	9W
Kelvins	3000 / 4000 / 6000K
CCT	yes
Type of control	CCT SWITCH



AMORO BATTERY WALL CCT DIMM




Amoro Wall CCT DIMM Wh
AZ6720

Amoro Wall CCT DIMM Bk
AZ6721

Amoro Wall CCT DIMM

Code/Color	○ AZ6720 white / white ● AZ6721 black / white
Finish	matt / matt
Material	aluminium / PVC
Light source	1 x LED integrated
Power	2W
Kelvins	3000 / 4000 / 6000K
Dimmable	yes
CCT	yes
Type of control	CCT, Dimmable




LARA 3W+6W 3-STEP CCT SWITCH DIMM



Lara 3W+6W 3-Step CCT DIMM Bk
AZ7017

Lara 3W+6W 3-Step CCT DIMM Wh
AZ7016



Lara 3W+6W 3-Step CCT


Code/Color	○ AZ7016 white ● AZ7017 black
Finish	matt
Material	aluminium
Light source	2 x LED integrated
Power	9W
Lumens	240 / 480lm
Kelvins	3000 / 4000 / 6000K
Dimmable	yes
CCT	yes
Type of control	CCT, Dimmable



FARO LED




Faro LED Bk
AZ3204




Faro LED Wh
AZ6881

- Faro Led**
- Code/Color
 - AZ3204 black
 - AZ6881 white matt
 - Finish: aluminium / PVC
 - Material: aluminium / PVC
 - Light source: 2 x LED integrated
 - Power: 3W / 6W
 - Lumens: 280lm
 - Kelvins: 3000K



TROST TABLE DIMM SWITCH DIMM SWITCH



Trost Table DIMM Switch Red
AZ6800





Trost Table DIMM Switch Beige
AZ6802




Trost Table DIMM Switch Bk
AZ6801

- Trost Table DIMM Switch**
- Code/Color
 - AZ6800 red
 - AZ6801 black
 - AZ6802 beige
 - AZ7201 white matt
 - Finish: aluminium
 - Material: aluminium
 - Light source: 1 x LED integrated
 - Power: 4,5W
 - Lumens: 337lm
 - Kelvins: 3000K
 - Dimmable: yes
 - Type of control: SWITCH DIMMER




EXO 1 BEIGE




Code	Color	Finish	Material	Light Source	Protection class
● AZ7111	beige	matt	aluminium	1 x GU10, 40W	IP20

EXO 2 BEIGE



Code	Color	Finish	Material	Light Source	Protection class
● AZ7112	beige	matt	aluminium	2 x GU10, 40W	IP20



EXO 3 BEIGE



Code	Color	Finish	Material	Light Source	Protection class
● AZ7113	beige	matt	aluminium	3 x GU10, 40W	IP20




EXO 3 LINE 70




Code	Color	Finish	Material	Light Source	Protection class
● AZ6650	black	matt	aluminium	3 x GU10, max. 50W only LED	IP20
○ AZ6651	white	matt	aluminium	3 x GU10, max. 50W only LED	IP20
● AZ6652	beige	matt	aluminium	3 x GU10, max. 50W only LED	IP20

EXO 4 LINE 120



Code	Color	Finish	Material	Light Source	Protection class
● AZ6653	black	matt	aluminium	4 x GU10, max. 50W only LED	IP20
○ AZ6654	white	matt	aluminium	4 x GU10, max. 50W only LED	IP20
● AZ6655	beige	matt	aluminium	4 x GU10, max. 50W only LED	IP20


EXO 6 LINE 200



Code	Color	Finish	Material	Light Source	Protection class
● AZ6656	black	matt	aluminium	6 x GU10, max. 50W only LED	IP20
○ AZ6657	white	matt	aluminium	6 x GU10, max. 50W only LED	IP20
● AZ6658	beige	matt	aluminium	6 x GU10, max. 50W only LED	IP20




PUR 4 CCT SWITCH




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	CCT	Type of control
● AZ6850	black	matt	aluminium / PVC	1 x LED integrated, 7W	570lm	2700/3000/4000/6500K	yes	CCT SWITCH
○ AZ6851	white	matt	aluminium / PVC	1 x LED integrated, 7W	570lm	2700/3000/4000/6500K	yes	CCT SWITCH
● AZ6852	chrome	shiny	aluminium / PVC	1 x LED integrated, 7W	570lm	2700/3000/4000/6500K	yes	CCT SWITCH

ALEXANDRIA WALL




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6558	black	matt	aluminium / PVC	1 x LED integrated, 8W	357lm	3000K	IP20

LIMAN 6W CCT SWITCH



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6548	black	matt	aluminium / acrylic	1 x LED integrated, 6W	724lm	3000/4000K	IP20

LIMAN 10W CCT SWITCH



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6550	black	matt	aluminium / acrylic	1 x LED integrated, 10W	1095lm	3000/4000K	IP20

BABIL 10W CCT SWITCH




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ6554	white	matt	aluminium / PVC	1 x LED integrated, 10W	879lm	3000/4000K	IP20

BABIL 15W CCT SWITCH




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ6547	white	matt	aluminium	1 x LED integrated, 15W	1294lm	3000/4000K	IP20





**AQUA
COLLECTION**


MIRT IP65 8W 3000/4000K BK



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ7094	black	matt	aluminium / PVC	1 x LED integrated, 8W	640lm	3000K	IP65
● AZ7096	black	matt	aluminium / PVC	1 x LED integrated, 8W	640lm	4000K	IP65




MIRT IP65 15W 3000K/4000K BK



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ7095	black	matt	aluminium / PVC	1 x LED integrated, 15W	1200lm	3000K	IP65
● AZ7097	black	matt	aluminium / PVC	1 x LED integrated, 15W	1200lm	4000K	IP65




MARTON LED IP44 3000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6858	black	matt	aluminium / PVC	1 x LED integrated, 8W	710lm	3000K	IP44
○ AZ6859	white	matt	aluminium / PVC	1 x LED integrated, 8W	710lm	3000K	IP44
● AZ6860	chrome	shiny	aluminium / PVC	1 x LED integrated, 8W	721lm	3000K	IP44
● AZ6861	gold	shiny	aluminium / PVC	1 x LED integrated, 8W	721lm	3000K	IP44



MARTON LED IP44 4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6854	black	matt	aluminium / PVC	1 x LED integrated, 8W	879lm	4000K	IP44
○ AZ6855	white	matt	aluminium / PVC	1 x LED integrated, 8W	879lm	4000K	IP44
● AZ6856	chrome	shiny	aluminium / PVC	1 x LED integrated, 8W	918lm	4000K	IP44
● AZ6857	gold	shiny	aluminium / PVC	1 x LED integrated, 8W	918lm	4000K	IP44




MARTON GX53 IP44



Code	Color	Finish	Material	Light Source	Protection class
○ AZ6442	white	matt	aluminium / PVC	1 x GX53	IP44
● AZ6443	black	matt	aluminium / PVC	1 x GX53	IP44
○ AZ6866	chrome	shiny	aluminium / PVC	1 x GX53	IP44
● AZ6867	gold	shiny	aluminium / PVC	1 x GX53	IP44





PANDINO 30 CCT SWITCH 3-STEP DIMM IP44



CCT SWITCH
2800K / 4000K / 6000K

Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ6583	white	matt	PVC	1 x LED integrated, 23W	1518lm	2800/4000/6000K	IP44
● AZ6584	black	matt	PVC	1 x LED integrated, 23W	1518lm	2800/4000/6000K	IP44



PANDINO 40 CCT SWITCH 3-STEP DIMM IP44



CCT SWITCH
2800K / 4000K / 6000K

Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ6585	white	matt	PVC	1 x LED integrated, 32W	2630lm	2800/4000/6000K	IP44
● AZ6586	black	matt	PVC	1 x LED integrated, 32W	2630lm	2800/4000/6000K	IP44



PANDINO 23 CCT SWITCH SENSOR IP44



SENSOR
time 15-90s
range 2-8m

Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ6587	white	matt	PVC	1 x LED integrated, 18W	1440lm	2800/4000/6000K	IP44
● AZ6588	black	matt	PVC	1 x LED integrated, 18W	1440lm	2800/4000/6000K	IP44



PANDINO 30 CCT SWITCH SENSOR IP44



SENSOR
time 15-90s
range 2-8m

Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ6589	white	matt	PVC	1 x LED integrated, 24W	1920lm	2800/4000/6000K	IP44
● AZ6590	black	matt	PVC	1 x LED integrated, 24W	1920lm	2800/4000/6000K	IP44


PANDINO 40 CCT SWITCH SENSOR IP44



SENSOR
time 15-90s
range 2-8m



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ6591	white	matt	PVC	1 x LED integrated, 32W	2630lm	2800/4000/6000K	IP44
● AZ6592	black	matt	PVC	1 x LED integrated, 32W	2630lm	2800/4000/6000K	IP44

ANCONA S IP54




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ2192	white	matt	aluminium	1 x LED integrated, 6W	445lm	3000K	IP54
● AZ2191	black	matt	aluminium	1 x LED integrated, 6W	445lm	3000K	IP54
● AZ7141	beige	matt	aluminium	1 x LED integrated, 6W	445lm	3000K	IP54

ANCONA M IP54




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ2853	white	matt	aluminium	1 x LED integrated, 9W	890lm	3000K	IP54
● AZ2852	black	matt	aluminium	1 x LED integrated, 9W	890lm	3000K	IP54
● AZ7143	beige	matt	aluminium	1 x LED integrated, 9W	890lm	3000K	IP54

ANCONA L IP54




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ2193	white	matt	aluminium	1 x LED integrated, 12W	721lm	3000K	IP54
● AZ2194	black	matt	aluminium	1 x LED integrated, 12W	721lm	3000K	IP54
● AZ7142	beige	matt	aluminium	1 x LED integrated, 12W	721lm	3000K	IP54

ANCONA XL IP54




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ7144	white	matt	aluminium	1 x LED integrated, 15W	1110lm	3000K	IP54
● AZ7145	black	matt	aluminium	1 x LED integrated, 15W	1110lm	3000K	IP54
● AZ7146	beige	matt	aluminium	1 x LED integrated, 15W	1110lm	3000K	IP54


ELMO WALL IP44



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6798	black	matt	aluminium / glass	1 x LED integrated, 5W	375lm	3000K	IP44
○ AZ6799	white	matt	aluminium / glass	1 x LED integrated, 5W	375lm	3000K	IP44




PRONTO WALL 60 IP44 CCT SWITCH



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6568	chrome	shiny	aluminium	1 x LED integrated, 14W	1060lm	3000/4000/6000K	IP54
● AZ6569	black	matt	aluminium	1 x LED integrated, 14W	1060lm	3000/4000/6000K	IP54

PRONTO WALL 90 IP44 CCT SWITCH



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6570	chrome	shiny	aluminium	1 x LED integrated, 21W	1640lm	3000/4000/6000K	IP54
● AZ6571	black	matt	aluminium	1 x LED integrated, 21W	1640lm	3000/4000/6000K	IP54

PANDORA WALL IP44 CCT SWITCH




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6572	chrome	shiny	aluminium	1 x LED integrated, 11W	690lm	3000 / 4000 / 6000K	IP54
● AZ6573	black	matt	aluminium	1 x LED integrated, 11W	690lm	3000 / 4000 / 6000K	IP54
● AZ6574	gold	shiny	aluminium	1 x LED integrated, 11W	690lm	3000 / 4000 / 6000K	IP54



A photograph of an outdoor landscape at dusk. Two tall, cylindrical, vertically-slatted outdoor lamps are illuminated, casting a warm glow. The lamps are positioned on a stone-paved area. In the background, there are various green plants, including tall grasses and shrubs, and a small fountain or water feature. The sky is a deep blue, suggesting twilight. A white rectangular box with the text "OUTDOOR LAMPS" is overlaid on the right side of the image.



OUTDOOR LAMPS

EBRO WALL IP65 12W 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6764	black / clear	matt / shiny	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65

EBRO 105 IP65 25W 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Control Type	Protection class
● AZ6767	BLACK / CLEAR	matt / SHINY	ALUMINIUM / PVC	1 x LED integrated, 25W	2000lm	3000K	N/A	IP65

EBRO 60 IP65 18W 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6765	black / clear	matt / shiny	aluminium / PVC	1 x LED integrated, 18W	1440lm	3000K	IP65

EBRO 155 80 IP65 32W 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6768	black / clear	matt / shiny	aluminium / PVC	1 x LED integrated, 32W	2560lm	3000K	IP65

FRAME IP65 WALL 3000K




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6635	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
● AZ6633	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
● AZ7014	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65

FRAME IP65 WALL 4000K




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6636	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
● AZ6634	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
● AZ7015	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65

FRAME IP65 30 3000K




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6638	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
● AZ6684	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
● AZ6760	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65

FRAME IP65 30 4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6685	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
● AZ6686	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
● AZ6761	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65

FRAME IP65 60 3000K




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ6631	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
AZ6629	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
AZ6762	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65


FRAME IP65 60 4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ6632	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
AZ6630	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
AZ6763	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65




CAVALIO IP65 30 3000K DGR




Code	Color	Finish	Material	Light Source	Kelvins	Protection class
● AZ7138	dark grey	matt	aluminium	1 x LED integrated, 10W	3000K	IP65

CAVALIO IP65 60 3000K DGR



Code	Color	Finish	Material	Light Source	Kelvins	Protection class
● AZ7139	dark grey	matt	aluminium	1 x LED integrated, 10W	3000K	IP65

CAVALIO IP65 80 3000K DGR



Code	Color	Finish	Material	Light Source	Kelvins	Protection class
● AZ7140	dark grey	matt	aluminium	1 x LED integrated, 10W	3000K	IP65




VILAGIO 30 IP65 4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ7134	beige	matt	aluminium	1 x LED integrated, 6W	220lm	4000K	IP65
AZ7135	dark grey	matt	aluminium	1 x LED integrated, 6W	220lm	4000K	IP65

VILAGIO 60 IP65 4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ7136	beige	matt	aluminium	1 x LED integrated, 6W	220lm	4000K	IP65
AZ7137	dark grey	matt	aluminium	1 x LED integrated, 6W	220lm	4000K	IP65





FUEGO 60 IP65 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ7130	corten	matt	aluminium	1 x LED integrated, 6W	480lm	3000K	IP65
● AZ7131	black	matt	aluminium	1 x LED integrated, 6W	480lm	3000K	IP65

FUEGO 80 IP65 3000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ7132	brown	matt	aluminium	2 x LED integrated, 12W	960lm	3000K	IP65
● AZ7133	black	matt	aluminium	2 x LED integrated, 12W	960lm	3000K	IP65




LANTERN WALL E27 IP54 BK




Code	Color	Finish	Material	Light Source	Protection class
● AZ6830	black / clear	matt / shiny	aluminium / glass	1 x E27, 20W	IP54

LANTERN E27 IP54 BK



Code	Color	Finish	Material	Light Source	Protection class
● AZ6828	black / clear	matt / shiny	aluminium / glass	1 x E27, 20W	IP54


LANTERN PENDANT E27 IP54 BK



Code	Color	Finish	Material	Light Source	Protection class
● AZ6829	black / clear	matt / shiny	aluminium / glass	1 x E27, 20W	IP54




FIGARO WALL IP54 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6826	black	matt	aluminium / acrylic	1 x LED integrated, 8W	640lm	3000K	IP54

FIGARO 650 3000K IP54 BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6827	black	matt	aluminium / acrylic	1 x LED integrated, 8W	640lm	3000K	IP54


OUTDOOR PLUG 2kW IP54 BK



Code	Color	Finish	Material	Socket max. load	Protection class
● AZ6849	black	matt	aluminium / PVC	2000W	IP54




OPLO WALL 3000K IP54




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6831	dark grey	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54
● AZ6832	black	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54

OPLO NUMBER WALL 3000K IP54



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6835	dark grey	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54
● AZ6836	black	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54

OPLO 650 3000K IP54



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6833	dark grey	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54
● AZ6834	black	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54



GUSTO 90 WALL IP54 3000/4000K




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6839	black	matt	aluminium	1 x LED integrated, 9W	365lm	3000K	IP54
● AZ6840	dark grey	matt	aluminium	1 x LED integrated, 9W	365lm	3000K	IP54
● AZ6843	black	matt	aluminium	1 x LED integrated, 9W	365lm	4000K	IP54
● AZ6844	dark grey	matt	aluminium	1 x LED integrated, 9W	365lm	4000K	IP54

GUSTO 120 WALL IP54 3000/4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6837	black	matt	aluminium	1 x LED integrated, 12W	490lm	3000K	IP54
● AZ6838	dark grey	matt	aluminium	1 x LED integrated, 12W	490lm	3000K	IP54
● AZ6841	black	matt	aluminium	1 x LED integrated, 12W	490lm	4000K	IP54
● AZ6842	dark grey	matt	aluminium	1 x LED integrated, 12W	490lm	4000K	IP54




LENNART 100 IP54 3000/4000K




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ5696	black	matt	aluminium	1 x LED integrated, 18W	1625lm	3000K	IP54
● AZ7147	beige	matt	aluminium	1 x LED integrated, 18W	1625lm	3000K	IP54
● AZ5697	black	matt	aluminium	1 x LED integrated, 18W	1625lm	4000K	IP54
● AZ7148	beige	matt	aluminium	1 x LED integrated, 18W	1625lm	4000K	IP54


LENNART 150 IP54 3000/4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ5698	black	matt	aluminium	1 x LED integrated, 18W	2342lm	3000K	IP54
● AZ7149	beige	matt	aluminium	1 x LED integrated, 18W	2342lm	3000K	IP54
● AZ5699	black	matt	aluminium	1 x LED integrated, 18W	2433lm	4000K	IP54
● AZ7150	beige	matt	aluminium	1 x LED integrated, 18W	2433lm	4000K	IP54




DURANTE IP54 CCT SWITCH



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6537	black	matt	aluminium / PVC	1 x LED integrated, 21W	1680lm	2800 / 4000 / 6000K	IP54



DURANTE IP54 SENSOR CCT SWITCH




SENSOR: DISTANCE: 0,5 - 10 m. | HEIGHT: 2-2,5 m. | ANGLES: 150° + 90° | TIME: 30 s.-3 min. | DUSK SENSITIVITY

Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6536	black	matt	aluminium / PVC	1 x LED integrated, 21W	1680lm	2800 / 4000 / 6000K	IP54


MORTEN IP54 WALL 3000/4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ6639	white	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54
● AZ6637	dark grey	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54
○ AZ6640	white	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	4000K	IP54
● AZ6637	dark grey	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	4000K	IP54




CUBIC IP54 18W 3000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6687	black	matt	aluminium / PVC	1 x LED integrated, 18W	1440lm	3000K	IP54
● AZ6689	dark grey	matt	aluminium / PVC	1 x LED integrated, 18W	1440lm	3000K	IP54


CUBIC IP54 18W 4000K




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6688	black	matt	aluminium / PVC	1 x LED integrated, 18W	1440lm	4000K	IP54
● AZ6690	dark grey	matt	aluminium / PVC	1 x LED integrated, 18W	1440lm	4000K	IP54



GAMBINO XL WALL IP65 3000K DGR




Adjustable light angle




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ7092	dark grey	matt	aluminium	1 x LED integrated, 20W	1600lm	3000K	IP65


GAMBINO XL WALL IP65 4000K DGR




Adjustable light angle



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ7093	dark grey	matt	aluminium	1 x LED integrated, 20W	1600lm	4000K	IP65






1LINE
TRACK SYSTEM

PLAIN TRACK 1LINE



Voltage 230V	Kelvins / Lumens 3000K 1117lm 4000K 1014lm	Light source 1x LED integrated
Power 12W	Beam angle 24°	Protection level IP20
Material aluminium	Finish matt	



- 3000K black _____ AZ6865
- 4000K black _____ AZ6863
- 3000K white _____ AZ6864
- 4000K white _____ AZ6862





ALFA
TRACK MAGNETIC



ALFA TRACK MAGNETIC52 CONNECTOR T A GIPS1
 Color/Code ● black _____ AZ6694
 ○ white _____ AZ6697



ALFA TRACK MAGNETIC52 CONNECTOR T A GIPS2
 Color/Code ● black _____ AZ6695
 ○ white _____ AZ6698



ALFA TRACK MAGNETIC52 CONNECTOR T A
 Color/Code ● black _____ AZ6693
 ○ white _____ AZ6696



ALFA TRACK MAGNETIC52 230V ELECTRICAL CONNECTOR T
 Color/Code ● black _____ AZ6699
 ○ white _____ AZ6700




ALFA TRACK MAGNETIC 2LINE L1 DRIVER 100W DIMM INSIDE WH
 Color/Code ○ white _____ AZ6682



ALFA TRACK MAGNETIC DRIVER 2Line 100+100W DIMM INSIDE WH
 Color/Code ○ white _____ AZ6681




ALFA SAGA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage = 48V	Lumens 487 / 553lm	Beam angle 104°
Light source 1x LED integrated	Kelvins 2900 / 4000 / 7230K	Power 12W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		

- black AZ6236
- white AZ6498


ALFA SAGA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM



Voltage = 48V	Lumens 2880lm	Beam angle 120°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 36W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		

- black AZ6238
- white AZ6500


ALFA SAGA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM



Voltage = 48V	Lumens 940 / 1062lm	Beam angle 104°
Light source 1x LED integrated	Kelvins 3000 / 4000 / 7100K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		

- black AZ6237
- white AZ6499



ALFA SAGA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIMM



Voltage = 48V	Lumens 1877 / 2132lm	Beam angle 105°
Light source 1x LED integrated	Kelvins 3000 / 4000 / 7320K	Power 48W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		

- black AZ6239
- white AZ6501



ALFA SAGA TRACK MAGNETIC 2LINE CORNER A 24W CCT SWITCH DIMM



Voltage ≈ 48V	Lumens 909 / 1032lm	Beam angle 104°
Light source 1x LED integrated	Kelvins 2900 / 4000 / 7274K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt


- black _____ AZ6244
- white _____ AZ6506

ALFA SAGA TRACK MAGNETIC 2LINE CORNER B 24W CCT SWITCH DIMM



Voltage ≈ 48V	Lumens 672 / 764lm	Beam angle 69°
Light source 1x LED integrated	Kelvins 2900 / 4000 / 7160K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		


- black _____ AZ6245
- white _____ AZ6507



ALFA KIRA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage = 48V	Lumens 1150lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 12W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		




- black AZ6240
- white / black AZ6502

ALFA KIRA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM



Voltage = 48V	Lumens 1450lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		




- black AZ6241
- white / black AZ6503

ALFA KIRA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM



Voltage = 48V	Lumens 1750lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 36W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		




- black AZ6242
- white / black AZ6504

ALFA KIRA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIMM



Voltage = 48V	Lumens 2050lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 48W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		




- black AZ6243
- white / black AZ6505

ALFA CYRUS TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage = 48V	Light source 1x LED integrated	Power 12W
Lumens 1060lm	Kelvins 3000/4000/6000K	Beam angle 28°
Protection level IP20	Type of control CCT SWITCH	Tilt 100°
Material aluminium / PVC	Finish matt / shiny	




- black AZ6246
- white /black AZ6508

ALFA CYRUS TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM



Voltage = 48V	Light source 1x LED integrated	Power 24W
Lumens 2340lm	Kelvins 3000/4000/6000K	Beam angle 28°
Protection level IP20	Type of control CCT SWITCH	Tilt 90°
Material aluminium / PVC	Finish matt / shiny	




- black AZ6248
- white /black AZ6510

ALFA CYRUS TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM



Voltage = 48V	Light source 1x LED integrated	Power 24W
Lumens 1560lm	Kelvins 3000/4000/6000K	Beam angle 28°
Protection level IP20	Type of control CCT SWITCH	Tilt 100°
Material aluminium / PVC	Finish matt / shiny	




- black AZ6247
- white /black AZ6509



ALFA NIKO TRACK MAGNETIC 2LINE 7W CCT SWITCH DIMM



Voltage = 48V	Lumens 254 / 347lm	Beam angle 37°
Light source 1x LED integrated	Kelvins 2780 / 4000 / 6300K	Rotation 350°
Power 20W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt




- black AZ6249
- white AZ6511

ALFA NIKO TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage = 48V	Lumens 572 / 772lm	Beam angle 41°
Light source 1x LED integrated	Kelvins 2800 / 4000 / 6700K	Rotation 350°
Power 7W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt




- black AZ6250
- white AZ6512

ALFA NIKO TRACK MAGNETIC 2LINE 20W CCT SWITCH DIMM




Voltage = 48V	Lumens 956 / 1232lm	Beam angle 45°
Light source 1x LED integrated	Kelvins 2900 / 4000 / 6600K	Rotation 350°
Power 12W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt



- black AZ6251
- white AZ6513




ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X7W CCT SWITCH DIMM



Voltage = 48V	Lumens 507 / 695lm	Beam angle 38°
Light source 2x LED integrated	Kelvins 2800 / 4000 / 6500K	Rotation 350°
Power 24W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt

- black AZ6252
- white AZ6514


ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X12W CCT SWITCH DIMM



Voltage = 48V	Lumens 770lm	Beam angle 24°
Light source 2x LED integrated	Kelvins 3000/4000/6000K	Rotation 350°
Power 14W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt

- black AZ6253
- white AZ6515


ALFA PORTO TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage = 48V	Lumens 502 / 693lm	Beam angle 31°
Light source 1x LED integrated	Kelvins 2800 / 4000 / 6500K	Power 12W
Protection level IP20	Tilt 310°	Type of control CCT SWITCH
Material aluminium / PVC	Finish matt	

- black AZ6254
- white AZ6516



ALFA OPTICA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage = 48V	Lumens 524 / 712lm	Beam angle 20° - 60°
Light source 1x LED integrated	Kelvins 2800 / 4000 / 6700K	Rotation 350°
Power 12W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt

- black AZ6256
- white AZ6517


ALFA MITUS TRACK MAGNETIC 2LINE 18W CCT SWITCH DIMM



Voltage = 48V	Lumens 1350lm	Beam angle 120°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Rotation 360°
Power 18W	Protection level IP20	Tilt 45°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt

- black _____ AZ6257
- white _____ AZ6518



ALFA KERRY TRACK MAGNETIC 2LINE 7W CCT SWITCH DIMM



Voltage = 48V	Lumens 300lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 7W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		

- black _____ AZ6255
- white _____ AZ6519

ALFA SAGA TRACK MAGNETIC CORNER A 24W CCT BLUETOOTH



Voltage = 48V	Lumens 1800lm	Beam angle
Light source 1x LED integrated	Kelvins 3000 - 6000K	Rotation N/A
Power 24W	Protection level IP20	Tilt N/A
Type of control BLUETOOTH	Material aluminium / PVC	Finish matt

- black _____ AZ6708
- white _____ AZ6709




ALFA SAGA TRACK MAGNETIC 12W DALI CCT DIMM



Voltage = 48V	Lumens 550lm	Beam angle 104°
Light source 1x LED integrated	Kelvins 2900 / 4000 / 6000K	Power 12W
Protection level IP20	Type of control Dali	Material aluminium / PVC
Finish matt		

- black AZ6284
- white AZ7247




ALFA SAGA TRACK MAGNETIC 36W DALI CCT DIMM



Voltage = 48V	Lumens 1900lm	Beam angle 120°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 36W
Protection level IP20	Type of control Dali	Material aluminium / PVC
Finish matt		

- black AZ6494
- white AZ7251




ALFA SAGA TRACK MAGNETIC 24W DALI CCT DIMM




Voltage = 48V	Lumens 1650lm	Beam angle 104°
Light source 1x LED integrated	Kelvins 3000 / 4000 / 6000K	Power 24W
Protection level IP20	Protection level IP20	Type of control DALI
Material aluminium / PVC	Finish matt	

- black AZ6285
- white AZ7248






ALFA SAGA TRACK MAGNETIC CORNER A 24W DALI CCT DIMM




Voltage = 48V	Lumens 909 / 1032lm	Beam angle 104°
Light source 1x LED integrated	Kelvins 2900 / 4000 / 7274K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		

- black _____ AZ6288
- white _____ AZ7249




ALFA SAGA TRACK MAGNETIC CORNER B 24W DALI CCT DIMM



Voltage = 48V	Lumens 672 / 764lm	Beam angle 69°
Light source 1x LED integrated	Kelvins 2900 / 4000 / 7160K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		


- black _____ AZ6289
- white _____ AZ7250



ALFA KIRA TRACK MAGNETIC 12W DALI CCT DIMM



Voltage = 48V	Lumens 1150lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 12W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		




- black AZ6286
- white / black AZ7252

ALFA KIRA TRACK MAGNETIC 24W DALI CCT DIMM



Voltage = 48V	Lumens 1450lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		




- black AZ6287
- white / black AZ7245

ALFA KIRA TRACK MAGNETIC 36W DALI CCT DIMM



Voltage = 48V	Lumens 1750lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 36W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		



- black AZ6495
- white / black AZ7246



A modern living room with a track lighting fixture in the foreground. The room features a light-colored sofa, a coffee table, and large windows with sheer curtains. The lighting fixture is a cylindrical, white, magnetic track light hanging from a recessed ceiling track. The background shows a well-lit living area with a grey sofa, a coffee table, and large windows with sheer curtains. The floor is made of light-colored wood.

BETA
TRACK MAGNETIC



BETA TRACK MAGNETIC57 230V (1m, 2m, 3m)

Length/Color/Code	● 1m black	_____	AZ5139
	○ 1m white	_____	AZ5140
	● 1m beige	_____	AZ7315
	● 2m black	_____	AZ5141
	○ 2m white	_____	AZ5142
	● 2m beige	_____	AZ7315
	● 3m black	_____	AZ5143
	○ 3m white	_____	AZ5144
	● 3m beige	_____	AZ7316




BETA TRACK MAGNETIC57 230V CORNER90 A

Color/Code	● black	_____	AZ5158
	○ white	_____	AZ5159
	● anodised chocolate	_____	AZ6380
	● anodised gold	_____	AZ6381
	● anodised silver	_____	AZ6439
	● beige	_____	AZ7626



BETA TRACK MAGNETIC57 230V CORNER90 B

Color/Code	● black	_____	AZ5160
	○ white	_____	AZ5161
	● anodised chocolate	_____	AZ6382
	● anodised gold	_____	AZ6383
	● anodised silver	_____	AZ6440
	● beige	_____	AZ7327



BETA TRACK MAGNETIC57 230V CONNECTOR T A

Color/Code	● black	_____	AZ6701
	○ white	_____	AZ6704
	● beige	_____	AZ7385




BETA TRACK MAGNETIC 230V SUSPENSION KIT

Color/Code	● black	_____	AZ5155
	● beige	_____	AZ7324



BETA TRACK MAGNETIC57 230V GIPS1 (1m, 2m, 3m)

Length/Color/Code	● 1m black	_____	AZ5145
	○ 1m white	_____	AZ5146
	● 2m black	_____	AZ5147
	○ 2m white	_____	AZ5148
	● 3m black	_____	AZ5149
	○ 3m white	_____	AZ5150



BETA TRACK MAGNETIC57 230V GIPS2 (1m, 2m, 3m)

Length/Color/Code	● 1m black	_____	AZ5170
	● 2m black	_____	AZ5171
	● 3m black	_____	AZ5172




BETA TRACK MAGNETIC57 230V CORNER90 A GIPS1

Color/Code	● black	_____	AZ5162
	○ white	_____	AZ5163



BETA TRACK MAGNETIC57 230V CORNER90 B GIPS1

Color/Code	● black	_____	AZ5164
	○ white	_____	AZ5165



BETA TRACK MAGNETIC57 230V CONNECTOR T A GIPS1

Color/Code	● black	_____	AZ6702
	○ white	_____	AZ6705




BETA TRACK MAGNETIC57 230V CORNER90 A GIPS2

Color/Code ● black _____ AZ5174



BETA TRACK MAGNETIC57 230V CORNER90 B GIPS2

Color/Code ● black _____ AZ5173



BETA TRACK MAGNETIC57 230V CONNECTOR T A GIPS2

Color/Code ● black _____ AZ6703



BETA TRACK MAGNETIC50 EASYFIX 230V (1m, 2m, 3m)

Length/Color/Code ● 1m black _____ AZ6067
● 2m black _____ AZ6068
● 3m black _____ AZ6069

BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 A

Color/Code ● black _____ AZ6072



BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 B

Color/Code ● black _____ AZ6073




BETA TRACK MAGNETIC 230V STRAIGHT CONNECTOR MECHANICAL

Color/Code ● black _____ AZ5151



BETA TRACK MAGNETIC57 230V COVER

Color/Code ● black _____ AZ5168
○ white _____ AZ5169
● beige _____ AZ7331

BETA TRACK MAGNETIC 230V ADAPTER FOR PENDANT LAMP

Color/Code ● black _____ AZ5156
○ white _____ AZ5157
● beige _____ AZ7324

BETA TRACK MAGNETIC 230V FLEX CONNECTOR ELECTRIC

Color/Code ● black _____ AZ5153



BETA TRACK MAGNETIC 230V STRAIGHT CONNECTOR ELECTRIC

Color/Code ● black _____ AZ5152



BETA TRACK MAGNETIC 230V POWER ELECTRICAL CONNECTOR

Color/Code ● black _____ AZ5154




BETA TRACK MAGNETIC57 230V ELECTRICAL CONNECTOR T

Color/Code ● black _____ AZ6706
○ white _____ AZ6707

BETA TRACK MAGNETIC50 EASYFIX 230V END CAP

Color/Code ● black _____ AZ6074





BETA TRACK MAGNETIC57 230V END CAP

Color/Code ● beige _____ AZ7330





BETA SAGA 230V TRACK MAGNETIC 9W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 495lm 4000K 524lm	Light source 1x LED integrated
Power 9W	Beam angle 120°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

- 3000K black _____ [AZ5190](#)
- 4000K black _____ [AZ5214](#)
- 3000K white _____ [AZ6470](#)
- 4000K white _____ [AZ6471](#)
- 3000K beige _____ [AZ7352](#)
- 4000K beige _____ [AZ7373](#)


BETA SAGA 230V TRACK MAGNETIC 27W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 495lm 4000K 524lm	Light source 1x LED integrated
Power 9W	Beam angle 120°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

- 3000K black _____ [AZ5192](#)
- 4000K black _____ [AZ5216](#)
- 3000K white _____ [AZ6466](#)
- 4000K white _____ [AZ6467](#)
- 3000K beige _____ [AZ7354](#)
- 4000K beige _____ [AZ7375](#)

BETA SAGA 230V TRACK MAGNETIC 18W 3000/4000K




Voltage 230V	Kelvins / Lumens 3000K 603lm 4000K 1097lm	Light source 1x LED integrated
Power 18W	Beam angle 120°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

- 3000K black _____ [AZ5191](#)
- 4000K black _____ [AZ5215](#)
- 3000K white _____ [AZ6464](#)
- 4000K white _____ [AZ6465](#)
- 3000K beige _____ [AZ7353](#)
- 4000K beige _____ [AZ7374](#)




BETA KIRA 230V TRACK MAGNETIC 9W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 685lm 4000K 726lm	Light source 1x LED integrated
Power 9W	Beam angle 24°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

- 3000K black [AZ5187](#)
- 4000K black [AZ5211](#)
- 3000K white [AZ6460](#)
- 4000K white [AZ6461](#)
- 3000K beige [AZ7349](#)
- 4000K beige [AZ7370](#)


BETA KIRA 230V TRACK MAGNETIC 9W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 1357lm 4000K 1416lm	Light source 1x LED integrated
Power 27W	Beam angle 24°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

- 3000K black [AZ5189](#)
- 4000K black [AZ5213](#)
- 3000K white [AZ6458](#)
- 4000K white [AZ6459](#)
- 3000K beige [AZ7351](#)
- 4000K beige [AZ7372](#)

BETA KIRA 230V TRACK MAGNETIC 18W 3000/4000K





Voltage 230V	Kelvins / Lumens 3000K 1300lm 4000K 1345lm	Light source 1x LED integrated
Power 18W	Beam angle 24°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

- 3000K black [AZ5188](#)
- 4000K black [AZ5212](#)
- 3000K white [AZ6456](#)
- 4000K white [AZ6457](#)
- 3000K beige [AZ7350](#)
- 4000K beige [AZ7371](#)




BETA SANDERS 230V TRACK MAGNETIC 9W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 666lm 4000K 700lm	Light source 1x LED integrated
Power 9W	Beam angle 24°	Protection level IP20
Type of control dimmable	Tilt 90°	Rotation 350°
Material aluminium / PVC	Finish matt	

- 3000K black AZ5193
- 4000K black AZ5194
- 3000K beige AZ7355
- 4000K beige AZ7356

BETA MAKITA 230V TRACK MAGNETIC 10W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 728lm 4000K 816lm	Light source 1x LED integrated
Power 10W	Beam angle 24°	Protection level IP20
Type of control dimmable	Tilt 90°	Rotation 350°
Material aluminium / PVC	Finish matt	

- 3000K black AZ5199
- 4000K black AZ5200
- 3000K white AZ6462
- 4000K white AZ6463
- 3000K beige AZ7361
- 4000K beige AZ7362




BETA MAKITA 230V TRACK MAGNETIC 20W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 1396lm 4000K 1557lm	Light source 1x LED integrated
Power 10W	Beam angle 24°	Protection level IP20
Type of control dimmable	Tilt 90°	Rotation 350°
Material aluminium / PVC	Finish matt	

- 3000K black AZ5201
- 4000K black AZ5202
- 3000K beige AZ7363
- 4000K beige AZ7364

BETA OPTICA 230V TRACK MAGNETIC 7W 3000/4000K




Voltage 230V	Kelvins / Lumens 3000K 336lm 4000K 395lm	Light source 1x LED integrated
Power 7W	Beam angle 15-38°	Protection level IP20
Type of control dimmable	Tilt 90°	Rotation 360°
Material aluminium / PVC	Finish matt	

- 3000K black _____ AZ5195
- 4000K black _____ AZ5196
- 3000K white _____ AZ6468
- 4000K white _____ AZ6469
- 3000K beige _____ AZ7357
- 4000K beige _____ AZ7358

BETA KERRY 230V TRACK MAGNETIC 10W 3000/4000K



BETA OPTICA 230V TRACK MAGNETIC 10W 3000/4000K




Voltage 230V	Kelvins / Lumens 3000K 805lm 4000K 847lm	Light source 1x LED integrated
Power 10W	Beam angle 15-38°	Protection level IP20
Type of control dimmable	Tilt 90°	Rotation 360°
Material aluminium / PVC	Finish matt	

- 3000K black _____ AZ5198
- 4000K black _____ AZ5197
- 3000K beige _____ AZ7360
- 4000K beige _____ AZ7359

Voltage 230V	Kelvins / Lumens 3000K 635lm 4000K 654lm	Light source 1x LED integrated
Power 10W	Beam angle 24°	Protection level IP20
Material aluminium / PVC	Finish matt	


- 3000K black _____ AZ5203
- 4000K black _____ AZ5204
- 3000K beige _____ AZ7365
- 4000K beige _____ AZ7366



BETA BECKER 230V TRACK MAGNETIC GUIO



Voltage 230V	Light source 1x GU10	Power max 40W only LED
Protection level IP20	Material ALUMINIUM	Finish matt
Tilt 90°	Rotation 350°	




- black AZ5465
- white AZ5466
- beige AZ7376

BETA GARY 2 230V TRACK MAGNETIC GUIO



Voltage 230V	Light source 1x GU10	Power max 50W only LED
Protection level IP20	Material ALUMINIUM	Finish matt
Tilt 90°	Rotation 350°	




- black AZ6692
- white AZ6691
- beige AZ7384

BETA GARY 230V TRACK MAGNETIC GUIO



Voltage 230V	Light source 1x GU10	Power max 50W only LED
Protection level IP20	Material ALUMINIUM	Finish matt
Tilt 90°	Rotation 350°	




- black AZ5207
- white AZ5208
- beige AZ7369



BETA SAGA 230V TRACK MAGNETIC 9W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	806lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	9W	120°
Protection level	Material	Finish
IP20	aluminium / PVC	matt




Type of control
BLUETOOTH

- black AZ5178
- white AZ7241
- beige AZ7340

BETA SAGA 230V TRACK MAGNETIC 18W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	1503lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	18W	120°
Protection level	Material	Finish
IP20	aluminium / PVC	matt




Type of control
BLUETOOTH

- black AZ5179
- white AZ7240
- beige AZ7341

BETA SAGA 230V TRACK MAGNETIC 27W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	2695lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	27W	120°
Protection level	Material	Finish
IP20	aluminium / PVC	matt




Type of control
BLUETOOTH

- black AZ5180
- white AZ7239
- beige AZ7342

BETA SAGA 230V TRACK MAGNETIC 18W RGB-CW BLUETOOTH




Voltage	Lumens	Light source
230V	1503lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	18W	120°
Protection level	Material	Finish
IP20	aluminium / PVC	matt



Type of control
BLUETOOTH


- black AZ5205
- white AZ7232
- beige AZ7367

BETA KIRA 230V TRACK MAGNETIC 9W CCT BLUETOOTH




Voltage 230V	Lumens 1033lm	Light source 1x LED integrated
Kelvins 3000 - 6000K	Power 9W	Protection level IP20
Type of control BLUETOOTH	Material aluminium / PVC	Finish matt

- black AZ5175
- white AZ7244
- beige AZ7337




BETA KIRA 230V TRACK MAGNETIC 27W CCT BLUETOOTH



Voltage 230V	Lumens 3420lm	Light source 1x LED integrated
Kelvins 3000 - 6000K	Power 27W	Protection level IP20
Type of control BLUETOOTH	Material aluminium / PVC	Finish matt

- black AZ5177
- white AZ7242
- beige AZ7339




BETA KIRA 230V TRACK MAGNETIC 18W CCT BLUETOOTH



Voltage 230V	Lumens 1962lm	Light source 1x LED integrated
Kelvins 3000 - 6000K	Power 18W	Protection level IP20
Type of control BLUETOOTH	Material aluminium / PVC	Finish matt


- black AZ5176
- white AZ7243
- beige AZ7338



BETA SANDERS 230V TRACK MAGNETIC 9W CCT BLUETOOTH




Voltage 230V	Lumens 1010lm	Light source 1x LED integrated
Kelvins 3000 - 6000K	Power 9W	Beam angle 24°
Protection level IP20	Material aluminium / PVC	Finish matt
Type of control BLUETOOTH	Tilt 90°	Rotation 350°




- black _____ AZ5181
- white _____ AZ7238
- beige _____ AZ7343



BETA OPTICA 230V TRACK MAGNETIC 7W CCT BLUETOOTH




Voltage 230V	Lumens 467lm	Light source 1x LED integrated
Kelvins 3000 - 6000K	Power 7W	Beam angle 15-38°
Protection level IP20	Type of control BLUETOOTH	Tilt 90°
Rotation 350°	Material aluminium / PVC	Finish matt




- black _____ AZ5182
- white _____ AZ7237
- beige _____ AZ7344

BETA OPTICA 230V TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage 230V	Lumens 1143lm	Light source 1x LED integrated
Kelvins 3000 - 6000K	Power 10W	Beam angle 15-38°
Protection level IP20	Type of control BLUETOOTH	Tilt 90°
Rotation 350°	Material aluminium / PVC	Finish matt




- black _____ AZ5183
- white _____ AZ7236
- beige _____ AZ7345

BETA MAKITA 230V TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	1234lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	10W	24°
Protection level	Type of control	Tilt
IP20	BLUETOOTH	90°
Rotation	Material	Finish
350°	aluminium / PVC	matt




- black AZ5184
- white AZ7235
- beige AZ7346

BETA MAKITA 230V TRACK MAGNETIC 10W RGB-CW BLUETOOTH



Voltage	Lumens	Light source
230V	1234lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	18W	24°
Protection level	Type of control	Tilt
IP20	BLUETOOTH	90°
Rotation	Material	Finish
350°	aluminium / PVC	matt




- black AZ5206
- beige AZ7368

BETA MAKITA 230V TRACK MAGNETIC 20W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	2388lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	20W	24°
Protection level	Type of control	Tilt
IP20	BLUETOOTH	90°
Rotation	Material	Finish
350°	aluminium / PVC	matt



- black AZ5185
- white AZ7234
- beige AZ7347





BETA KERRY 230V TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage 230V	Lumens 1046lm	Light source 1x LED integrated
Kelvins 3000 - 6000K	Power 10W	Beam angle 120°
Protection level IP20	Material aluminium / PVC	Finish matt
Type of control BLUETOOTH		

- black _____ AZ5186
- white _____ AZ7233
- beige _____ AZ7348






DELTA
TRACK MAGNETIC
SUPER SLIM



DELTA TRACK MAGNETIC SUPER SLIM



Delta Track Magnetic Super Slim Corner90 A BK
AZ6980


Delta Track Magnetic Super Slim End Cap BK
AZ6983

Delta Track Magnetic Super Slim Corner90 B BK
AZ6981



DELTA TRACK MAGNETIC SUPER SLIM (1m, 1,5m, 2m)

- Length/Color/Code ● 1m black AZ6975
● 1,5m black AZ6977
● 2m black AZ6976



DELTA TRACK MAGNETIC SUPER SLIM CORNER90 A BK
Color/Code ● black AZ6980



DELTA TRACK MAGNETIC SUPER SLIM CORNER90 B BK
Color/Code ● black AZ6981



DELTA TRACK MAGNETIC SUPER SLIM END CAP BK
Color/Code ● black AZ6983



DELTA TRACK MAGNETIC SUPER SLIM CURVE R30
Color/Code ● black AZ6978



DELTA TRACK MAGNETIC SUPER SLIM CURVE R60
Color/Code ● black AZ6979




DELTA TRACK MAGNETIC SUPER SLIM SUSPENSION KIT BK
Color/Code ● black AZ6984



DELTA TRACK MAGNETIC SUPER SLIM ROD SUSPENSION

- Height/ Color/Code
- 10 cm black **AZ7001**
 - 30-60 cm black **AZ7004**
 - 60-120 cm black **AZ7005**



DELTA TRACK MAGNETIC SUPER SLIM DOUBLE ROD SUSPENSION

- Height/ Color/Code
- 10 cm black **AZ7007**
 - 30-60 cm black **AZ6678**
 - 60-120 cm black **AZ6679**




DELTA TRACK MAGNETIC SUPER SLIM ELECTRIC ROD SUSPENSION

- Height/ Color/Code
- 10 cm black **AZ7000**
 - 30-60 cm black **AZ7002**
 - 60-120 cm black **AZ7003**




DELTA TRACK MAGNETIC SUPER SLIM DOUBLE ELECTRIC ROD SUSPENSION

- Height/ Color/Code
- 10 cm black **AZ7006**
 - 30-60 cm black **AZ7008**
 - 60-120 cm black **AZ6677**





DELTA TRACK MAGNETIC SUPER SLIM GIPS



DELTA TRACK MAGNETIC SUPER SLIM GIPS (1m, 2m)

- Length/Color/Code
- 1m black **AZ6992**
 - 2m black **AZ6993**



DELTA TRACK MAGNETIC SUPER SLIM GIPS CORNER90 A BK

- Color/Code
- black **AZ6994**



DELTA TRACK MAGNETIC SUPER SLIM GIPS CORNER90 B BK
Color/Code ●black AZ6995



DELTA TRACK MAGNETIC SUPER SLIM GIPS END CAP BK
Color/Code ●black AZ6696

ELECTRIC ACCESSORIES FOR DELTA TRACK MAGNETIC SUPER SLIM



DELTA TRACK MAGNETIC SUPER SLIM 48V DRIVER ELECTRIC CONNECTOR BK
Color/Code ●black AZ6987



DELTA TRACK MAGNETIC SUPER SLIM 48V FLEX ELECTRIC CONNECTOR BK
Color/Code ●black AZ6988



DELTA TRACK MAGNETIC SUPER SLIM 48V STRAIGHT ELECTRIC CONNECTOR BK
Color/Code ●black AZ6989



DELTA TRACK MAGNETIC SUPER SLIM CCT DIMM BLUETOOTH DRIVER 48V BK (100W, 150W)
Power/Color/Code ●100W black AZ6990
●150W black AZ6991




DRIVER OUTSIDE MEANWELL (100W, 200W)
Power/Code 100W AZ4691
200W AZ4692



CONTROLLER CCT DIMM BLUETOOTH
Power/Color/Code ○white AZ7380

Standard


Option




Tuya
SMART APP




AZ5210



AZ5209



AZ5265





AZ4857

DELTA TRACK MAGNETIC SUPER SLIM CEILING BASE




DELTA TRACK MAGNETIC SUPER SLIM CEILING BASE BK
Color/Code ● black AZ6680




Tuya
SMART APP



DELTA TRACK MAGNETIC SUPER SLIM DOUBLE (1,5m)
Length/Color/Code ● 1,5m black AZ7389



DELTA TRACK MAGNETIC SUPER SLIM PENDANT 150 SET 32W+10W BK



up light


down light



Tuya
SMART APP

Voltage 48V	Lumens 3360lm	Light source 2x LED integrated
Kelvins 3000/4000/6000K	Power 32W + 10W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt

● black AZ6998



150


DELTA TRACK MAGNETIC SUPER SLIM FLEX LAMP CCT



DELTA TRACK MAGNETIC SUPER SLIM FLEX LAMP CCT 6W

Voltage	Lumens	Light source
48V	175lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/5000K	6W	IP20
Type of control	Material	Finish
CCT	PVC	matt


o white AZ7303



DELTA TRACK MAGNETIC SUPER SLIM FLEX LAMP CCT 12W

Voltage	Lumens	Light source
48V	349lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/5000K	12W	IP20
Type of control	Material	Finish
CCT	PVC	matt


o white AZ7304



DELTA TRACK MAGNETIC SUPER SLIM FLEX LAMP CCT 18W

Voltage	Lumens	Light source
48V	648lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/5000K	18W	IP20
Type of control	Material	Finish
CCT	PVC	matt


o white AZ7305



DELTA SAGI TRACK MAGNETIC SUPER SLIM 5W CCT BK



Voltage 48V	Lumens 400lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 5W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5393

DELTA KIRKA TRACK MAGNETIC SUPER SLIM 8W CCT BK



Voltage 48V	Lumens 640lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 8W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5395

DELTA SAGI TRACK MAGNETIC SUPER SLIM 10W CCT BK



Voltage 48V	Lumens 800lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 10W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5394

DELTA KIRKA TRACK MAGNETIC SUPER SLIM 16W CCT BK



Voltage 48V	Lumens 1280lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Kelvins 3000/4000/6000K	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5396

DELTA SAGA TRACK MAGNETIC SUPER SLIM 10W CCT BK



Voltage 48V	Lumens 800lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 10W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5397

DELTA KIRA TRACK MAGNETIC SUPER SLIM 10W CCT BK




Voltage 48V	Lumens 800lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 10W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5399

DELTA SAGI TRACK MAGNETIC SUPER SLIM 10W CCT BK



Voltage 48V	Lumens 1200lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 15W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5398

DELTA KIRKA TRACK MAGNETIC SUPER SLIM 16W CCT BK



Voltage 48V	Lumens 1200lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 15W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5400

DELTA TEMIDA TRACK MAGNETIC SUPER SLIM 12W CCT BK



Voltage 48V	Light source 1x LED integrated	Power 12W
Lumens 915lm	Kelvins 3000/4000/6000K	Beam angle 180°
Protection level IP20	Type of control CCT	Material aluminium / PVC
Finish matt / shiny		




● black / clear AZ5406


DELTA TEMIDA TRACK MAGNETIC SUPER SLIM 18W CCT BK



Voltage 48V	Light source 1x LED integrated	Power 18W
Lumens 1440lm	Kelvins 3000/4000/6000K	Beam angle 180°
Protection level IP20	Type of control CCT	Material aluminium / PVC
Finish matt / shiny		




● black / clear AZ5406



DELTA PAVO TRACK MAGNETIC SUPER SLIM 7W CCT BK



Voltage 48V	Lumens lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 7W	Protection level IP20
Type of control CCT	Rotation 350°	Tilt 90°
Material aluminium / PVC	Finish matt	




● black AZ5401

DELTA PAVO TRACK MAGNETIC SUPER SLIM 12W CCT BK



Voltage 48V	Lumens lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 12W	Protection level IP20
Rotation 350°	Tilt 90°	Type of control CCT
Material aluminium / PVC	Finish matt	




● black AZ5402

DELTA ANTILA TRACK MAGNETIC SUPER SLIM 3W CCT BK



Voltage 48V	Lumens 240lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 3W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5403

DELTA ANTILA TRACK MAGNETIC SUPER SLIM 7W CCT BK



Voltage 48V	Lumens 560lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 7W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5404

DELTA DORADO TRACK MAGNETIC SUPER SLIM D10 CCT CLEAR



Voltage 48V	Lumens 450lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 5W	Protection level IP20
Type of control CCT	Material glass / PVC	Finish shiny

o clear AZ5409




DELTA DORADO TRACK MAGNETIC SUPER SLIM D10 CCT MILKY



Voltage 48V	Lumens 450lm	Light source 1x LED integrated
Light source 1x LED integrated	Power 5W	Protection level IP20
Type of control CCT	Material glass / PVC	Finish matt

o white AZ6973




DELTA DORADO TRACK MAGNETIC SUPER SLIM D12 CCT CLEAR



Voltage 48V	Lumens 450lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 5W	Protection level IP20
Type of control CCT	Material glass / PVC	Finish shiny

o clear AZ5410




DELTA DORADO TRACK MAGNETIC SUPER SLIM D12 CCT MILKY




Voltage 48V	Lumens 450lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 5W	Protection level IP20
Type of control CCT	Material glass / PVC	Finish matt

o white AZ6974




DELTA MENSA TRACK MAGNETIC SUPER SLIM 18W CCT BK



Voltage 48V	Lumens 1440lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 18W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt

● black AZ5407

DELTA DRACO TRACK MAGNETIC SUPER SLIM 9W CCT BK



Voltage 48V	Lumens 720lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 9W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt


● black AZ5408

DELTA KERRY TRACK MAGNETIC SUPER SLIM 7W CCT BK




Voltage 48V	Lumens 560lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 7W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt

● black AZ5405






TRACK IP65




Track IP65 (1m, 2m, 3m)

- Length/Color/Code
- 1m black ... AZ6920
 - 1m white ... AZ6923
 - 2m black ... AZ6921
 - 2m white ... AZ6924
 - 3m black ... AZ6922
 - 3m white ... AZ6925




Track IP65 LED Line 3000K/4000K (1m, 2m, 3m)

- Length/Kelvins/Color/Code
- 1m 3000K white ... AZ6926
 - 1m 4000K white ... AZ6929
 - 1m 4000K black ... AZ7198
 - 2m 3000K white ... AZ6927
 - 2m 4000K white ... AZ6930
 - 2m 4000K black ... AZ7199
 - 3m 3000K white ... AZ6928
 - 3m 4000K white ... AZ6931
 - 3m 4000K black ... AZ7200




Track IP65 Corner A (Corner90 A)

- Code/Color
- white ... AZ6939
 - black ... AZ6938




Track IP65 Straight Connector

- Code/Color
- white ... AZ6937
 - black ... AZ6936



Track IP65 End Cap

- Code/Color
- white ... AZ6941
 - black ... AZ6940





Track IP65 T-connector
 Code/Color ○ white ... AZ6940
 ● black ... AZ6943



Track IP65 Suspension
 Code/Color ○ white ... AZ6935
 ● black ... AZ6934



Track IP65 Connectors Set
 Code/Color ○ white ... AZ6932



Track IP65 Silicone Glue
 Code/Color ○ white ... AZ6971




Track IP65 Driver **100W/200W/300W**
 Code/Color/Power 100W ... AZ6964
 200W ... AZ6965
 300W ... AZ6966



Track IP65 Cover Box Driver (100W/200W)
 Code/Color ○ white ... AZ6970
 ● black ... AZ6969

Track IP65 Cover Box Driver (300W)
 Code/Color ○ white ... AZ6967
 ● black ... AZ6968

Track system IP65-INSTALLATION SCHEME




TRACK IP65 LIDO 10W 3000K



Light source	Power	Lumens
1x LED integrated	10W	600lm
Kelvins	CRI [Ra]	Beam angle
3000K	≥ 90	45°
Protection level	Material	
IP65	aluminium	

- black AZ6948
- white AZ6949




TRACK IP65 LIDO 20W 3000K



Light source	Power	Lumens
1x LED integrated	20W	1000lm
Kelvins	CRI [Ra]	Beam angle
3000K	≥ 90	45°
Protection level	Material	
IP65	aluminium	

- black AZ6953
- white AZ6952




TRACK IP65 LIDO 10W 4000K



Light source	Power	Lumens
1x LED integrated	10W	600lm
Kelvins	CRI [Ra]	Beam angle
4000K	≥ 90	45°
Protection level	Material	
IP65	aluminium	

- black AZ6950
- white AZ6951




TRACK IP65 LIDO 20W 4000K



Light source	Power	Lumens
1x LED integrated	20W	1000lm
Kelvins	CRI [Ra]	Beam angle
4000K	≥ 90	45°
Protection level	Material	
IP65	aluminium	

- black AZ6955
- white AZ6954




TRACK IP65 MURANO 8W 3000K



Light source 1x LED integrated	Power 8W	Lumens 530lm
Kelvins 3000K	CRI [Ra] ≥ 90	Beam angle 50°
Protection level IP65	Material aluminium	

- black AZ6944
- white AZ6945




TRACK IP65 MURANO 4000K



Light source 1x LED integrated	Power 8W	Lumens 530lm
Kelvins 4000K	CRI [Ra] ≥ 90	Beam angle 50°
Protection level IP65	Material aluminium	

- black AZ6946
- white AZ6947




TRACK IP65 FERNA 16W 3000K



Light source 1x LED integrated	Power 16W	Lumens 660lm
Kelvins 3000K	CRI [Ra] ≥ 90	Beam angle 38°
Protection level IP65	Material aluminium	

- black AZ6956
- white AZ6957




TRACK IP65 FERNA 16W 4000K



Light source 1x LED integrated	Power 20W	Lumens 660lm
Kelvins 4000K	CRI [Ra] ≥ 90	Beam angle 38°
Protection level IP65	Material aluminium	

- black AZ6958
- white AZ6959




TRACK IP65 SONIC 3000K



Light source	Power	Lumens
1x LED integrated	8W	420lm
Kelvins	CRI [Ra]	Beam angle
3000K	≥ 90	38°
Protection level	Material	
IP65	aluminium	

- black AZ6960
- white AZ6961





TRACK IP65 SONIC 4000K



Light source	Power	Lumens
1x LED integrated	8W	420lm
Kelvins	CRI [Ra]	Beam angle
4000K	≥ 90	38°
Protection level	Material	
IP65	aluminium	

- black AZ6962
- white AZ6963



RESERVATIONS
TECHNOLOGICAL changes and limitations

*We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.*

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modeles.

Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du catalogue.

*Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.*

*Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen
a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.*

*Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.*

*Vyhradzujeme si právo na vykonávanie ponukových a konstrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.*

*We can paint the lamps in any RAL colour subject to an extra charge.
Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.*

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

RESERVATIONS
TECHNOLOGICAL changes and limitations

*2 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.*

A warranty of 2 years is given for the driver for LED lamps and light modules (with diodes).

*The warranty is counted from the day of purchase, confirmed by a bill or an invoice.
2 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni*

Les 2 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

*2-ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.*

*2 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od datumu zakoupení zboží.*

*Ra (CRI) - Colour Rendering Index EU standard - Ra ≥ 80
Best colour rendering index, Ra (CRI) = 100*

*Ra (CRI) - wskaźnik oddawania barw Standard UE - Ra ≥ 80
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100*

*Ra (CRI)- Index podania farieb Štandard EU - Ra ≥ 80
Najlepší index podania farieb Ra(CRI)=100*

*Ra (CRI)- Index podání barev Standard EU - Ra ≥ 80
Nejlepší index podání barev Ra(CRI)=100*