

Michael Anastassiades, Edward Barber &
Jay Osgerby, Mario Bellini, Ronan & Erwan
Bouroullec, Achille Castiglioni, Pier Giacomo
Castiglioni, Antonio Citterio, Rodolfo Dordoni,
Formafantasma, Ron Gilad, Johanna Grawunder,
Konstantin Grcic, Joris Laarman, Piero Lissoni,
Jasper Morrison, Nendo, Paolo Rizzatto, Nicoletta
Rossi & Guido Bianchi, Gino Sarfatti, Tobia Scarpa,
Philippe Starck, Patricia Urquiola, Vincent Van
Duysen, Marcel Wanders

DECORATIVE COLLECTION
APRIL 2021

FLOS

DECORATIVE COLLECTION
APRIL 2021

FLOS

NEW 2021



Bellhop Floor
P. 148



Caule 1 - Caule 1 Nest
P. 409



Caule 2 - Caule 2 Nest
P. 409



Caule 3 - Caule 3 Nest
P. 409




Caule 3 - Caule 3 Nest
P. 409



Caule 4
P. 409



Caule 5
P. 409



Coordinates Wall
P. 344



In Vitro Unplugged
P. 56, 410



In Vitro Ceiling
P. 338, 410



In Vitro Wall
P. 338, 410



In Vitro Suspension
P. 229, 410



Kap Surface Round
P. 340



Kap Surface Round
P. 340

Kap Surface Square
P. 340



Kap Surface Square
P. 340



Mile Wall 1 Down
P. 412



Mile Wall 1 Up
P. 412



Mile Wall 2 Down
P. 412




Mile Wall 2 Up
P. 412




Superline
P. 232

Thin Led
P. 342



Wireline
P. 216



Anodized Green, Anodized Grey, Anodized Natural
Aim
P. 312

Anodized Green, Anodized Grey, Anodized Natural
Aim Small
P. 312



Green/Red
Smithfield C & C PRO
P. 372

Green/Red
Smithfield S & S PRO
P. 325



Orange
Snoopy
P. 118

NEW COLORS 2021



Patricia Urquiola

CHASEN, CAULE, FLAUTA, SERENA, TATOU

Photo by Stefano Galuzzi



Jasper Morrison

GLO-BALL, SMITHFIELD, SUPERLOON


Photo by Timm Rautert



Tobia Scarpa

ARIETTE, BIAGIO, FANTASMA,
FOGLIO

Courtesy of Tobia Scarpa



Antonio Citterio

CLESSIDRA, KELVIN LED,
KELVIN EDGE, MILE, ONTHEROCKS

Courtesy of Antonio Citterio



Ronan & Erwan Bouroullec

AIM, BELT


Photo by Philippe Jarrigeon



Nicoletta Rossi and Guido Bianchi

IPNOS


Photo by Maki Ochoa



Rodolfo Dordoni

POCHETTE, RAY

Courtesy of Rodolfo Dordoni



Achille Castiglioni

AOY, DIABOLO, FRISBI, FUCSIA, LAMPADINA,
PARENTESI, STYLOS, TARAXACUM 88

Photo by Maria Mulas



Philippe Starck

BIBLIOTHEQUE NATIONALE, BON JOUR,
BON JOUR VERSAILLES, FORT KNOX, GUNS, KTRIBE, LA PLUS BELLE,
MISS K, ROMEO, ROSY ANGELIS, SUPERARCHIMOON

Courtesy of Philippe Starck



Photo by Luciano Ferri

Achille & Pier Giacomo Castiglioni

ARCO, GATTO, LUMINATOR, SNOOPY,
SPLÜGEN BRÄU, TACCIA, TARAXACUM,
TOIO, VISCONTEA



Johanna Grawunder

WAN

Courtesy Designer's Gallery Köln



Konstantin Grcic

MAYDAY, NOCTAMBULE, OK

Photo by Frank Hulsbörger



Piero Lissoni

BUTTON, CAMOUFLAGE, CLARA
MY WAY, REAL MATTER, TIGHT LIGHT

Photo by Giovanni Gastel



Marcel Wanders

SKYGARDEN, ZEPPELIN

Courtesy of Marcel Wanders



Vincent Van Duysen

INFRA-STRUCTURE EPISODE 2, OBLIQUE

Photo by Ian Verlinde



Mario Bellini

CHIARA

Photo by Alessandro Furchino Capria



Formafantasma

WIRELINE, WIRERING

Courtesy of Formafantasma



Nendo

GAKU, SAWARU

Photo by Andreas Larsson



Paolo Rizzatto

265

Photo by Santi Caleca

Courtesy of Joris Laarman Lab



Joris Laarman

NEBULA



Edward Barber & Jay Osgerby

BELLHOP, TAB

Courtesy of E. Barber & J. Osgerby



Ron Gilad

2620, GOLDMAN

Photo by Monica Castiglioni



Photo by Frank Hülsbömer

Michael Anastassiades

ARRANGEMENTS, CAPTAIN FLINT, COORDINATES, COPYCAT
IC LIGHTS, LAST ORDER, OVERLAP, STRING LIGHTS

TABLE LAMPS

Colección de lámparas de sobremesa



Aoy
P. 140



Bellhop
P. 76



Biagio
P. 136



Bon jour
P. 90



Bon jour unplugged
P. 94



Bon jour Versailles
P. 86



Bon jour Versailles small
P. 86



Chiara Table
P. 58



Copycat
P. 103



Gaku
P. 80



Gatto
P. 112



Mini Glo-Ball Table
P. 132



Glo-Ball Basic
P. 132



Glo-Ball Table
P. 132



Goldman
P. 116



Guns - Bedside Gun
P. 134



Guns - Table Gun
P. 134



IC Table 1 High
P. 99



IC Table 1 Low
P. 99



IC Table 2
P. 99



In Vitro Unplugged
P. 56



Kelvin Edge
P. 128



Kelvin Led
P. 127



KTribe Table
P. 122



Lampadina
P. 104



Last Order
P. 62



Mayday
P. 74



Miss K
P. 142



Oblique
P. 68



Ray Table
P. 120



Romeo Moon Table
P. 123



Romeo Soft Table
P. 123



Serena
P. 84



Snoopy
P. 118



Spun Light Table
P. 138



Tab Table
P. 114



Taccia - Taccia small
P. 108



Tatou Table
P. 124



Arco
P. 180



Bellhop Floor
P. 148



Bibliotheque
Nationale
P. 196



Captain Flint
P. 185



Chiara Floor
P. 158



Coordinates Floor
P. 154



Fantasma Piccolo
P. 194



Glo-Ball Floor
P. 192



Guns - Lounge Gun
P. 186



IC Floor
P. 176



Kelvin Led Floor
P. 203



Ktribe Floor
P. 198



Luminator
P. 211



Noctambule Floor
P. 166



Ray Floor
P. 188



Romeo Moon Floor
P. 206



Romeo Soft Floor
P. 206



Rosy Angelis
P. 205



Sawaru
P. 163



Spun Light Floor
P. 202

FLOOR LAMPS

Colección de lámparas de pie



Stylos
P. 184



Superarchimoon
P. 208



Superloon
P. 173



Tab Floor
P. 190



Tatou Floor
P. 178



Fucsia
P. 294



Glo-Ball Suspension
P. 320



IC Suspension
P. 282



In Vitro Suspension
P. 229



Infra-Structure
Episode 2
P. 252



Toio Limited Edition
P. 201



Toio
P. 200



Ktribe Suspension
P. 333



Nebula
P. 308



Noctambule
P. 269



Ok
P. 290



Overlap
P. 266

SUSPENSION LAMPS

Colección de lámparas de suspensión



2097
P. 259



2097/18
P. 256



2620
P. 319



Aim - Aim small
P. 312



Arrangements
P. 260



Skygarden
P. 298



Smithfield
Suspension
P. 325




Splügen Bräu
P. 292



String Lights Cone
P. 277



String Lights Sphere
P. 277



Belt
P. 243



Chasen
P. 310



Coordinates
Suspension
P. 234



Diabolo
P. 248



Frisbi
P. 301



Superline
P. 232



Taraxacum
P. 304



Taraxacum 88
Suspension
P. 284



Tatou Suspension
P. 289



Viscontea
P. 306



Wan Suspension
P. 297



Wireline
P. 216



Zeppelin
P. 330



IC Ceiling/Wall
Double
P. 359



In Vitro Ceiling
P. 338



In Vitro Wall
P. 338



Kap Surface Round
P. 340



Kap Surface Square
P. 340

WALL & CEILING LAMPS

Colección de lámparas de pared + techo



Ktribe Wall
P. 394



La Plus Belle
P. 362



Ontherocks
P. 383



Pochette
P. 392



Romeo Babe Wall
P. 395



265
P. 379



Ariette
P. 389




Mini Button
P. 396



Button
P. 397



Clara
P. 384



Skygarden Recessed
P. 391



Smithfield Ceiling
P. 372



Taraxacum 88
Ceiling/Wall
P. 386



Thin Led
P. 342




Tight Light
P. 382



Clessidra
P. 374



Coordinates
Wall
P. 344



Coordinates
Ceiling
P. 348



Flauta
P. 354



Foglio
P. 398



Wan Ceiling/Wall
P. 390



Wirering
P. 368



Abajourd'hui
P. 400



Soft Spun
P. 402



Fort Knox Wall
P. 376



Mini Glo-Ball
Ceiling/Wall
P. 380



Glo-Ball Ceiling
P. 380



Glo-Ball Wall
P. 380



IC Ceiling/Wall
P. 360

OUTDOOR/INDOOR LAMPS

Colección lámparas para exteriores/interiores

INDEX



Camouflage
P. 430



Captain Flint
Outdoor
P. 423



Caule
P. 409



Clessidra
P. 438



Flauta Outdoor
P. 415



IC Wall Outdoor
P. 420



IC Floor Outdoor
P. 421



In Vitro Ceiling
P. 410



In Vitro Wall
P. 410



In Vitro Suspension
P. 410



In Vitro Unplugged
P. 410



Ipnos
P. 429



Ktribe Outdoor
P. 432



Last Order
P. 418



Mile Wall
P. 412



My Way
P. 424



Real Matter
P. 426



Romeo Outdoor
P. 435



Superarchimoon
Outdoor
P. 436

INDEX BY FAMILY

Indice de productos por familia



P. 123



P. 206



P. 302



P. 395



P. 208



P. 132



P. 132



P. 192



P. 320



P. 380



P. 380



P. 380



P. 225, 298



P. 391



P. 114



P. 123



P. 206



P. 307



P. 302



P. 395



P. 190



P. 99



P. 99



P. 99



P. 176



P. 120



P. 188



P. 296



P. 142



P. 63



P. 282



P. 360



P. 359



P. 134



P. 186



P. 122



P. 198



P. 198



P. 333



P. 394



P. 138



P. 202



P. 112



P. 266



P. 304

INDEX

INDEX



P. 306



P. 330



P. 330



P. 400



P. 402



P. 348



P. 348



P. 348



P. 348



P. 348



P. 284



P. 386



P. 124



P. 178



P. 289



P. 348



P. 348



P. 348



P. 348



P. 348



P. 325



P. 372



P. 127



P. 128



P. 203



P. 234



P. 234



P. 234



P. 234



P. 234



P. 297



P. 390



P. 90



P. 94



P. 86



P. 234



P. 234



P. 234



P. 234



P. 154



P. 86



P. 58



P. 158



P. 348



P. 348



P. 344



P. 269



P. 269



P. 269



P. 166



P. 166



P. 166



P. 166



P. 432



P. 435



P. 436



P. 420



P. 421

«Reputation is a bit like a table: one or two marks
and everyone notices: a whole host of scratches
and it all blends in» — *Alain de Botton*

TABLE LAMPS

NEW

IN VITRO UNPLUGGED

NEW COLORS

SNOOPY

NEW

IN VITRO UNPLUGGED



In Vitro Unplugged, 2021





CHIARA



Mario Bellini, 2020



En 1969, el arquitecto italiano Mario Bellini presentó Chiara, una lámpara de pie plana para Flos recubierta por una capa brillante de acero inoxidable. Cincuenta años después de su presentación, Flos reedita la emblemática lámpara con una amplia gama de tamaños y acabados.

In 1969, Italian architect Mario Bellini debuted Chiara, a flat-packable floor lamp for Flos that wore a shiny cloak of stainless steel. Fifty years after its introduction, Flos is reissuing the icon in a range of sizes and finishes.



Last Order es la heredera de la lámpara de mesa originalmente proyectada para el nuevo restaurante Four Seasons de Nueva York, tras su traslado e reinauguración en 2018 con interiores diseñados por el arquitecto de São Paulo, Isay Weinfeld.

Last Order is a continuation of the table light that was originally designed for the new Four Seasons restaurant in New York City, which relocated and opened in 2018 with the interiors designed by São Paulo-based architect Isay Weinfeld.



LAST ORDER


TABLE

Technical info p.496-497

LAST ORDER



Michael Anastassiades, 2020



3H CHARGING TIME

6-24H BATTERY LIFE

El tiempo necesario para cargar por completo la luminaria es de 3 horas (500 ciclos de carga garantizados). Con la luminaria encendida en una intensidad de 100 %, la autonomía inalámbrica es de 6 horas (se pueden superar las 24 horas de autonomía reduciendo la intensidad). Al cabo de 6 horas, la intensidad disminuye automáticamente en un 20 % y la necesidad de recarga viene indicada con un LED (L) que parpadea rápidamente (cada 0,2 segundos), hasta que se conecte la luminaria a una toma eléctrica o hasta que la batería se agote por completo.

The time required to completely charge the device is 3 hours (500 charging cycles guaranteed). With the device turned on at 100% intensity, the cordless autonomy is 6 hours (more than 24 hours of autonomy can be achieved by reducing the intensity). After 6 hours, the intensity automatically decreases to 20% and the the need to recharge is indicated: the LED indicator (L) blinks at high-frequency (every 0.2 seconds) until the device is plugged in to charge or the battery is completely discharged.





OBLIQUE



Vincent Van Duysen, 2020





INTEGRATED
WIRELESS
CHARGING SYSTEM



ALWAYS FEATURES
A USB-C PORT
INTEGRATED

El corazón de esta lámpara es el resultado de un verdadero desafío tecnológico concebido por Luke Smith-Wightman y Flos Architectural. Encerrados en un grosor de tan solo 5 mm, los LEDs y las lentes son capaces de generar un haz de luz extremadamente potente y controlado.

The heart of this lamp is the result of a real technological challenge conceived by Luke Smith-Wightman and Flos Architectural. The LEDs and lenses can generate an extremely powerful and controlled light beam from the inside of a just 5 mm thick space.







MAYDAY



Konstantin Grcic, 2000



En alto: K. Grcic con Mayday, la lámpara que recibió el preciado galardón "Compasso d'Oro" en 2001.

Izquierda: Es una lámpara apta para múltiples usos y situaciones. Con su práctica asa que también sirve para enrollar el cable, se puede colocar sobre una mesa, en el suelo o suspendida.

Top: K. Grcic with Mayday, the lamp that received the coveted Compasso d'Oro award in 2001. Left: It is a lamp suited to multiple uses and settings. With its practical handle that also acts as a cable winder, it can be placed on a table, on the floor or suspended.



NEW COLORS


BELLHOP

TABLE


Technical info p.449

BELLHOP

Edward Barber & Jay Osgerby, 2018



PORTABLE RECHARGEABLE



UP TO 24H AUTHONOMY



«Bellhop nació como una lámpara de mesa creada para el nuevo Museo del Diseño de Londres. Una lámpara de mesa que ofrece la máxima flexibilidad de uso, al no tener cables. Bellhop proyecta un cono de luz de ambiente. El modelo inalámbrico es como una candela de nuestra época.»- E. Barber y J. Osgerby

"The Bellhop began when we designed a table lamp for the new London Design Museum. The table top Bellhop gives the user ultimate flexibility as a portable lamp. Bellhop casts an atmospheric pool of light and the portable version is like a modern day candle."
- E. Barber & J. Osgerby







GAKU



Nendo, 2018




**INDUCTION RECHARGEABLE LAMP.
6 TO 48 HOURS AUTONOMY**



WIRELESS INDUCTIVE CHARGING

Una lámpara con altura regulable, suspendida dentro de un marco, mientras que la versión inalámbrica está equipada con una placa de carga por inducción que alimenta una lámpara de luminiscencia. La lámpara, que normalmente se apoya sobre la superficie de carga, se puede trasladar libremente a otro sitio, allá donde la iluminación sea necesaria.

An adjustable-height pendant lamp hangs down inside a frame, while a wireless version features non-contact charging functionality to power a luminescent lamp. Normally laying on the charging dock, the lamp can be moved around freely when lighting is needed elsewhere.





SERENA



Patricia Urquiola, 2015



BON JOUR VERSAILLES





Philippe Starck, 2017

La colección Bon Jour Versailles nace de la colaboración entre Flos y Starck como heredera de la lámpara "Bon Jour", y del candelabro "Versailles" creado por Baccarat. Bon Jour Versailles, se produce en dos modelos, disponibles en cristal o polimetilmetacrilato-evidencia líneas sin tiempo, de indiscutible ligereza y empírica modernidad, que evocan la memoria colectiva del pasado, del presente y del futuro.

The heir to an earlier "Bon Jour" lamps collaboration between Flos and Starck and to the "Versailles" candle-holder created by Baccarat, the Bon Jour Versailles collection, with two models available in crystal or polymethylmethacrylate, reveals timeless lines with unfailing lightness and empirical modernity that evoke our collective memory of the past, of the present and the future.





LE
CRISTAL
EST:



- L'INTELLIGENCE DE LA NATURE
- UN MYSTÈRE
- ISSU DU HAZARD ET DE LA NECESSITÉ
- INULTE PAR LA NATURE IL Y A PLUS OU MOINS 100,000 ANS
- NÉ DANS LE FEU
- UN LIQUIDE
- TRANSPARENT
- TRÈS FRAGILE
- CHER
- MOULABLE PAR GRAVITÉ
- POLISSABLE
- ARISTOCRATIQUE
- SOUVENT IMPARFAIT
- INALTÉRABLE
- EMPIRIQUE
- RARE
- NOBLE
- MAGIQUE

LE
POLYMÉTACRYLATE DE MÉTHYLE
EST:



- L'INTELLIGENCE DE L'HOMME
- UNE INVENTION
- ISSU DE LA RECHERCHE CHIMIQUE
- DÉCOUVERT PAR FITTIG ET PAUL EN 1877
- NÉ DANS LA CHAUDRON
- UN POLYMÈRE
- TRANSPARENT
- TRÈS SOLIDE
- ABORDABLE
- INJECTABLE
- POISSABLE
- DÉMOCRATIQUE
- TOUJOURS PARFAIT
- INDESTUCTIBLE
- THÉORIQUE
- INFINI
- NOBLE
- MAGIQUE

PH.S

②

Baccarat

FLOS



BON JOUR

BON JOUR

Technical info p.450

TABLE

Philippe Starck, 2015



En alto: La revolucionaria tecnología Edge Lighting se une al concepto de “desmaterialización” intrínseco del producto. Dicha tecnología emplea al máximo el potencial del LED y, con un espesor mínimo, garantiza una luz perfectamente uniforme, un alto confort visual y unas prestaciones y eficacia máximas.
Derecha: El exclusivo diseño minimalista del dimmer (regulador de la intensidad) integrado, garantiza el máximo control de la intensidad luminosa con tan solo un clic.

Top: The revolutionary Edge Lighting technology is combined with the “dematerialisation” concept intrinsic in the product. This makes full use of the LED’s potentialities and with a minimum thickness guarantees a perfectly uniform light, a high visual comfort, maximum performance and efficiency.
Right: The exclusive minimalist design of the integrated dimmer guarantees maximum control of the light intensity with one click.





3H CHARGING TIME



6-24H BATTERY LIFE



ACCESSORIZE IT!

La función "portátil/sin cable" está garantizada por la recarga con el alimentador incluido y por la interfaz MicroUSB-C de nueva generación, que le otorga una autonomía de 6/24 horas, dependiendo de la intensidad luminosa emitida durante su uso.

The "portable/cordless" function is guaranteed by the recharge with the adaptor included and by the latest-generation MicroUSB-C interface, for 6/24 hours lighting life, depending on the light emission intensity.

Sensor óptico ubicado bajo la base que garantiza la función de regulación de la intensidad en 4 pasos.

Optical switch sensor on the base that provide 4-step dimming function.



BON JOUR UNPLUGGED



Philippe Starck, 2015



IC



Michael Anastassiades, 2014



COPYCAT



Michael Anastassiades, 2015



LAMPADINA



Achille Castiglioni, 1972







Photo by Zoë Ghermer



Los hermanos Achille y Pier Giacomo Castiglioni habían diseñado el icónico reflector con forma de copa en material plástico transparente. Abandonaron la idea a causa de las deformaciones resultantes que eran generadas por el calor de la fuente luminosa incandescente. El prototipo, por lo tanto, se desarrolló y produjo por Flos en 1962 con la célebre e imponente copa de vidrio soplado. Gracias al uso de la innovadora fuente luminosa de LED hoy en día es posible editar Taccia en una nueva versión con difusor de plástico transparente, que se ajusta fielmente a la idea original.

In the Castiglioni brothers' original design, the iconic bowl reflector was made of transparent plastic. This idea was discarded though because the heat emitted by the incandescent light source deformed the plastic material. The prototype was then developed and produced by Flos in 1962, with its famous big blown glass bowl. Thanks to the use of a cutting-edge LED light source is now possible to edit a new version of Taccia with a transparent plastic diffuser that is accurately faithful to the original concept.



Courtesy of Fondazione Achille Castiglioni

TACCIA AND TACCIA SMALL



Achille & Pier Giacomo Castiglioni, 1962



GATTO




Achille and Pier Giacomo Castiglioni, 1960

TAB



Edward Barber & Jay Osgerby, 2011



GOLDMAN



Ron Gilad, 2013

NEW COLOR



Snoopy, la icónica lámpara de mesa diseñada en 1967 fruto de la genialidad de Achille y Pier Giacomo Castiglioni, se enriquece con un nuevo acabado para su inconfundible reflector: a los clásicos negro y verde se les une el color naranja, el mismo que se puede encontrar en otros productos icónicos de los hermanos Castiglioni, resultado de un cuidadoso estudio del uso cromático en el diseño industrial.

Snoopy, the iconic table lamp designed in 1967 by Achille and Pier Giacomo Castiglioni, is enriched with a new finish for its unmistakable reflector. The classic black and green are joined by orange, the same hue found in other iconic products by the Castiglioni brothers, the fruit of a careful study of the use of colour in industrial design.

SNOOPY



Achille & Pier Giacomo Castiglioni, 1967

Photo by Zoë Ghermer

TABLE

Technical info p.522

SNOOPY



RAY



Rodolfo Dordoni, 2007

KTRIBE



Philippe Starck, 2007

ROMEO SOFT & MOON



Philippe Starck, 1998

TATOU



Patricia Urquiola, 2012

Photo by Zoë Ghermer

KELVIN LED



Photo by Zoë Ghehner

Antonio Citterio assistant Toan Nguyen, 2009



KELVIN EDGE



Antonio Citterio, 2015



La superficie del cabezal se caracteriza por la presencia del sensor Soft Touch, que permite seleccionar la intensidad luminosa deseada y la temperatura del color, según los requisitos, con tan solo un gesto natural e intuitivo.

La nueva Kelvin Edge incluye la exclusiva tecnología Edge Lighting, una revolución en la innovación LED, que incorpora las mejores prestaciones en cuanto a eficacia, intensidad de luz y amplitud de emisión se refiere, a una perfecta homogeneidad y al máximo confort visual.

On the surface of the head there is a Soft Touch sensor with which it is possible to select both the desired intensity and the colour temperature, depending on the requirements, with a single, natural and intuitive action.

The new Kelvin Edge includes the exclusive Edge Lighting technology, a revolution in LED innovation, which combines the best efficiency, light intensity and emission magnitude performances with perfect homogeneousness and maximum visual comfort.



THERE IS NO MORE DOUBLE SHADOW.
ALL NICE AND CLEAN

GLO-BALL



Jasper Morrison, 1998/2009





El 20% de las ventas brutas de la Colección de Armas («Gun Collection») se ha donado a la asociación «Fratelli dell'Uomo».

Reconocida por el ministro de Asuntos Exteriores italiano, se fundó en Italia en 1969 y forma parte del grupo «Frères des hommes». La organización respalda iniciativas y proyectos, sobre todo en América Latina y África, vinculados al acceso a alimentos, la protección del medio ambiente y los bienes comunes, la economía responsable, la salud comunitaria, las migraciones y el codesarrollo. Para más información, consulte por favor www.fratellidelluomo.org

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. For more details, please see www.fratellidelluomo.org



BEDSIDE & TABLE GUN



Philippe Starck, 2005



El cuerpo de la lámpara Biagio está fabricada a mano a partir de un único bloque de mármol blanco estatuario de Carrara.


The body of the Biagio lamp is hand crafted from a single block of white Carrara statuary marble.

BIAGIO



Tobia Scarpa, 1968


Photo by Zoë Ghermer



SPUN LIGHT



Sebastian Wrong, 2003



Decoración del escaparate de la tienda de Flos en Corso Monforte, Milán, Navidad de 1975, realizada por A. Castiglioni.

A. Castiglioni's window dressing for the Flos store in Corso Monforte, Milan, Christmas 1975.

AOY




Achille Castiglioni, 1975

MISS K



Philippe Starck, 2003



«You can't put your feet on the ground
until you've touched the sky» — *Paul Auster*

FLOOR LAMPS

NEW

BELLHOP FLOOR

NEW

BELLHOP FLOOR

FLOOR

Technical info p.449

BELLHOP FLOOR

Edward Barber y Jay Osgerby con
la lámpara Bellhop Floor, en rojo
ladrillo.

Edward Barber and Jay Osgerby
with the floor lamp Bellhop Floor in
brick red.



Edward Barber & Jay Osgerby, 2021



PABLO DI PRIMA

17.11.2020
7064 - 13

FLOS





Lámpara de pie de la Colección Coordinates, compuesta por una sencilla base redonda y dos barras luminosas verticales. Durante la fase de montaje, estas últimas se pueden girar 90 ° y bloquearlas en la apertura deseada del haz de luz.

Floor lamp model from Coordinates Family, featuring a simple round base and two lighting bars, which can be set at the preferred beam angle during assembly.



COORDINATES



Michael Anastassiades, 2020



CHIARA



Mario Bellini, 1969/2020



“Estando un día en mi estudio, me asaltó la idea de que podíamos utilizar la luz en la forma en la que se manifiesta en nuestros entornos y paisajes—nunca directamente, sino con frecuencia a través de las nubes o reflejada en objetos, paredes y superficies. Y, así las cosas, en lugar de decir «venga, vamos a diseñar una lámpara», me dije «vamos a diseñar un dispositivo que pueda tomar la luz de una fuente artificial y la devuelva a nuestros entornos con una cierta inteligencia y delicadeza»... oí unas tijeras, una cartulina grande, y empecé a recortar una forma que pudiese conformarse como un cilindro con un sombrero ancho encima que, cuando se uniese por el lateral derecho e izquierdo, hiciese las veces de reflector de la fuente luminosa alojada en la base.”

– Mario Bellini

“One day in my studio it came to me that we could use light the way it manifests in our surroundings and our landscapes—never directly, but often through clouds or reflected off objects, walls, and surfaces. And so, instead of saying 'let's design a lamp', I said, 'let's design an apparatus that can take light from an artificial source and send it back into our surroundings with a certain intelligence and grace'... I took some scissors, a big piece of card, and I started to cut out something that could be made into a cylinder with a wide hat on top that, when joined on the right and left-hand side, would act as a reflector of the light source housed in the base.”

– Mario Bellini

SAWARU



Nendo, 2018



25 DEGREES



40 DEGREES



60 DEGREES

Una luz que consiste en dos cilindros independientes que se tocan en dirección perpendicular. Uno tiene la función de fuente luminosa, mientras que el otro hace las veces de base. La angulación del proyector se puede regular en tres posiciones: 25, 40 y 60 grados, introduciendo un perno fijado en la base. Las diversas funciones son posibles gracias a la exclusión de elementos superfluos y a la simplificación de la forma.

A light consisting of two independent cylinders touching each other in a perpendicular direction. One plays the role of a light source, while the other acts as a base. Its projection angle can be adjusted in three stages of 25, 40 or 60 degrees, by inserting the pin attached to the base. Various functions are made possible by doing away with excess elements and creating a simple form.



TUNABLE LIGHT TEMPERATURE

DIMMABLE LIGHT INTENSITY





NOCTAMBULE



Konstantin Greic, 2018



La precisión de la tecnología LED que ilumina las lámparas está integrada de forma discreta en las juntas entre los módulos de vidrio. Casi imperceptible, pero preparada para activarse al caer la noche.

The carefully calibrated LED technology which powers the lamps is discretely integrated into the junctions between the glass modules. Almost absent, but ready to be activated at any (night-)time.

Noctambule: animal nocturno o noctámbulo. Casi invisible de día, pero dedicado a fascinantes actividades de noche. Una analogía perfecta


Noctambule: the night owl or reveller. Mostly invisible during the day, but coming to glamorous activity at night-time. The analogy is fitting.



SUPERLOON



Jasper Morrison, 2015





La superficie luminosa, perfectamente homogénea y de inspiración "lunar", es fruto de la revolucionaria tecnología Edge Lighting, que une unas prestaciones máximas de eficacia y confort visual. El producto incluye la función Dim-to-Warm: reduciendo la intensidad, la luz pasa de una tonalidad de blanco más fría a un espectro más cálido, como en las estimadas lámparas de incandescencia.

The light surface, perfectly homogeneous and "moon-inspired", is the result of the revolutionary Edge Lighting technology, which combines maximum performance, efficiency and visual comfort. The product includes the Dim-to-Warm function: as the intensity decreases the light goes from a colder blue tone to a warmer spectrum, like in the well-loved filament lamps.

En el mástil, se incluye un sensor Soft Touch que reinventa la interacción con el producto. Esto garantiza un control fluido y preciso del flujo luminoso con un simple y natural toque con la mano.

The stem includes the Soft Touch sensor, which reinvents interaction with the product. This guarantees a fluid and precise control of the light flow with a simple and natural touch of the hand.





Michael Anastassiades, 2014

IC

La luminaria está compuesta por cuatro elementos idénticos entrelazados que forman una cúpula unificada, inspirada en las antiguas armaduras japonesas. El nombre, Tatou, significa armadillo en francés.

The luminaire is made up of four identical intertwined elements which form a unified dome, drawing its inspiration from ancient Japanese armour. The name Tatou is French for armadillo.



TATOU



Patricia Urquiola, 2012




Photo by Zoë Ghermer

ARCO



Achille & Pier Giacomo Castiglioni, 1962



“Lo que teníamos en mente era una lámpara que proyectase la luz sobre una mesa. Esas lámparas ya existían, pero había que darles la vuelta. Para dejar espacio suficiente alrededor de la mesa, la base tenía que estar como mínimo a dos metros. Esa fue la idea gracias a la que Arco tomó cuerpo.”
- Entrevista a A. Castiglioni para Ottagono, 1970

“We were thinking about a lamp that shines light onto a table. They already existed, but you had to walk round them. To leave enough space around the table, the base had to be at least two meters away. Which was how the idea for Arco came into being.”
- A. Castiglioni interviewed for Ottagono, 1970



Courtesy of Fondazione Achille Castiglioni - Photo by Studio Casali

STYLOS



Achille Castiglioni, 1984

CAPTAIN FLINT



Michael Anastassiades, 2015



El 20% de las ventas brutas de la Colección Guns se ha donado a la asociación «Fratelli dell'Uomo». Reconocida por el ministro de Asuntos Exteriores italiano, se fundó en Italia en 1969 y forma parte del grupo «Frères des hommes». La organización respalda iniciativas y proyectos, sobre todo en América Latina y África, vinculados al acceso a alimentos, la protección del medio ambiente y los bienes comunes, la economía responsable, la salud comunitaria, las migraciones y el codesarrollo. Para más información, consulte por favor www.fratellidelluomo.org

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. For more details, please see www.fratellidelluomo.org

LOUNGE GUN



Philippe Starck, 2005



RAY



Rodolfo Dordoni, 2006

TAB



Edward Barber & Jay Osgerby, 2011





GLO-BALL



Jasper Morrison, 1998

FANTASMA PICCOLO



Tobia Scarpa, 1961

BIBLIOTHEQUE NATIONALE



Philippe Starck, 2013

Como un auténtico y genuino producto de tecnología punta, Bibliothèque Nationale está dotada con toma USB (en la base), que permite la recarga de los smartphone más comunes.

Like the hi-tech product it is, Bibliothèque Nationale is fitted with a USB port, placed on the base, for recharging the most common brands of smartphone.





Philippe Starck, 2007




KTRIBE

FLOOR

Technical info p. 493, 494

KTRIBE

TOIO



Achille & Pier Giacomo Castiglioni, 1962

Photo by Zoë Ghermer

TOIO LIMITED EDITION



SPUN LIGHT



Sebastian Wrong, 2003

KELVIN LED



Antonio Citterio, 2011

ROSY ANGELIS



Philippe Starck, 1994



ROMEO MOON & SOFT



Philippe Starck, 1998



SUPERARCHIMON



Philippe Starck, 2000

LUMINATOR



Achille & Pier Giacomo Castiglioni, 1954

«At rest, however, in the middle of everything
is the sun. For, in this most beautiful temple, who
would place this lamp in another or better position
than that from which it can light up the whole thing
at the same time?» — *Nicolaus Copernicus*

SUSPENSION LAMPS

NEW

**IN VITRO,
SKYGARDEN SMALL,
WIRELINE, SUPERLINE**

NEW COLORS

AIM, SMITHFIELD



NEW

WIRELIN

SUSPENSION

Technical info p. 531

WIRELIN

Formafantasma, 2021



El cable exclusivo de Wireline está hecho con caucho termoplástico en color, una mezcla de polímeros proporciona la dureza necesaria para mantener la silueta armónica y escultural.

The exclusive cable is made in coloured thermoplastic rubber. The polymer blend is perfectly balanced for a soft touch feeling and the necessary hardness to maintain the harmonic and sculpural silhouette.

Los componentes eléctricos están dentro de elementos de acero inoxidable con acabado satinado y se caracterizan por un mecanizado superficial con diamante hecho mediante CNC que refuerza su función y la estética industrial refinada.

The terminal elements in satin-finished stainless steel, hide the electrical continuity components, and are characterized by a surface diamond machining made by CNC, that enhances their function and the refined industrial aesthetic.



«Coordinates es un sistema de iluminación compuesto por barras luminosas horizontales y verticales que forman estructuras reticulares de diversa complejidad. El sistema se puede adaptar de manera sencilla en función de la distinta tipología y las dimensiones del entorno donde se ubicará la instalación».

“Coordinates is a lighting system consisting of horizontal and vertical strip lights that form illuminated grid-like structures of various complexities. The system can be easily adapted for different environments of varying scale.”
- Michael Anastassiades



Wireline, de Formafantasma, está a caballo entre la expresión artística y el diseño industrial. La última creación de Andrea Trimarchi y Simone Farresin para Flos representa su filosofía de diseño y valores estéticos, donde la funcionalidad va de la mano de lo inesperado.

Se trata de una pieza que encaja a la perfección en el universo del estudio, en el que convergen diseño, responsabilidad social y ecología.

Formafantasma's Wireline sits somewhere between artistic expression and industrial design. Andrea Trimarchi and Simone Farresin's latest creation for Flos represents their design ethos and aesthetic values, where functionality meets the unexpected. It's a piece that neatly fits within the studio's universe, where design, social responsibility and ecology collide.



NEW

SKYGARDEN SMALL



Marcel Wanders, 2020

SUSPENSION


Technical info p.519

SKYGARDEN SMALL



Skygarden Small, en acabado marrón óxido, de Marcel Wanders Studio. Detalle del interior en yeso moldeado.

Skygarden Small, in rusty brown finish, by Marcel Wanders Studio. Detail of the cast plaster interior.



NEW

IN VITRO



Philippe Starck, 2020

SUSPENSION

Technical info p.486-487

IN VITRO





El perfil superior de la luminaria ha sido desarrollado en combinación con la lente para evitar que la luz indirecta la golpee, provocando un resplandor desagradable a la vista.

The upper profile of the luminaire has been developed in combination with the lens to prevent indirect light from hitting it, which would cause an unpleasant glare to the eye.

La instalación a techo se realiza mediante un sistema de empotrado de ajuste rápido patentado que permite ajustar la longitud de los cables durante el montaje.

The ceiling installation is carried out by means of a patented recessing system for quick adjustment that allows you to adjust the cables length during the installation.



NEW SUPERLINE

Flos Architectural, 2020



COORDINATES

SUSPENSION

Technical info p.462-465

COORDINATES


Michael Anastassiades, 2020



«Coordinates es un sistema de iluminación compuesto por barras luminosas horizontales y verticales que forman estructuras reticulares de diversa complejidad. El sistema se puede adaptar de manera sencilla en función de la distinta tipología y las dimensiones del entorno donde se ubicará la instalación».

"Coordinates is a lighting system consisting of horizontal and vertical strip lights that form illuminated grid-like structures of various complexities. The system can be easily adapted for different environments of varying scale."
- Michael Anastassiades





La colección ofrece una amplia gama de soluciones preconfiguradas, entre ellas cuatro modelos de suspensión de distintas formas y dimensiones, y tres modelos de luminarias de techo en dos longitudes posibles, para adaptarse a techos estándar o a techos muy altos.


Coordinates comes in a broad array of set configurations, including four suspended chandeliers of different sizes and three ceiling-mounted luminaires, available in two lengths to suit both standard and high ceilings.



BELT



Erwan & Ronan Bouroullec, 2020



El cuero representa el corazón del proyecto. Un material suave y cálido que garantiza libertad en el espacio pero al mismo tiempo se caracteriza por una cierta rigidez que crea armonía en el resultado de la composición final. Belt está recubierta con cuero fino, tratado con tintes naturales para obtener los tres acabados disponibles en la gama: negro, cuero natural y verde.

The leather is the heart of the project. A soft and warm material that guarantees freedom in the space but, at the same time, is characterized by certain rigidity. The result is a harmonious final composition. Belt is covered in fine leather, treated with natural dyes to obtain the three finishes available in the range: black, green and natural leather.





DIABOLO



Achille Castiglioni, 1998/2020



«Mi padre era un excelente jugador al diábol», dice Giovanna Castiglioni, la hija del legendario diseñador italiano Achille Castiglioni. Habla de uno de los pasatiempos favoritos de su padre—el juego malabar, derivado de un yoyó chino, en el que un objeto en forma de reloj de arena se hace rodar atrás y adelante sobre una cuerda entre dos bastones. En 1998, este acto de equilibrio milenario sirvió de inspiración para la colaboración final de Achille con Flos—una lámpara suspendida ajustable con el mismo nombre.

'My father was a really, really good Diabolo player', says Giovanna Castiglioni, daughter of legendary Italian designer Achille Castiglioni. She's discussing one of his favorite pastimes—the juggling game, derived from a Chinese yo-yo, in which an hourglass-shaped object is spun back and forth on a string between two sticks. In 1998 the age-old balancing act served as inspiration for Achille's final collaboration with Flos—an adjustable pendant lamp with the same name.



Courtesy of Fondazione Achille Castiglioni





INFRA-STRUCTURE EPISODE 2



Vincent Van Duysen, 2020



Estructura tubular sencilla, increíblemente versátil. Gracias a un sistema de conexión especial, es posible combinar elementos verticales y horizontales para crear combinaciones tridimensionales con variaciones infinitas utilizando módulos lineales y geométricos.

Subtle, incredibly versatile tubular structure. Thanks to a special connection system, it is possible to combine vertical and horizontal elements to create three-dimensional combinations in infinite variations using linear and geometric modules.

2097/18



Gino Sarfatti, 1958

La colección de lámparas modernas se ha enriquecido con el flamante nuevo modelo 2097/18, que alberga 18 bombillas LED disponibles en versión transparente o satinada, con dos temperaturas de color distintas. El mismo diseño y encanto, pero en una versión más discreta.


The collection of modern chandeliers is enriched by the brand new 2097/18 model, hosting 18 LED light bulbs available in clear or frosted versions, with two different color temperatures. Same design and allure, in a more discreet version.





Gino Sarfatti, 1958

2097



MAKE YOUR ARRANGEMENTS
[FLOS.COM/ARRANGEMENTS-CONFIGURATOR](https://flos.com/arrangements-configurator)

ARRANGEMENTS



Michael Anastassiades, 2018




"Arrangements es un sistema modular de elementos geométricos de luces que se pueden combinar de distinta forma para crear composiciones múltiples de "chandeliers" individuales. Cada módulo se fija al anterior de manera sencilla, como si estuviese descansando en un equilibrio perfecto, como un elemento de una cadena luminosa."
- Michael Anastassiades

"Arrangements is a modular system of geometric light elements that can be combined in different ways, creating multiple compositions into individual chandeliers. Each unit simply attaches onto the previous one as if resting, balancing perfectly as part of a glowing chain."
- Michael Anastassiades



CUSTOM APPLICATIONS





OVERLAP



Michael Anastassiades, 2018

NOCTAMBULE



Konstantin Greic, 2018



La nueva colección de lámparas está realizada en módulos de vidrio soplado, transparente y, por lo tanto, prácticamente invisibles durante el día. Pero cuando se encienden en la oscuridad, se transforman en espléndidas y luminosas lámparas.

The new collection of lamps is made of blown glass modules, which are see-through and therefore almost inexistent at day-time. But, when you switch them on in the dark, they transform into gorgeous, illuminated lamps. The cylindrical glass modules set the basic grammar of the collection.

Los módulos de vidrio con forma cilíndrica son los pilares de la colección. El módulo sencillo es una farol. Si se superponen varios módulos, se crea una columna de luz, o un "chandelier" para el hueco de las escaleras. Otros elementos, como la cúpula de vidrio o el cabezal en forma de cono, permiten disfrutar de prestaciones adicionales, como una lámpara de pie y una de suspensión.

The single module is a lantern. Several modules stacked on top of each other create a light column, or suspended chandelier inside a stair well. Extra elements such as a glass dome or cone shaped head allow for added performance such as a floorstanding uplighter and pendant.







STRING LIGHT

SUSPENSION

Technical info p.523-524

STRING LIGHT


Photo by Zoë Ghermer

Michael Anastassiades, 2014

"Cuando viajo en tren, siempre me fijo en los cables de la luz que veo por la ventana. Es tan bonito y poético la forma en la que se conectan con los postes y, al mismo tiempo, dividen el paisaje. Quería trasladar esto a la arquitectura de interiores."
- M. Anastasiades

"When I sit on a train travelling, I always see these strings of electricity out of the window. It's so beautiful and poetic the way they connect the pylons but at the same time they divide the landscape. I wanted to translate this into interior architecture."
- M. Anastasiades







Michael Anastassiades, 2014

TARAXACUM 88



Photo by Zoë Ghermer

Achille Castiglioni, 1988

SUSPENSION

Technical info p.528

TARAXACUM 88



A. Castiglioni examina el primer prototipo de Taraxacum 88 en su estudio en Piazza Castello de Milán.

A. Castiglioni examines the first prototype of Taraxacum 88 in his Piazza Castello Studio in Milan.



TATOU



Patricia Urquiola, 2012




Photo by Zoë Ghermer

Konstantin Grcic, 2014

OK



OK

Technical info p.511

SUSPENSION

SPLÜGEN BRÄU



Achille & Pier Giacomo Castiglioni, 1961

La lámpara Splügen Bräu, diseñada por los hermanos Castiglioni para iluminar el restaurante y la cervecería del mismo nombre en Milán.

The Splügen Bräu lamp designed by the Castiglioni brothers to light the restaurant and beer house of the same name in Milan.



Courtesy of Fondazione Achille Castiglioni - Photo by Studio Casati

FUCSIA



Achille Castiglioni, 1996



RAY



Rodolfo Dordoni, 2007

WAN



Johanna Grawunder, 2006

"Donde vivía antes, había un precioso techo antiguo de escayola. Lo llamaba mi jardín en el techo [...] Me gustaba tanto que cuando me mudé, no podía vivir sin él, por lo que tuve que buscar la forma de llevármelo a mi nueva casa."
- M. Wanders

"In my previous home there was a fantastic antique plaster ceiling. I called it my garden on the roof [...] I liked it so much that when I moved I couldn't live without it and had to find a way to transfer it to my new home." - M. Wanders



SKYGARDEN



Photo by Zoë Ghermer

Marcel Wanders, 2007

SUSPENSION

Technical info p.520

SKYGARDEN



A. Castiglioni trabajando en la lámpara Frisbi: un disco que parece estar suspendido en el aire, iluminado por la luz que se refleja desde una pequeña cúpula cromada.

A. Castiglioni at work under the Frisbi lamp: a disk that seems to hang in mid-air, lit by the light reflected from a small chrome-plated dome.

FRISBI



Achille Castiglioni, 1978

ROMEO BABE



Philippe Starck, 1997


ROMEO MOON




Philippe Starck, 1996

Taraxacum es una de las primeras lámparas fabricadas con cocoon, un material plástico que se obtiene rociando una resina, utilizado originariamente por el ejército estadounidense como material protector para embalar.

Taraxacum is one of the first lamps produced using cocoon, a plastic material obtained using a resin spray, originally used by the US Army as a protective material for packaging.




TARAXACUM



Achille & Pier Giacomo Castiglioni, 1960

VISCONTEA



Achille & Pier Giacomo Castiglioni, 1960



Achille y Pier Giacomo Castiglioni
con Marcel Breuer y la lámpara
Viscontea en la tienda de Gavina en
Milán, 1962.

Achille and Pier Giacomo Castiglioni
with Marcel Breuer and the Viscontea
lamp at the Gavina store in Milan,
1962.


NEBULA



Joris Laarman, 2007

"Chasen se inspira en un antiguo instrumento oriental, el tradicional látigo de bambú que se utilizaba durante la ceremonia del té, cuyos delicados filamentos siguen cambiando de forma." - P. Urquiola

"Chasen takes its inspiration from an ancient oriental instrument, the traditional bamboo whip used during the tea ceremony, whose delicate filaments continue to change shape." - P. Urquiola



CHASEN



Patricia Urquiola, 2007



NEW COLORS

AIM & AIM SMALL



Erwan & Ronan Bouroullec, Aim 2021



"Con Aim, diseñamos un nuevo tipo de lámpara que se instala en el espacio de forma natural, como una planta, gracias a los largos cables de suspensión que facilitan la redirección de la luz y el ajuste de su altura." - R. & E. Bouroullec

"With Aim we devised a new type of lamp that stands in space in a natural way, like a plant, thanks to the long suspension wires that make it easy to direct the light and adjust its height." - R. & E. Bouroullec



Erwan & Ronan Bouroullec, 2013/2014

2620



Ron Gilad, 2013



GLO-BALL



Jasper Morrison, 1998/2006



PARENTESI



Achille Castiglioni and Pio Manzú, 1971

NEW COLORS

SMITHFIELD



Jasper Morrison, 2009

SUSPENSION

Technical info p.521

SMITHFIELD







M. Wanders juega irónicamente con cocoon, el material con el que está fabricada la lámpara Zeppelin.

M. Wanders plays ironically with cocoon, the material from which the Zeppelin lamp is made.

ZEPPELIN



Marcel Wanders, 2005

KTRIBE



Philippe Starck, 2005

«I cannot help mocking our unwavering certainties. It is, for example, great fun deliberately to confuse two and three dimensions, the plane and space, or to poke fun at gravity. Are you sure that a floor cannot also be a ceiling? Are you absolutely certain that you go up when you walk up a staircase?» — *Maurits Cornelis Escher*

WALL & CEILING LAMPS

NEW

**COORDINATES WALL,
IN VITRO, KAP, MILE WALL,
THIN LED**

NEW COLORS

SMITHFIELD

NEW

IN VITRO



Philippe Starck, 2020





NEW

KAP



Flos Architectural, 2020

NEW


THIN LED



Flos Architectural, 2020

Perfil de pared para iluminación indirecta.
Mínimo y esencial para una perfecta integración
en el entorno arquitectónico. De reducidas
dimensiones pero con un alto rendimiento
luminoso. Un aparato único para una
iluminación asimétrica perfectamente uniforme.

Wall-mounted profile for indirect lighting.
Essential and minimal for perfect integration
into the surrounding architectural space. Thin,
but with really high lighting performances.
A unique device for even and spotless
asymmetrical lighting.



Coordinates W1 (en esta página) y W2 (derecha), de Michael Anastassiades. Dos nuevas incorporaciones a la familia Coordinates.

Coordinates W1 (this page) and W2 (tright), by Michael Anastassiades. Two new additions to the Coordinates family.



NEW

COORDINATES WALL

WALL & CEILING

Technical info p.465


COORDINATES WALL

Michael Anastassiades, 2021






COORDINATES




Michael Anastassiades, 2020



Coordinates es una colección de luminarias con un fuerte impacto visual, diseñadas originalmente por Michael Anastassiades para el legendario restaurante Four Seasons de Nueva York. Caracterizada por barras de LED lineales estrechamente entrelazadas, su forma parece inspirarse en la precisión matemática de una cuadrícula cartesiana, iluminada y extendida en brillantes volúmenes tridimensionales.

A dramatic lighting collection originally designed by Michael Anastassiades for New York's legendary Four Seasons restaurant, Coordinates features a series of interlocking linear LED luminaires that take their formal inspiration from the mathematical precision of the Cartesian grid, illuminated and expanded to three brilliant dimensions.





Coordinates está compuesta por un cuerpo de aluminio extruido, un sofisticado acabado anodizado color champán y un difusor de ópalo blanco en silicona platino. Rigurosa, elegante y fácilmente adaptable, esta colección representa una solución flexible y, al mismo tiempo, formalmente impecable para iluminar muchos tipos de entornos distintos, dando el máximo impacto escénico con un mínimo toque mágico.

Coordinates is made from extruded aluminium with a sophisticated anodised champagne finish, and an opal-white platonic silicone diffuser. Exact, elegant, and easily adaptable, this collection offers a flexible yet formally rigorous solution for a diverse range of indoor environments, providing maximum impact with a minimal touch.

Las lámparas Flauta de Patricia Urquiola, inspirados en el órgano tubular y en los detalles de los surcos arquitectónicos, representan un estudio de consistencia y simplicidad.

Patricia Urquiola's Flauta wall lamps—inspired by organ pipes and fluted architectural details—are a study in texture and simplicity.




High-definition renderings by Pablo Limón

FLAUTA



Patricia Urquiola, 2020




High-definition renderings by Pablo Limón



En Flauta Riga, una serie de incisiones sabiamente calibradas sobre la superficie trazan una huella caracterizada por el puro rigor y las referencias clásicas. La peculiaridad de Flauta Spiga es, en cambio, el dibujo en espiga, sinónimo de elegancia y detalle sofisticado: una joya de gusto antiguo y con un diseño contemporáneo refinado. El accesorio deflector, cuyo color coincide con el del cuerpo de la lámpara, se puede instalar en la parte superior o inferior. Fijado con imanes y tornillos de seguridad, crea un efecto decorativo con luz refleja.

In Flauta Riga, a series of skillfully calibrated etchings on the surface trace a sign characterised by pure rigour and classical references. Flauta Spiga is characterised by a herringbone pattern, a synonym of elegance and sophisticated detail: a jewel with ancient taste and a refined contemporary design. The deflector accessory, painted to match the lamp body, can be installed on either the upper or lower head. Held in place by magnets and safety screws, it creates a decorative effect with reflected light.



IC DOUBLE



Michael Anastassiades, 2020

Una esfera opalescente en apariencia inestable que parece querer marcharse. Como un malabarista que, mágicamente, mantiene en equilibrio una esfera encima de un palo.

An apparently unstable opalescent ball that seems to want to slide away. As a juggler who magically balances a sphere on a stick.



IC




Michael Anastassiades, 2014



LA PLUS BELLE




Philippe Starck, 2018



El sistema de fijación mural permite instalar el espejo como un cuadro.

The wall fixing system that allows you to hang the mirror like a picture.





Parte superior: La Plus Belle ha sido concebida para proporcionar lo mejor de la luz. Bajo su difusor de silicona óptica se esconden LED especiales ensamblados de forma continua para aumentar la uniformidad de difusión y proporcionar un rendimiento único gracias a la combinación excepcional de un índice de fidelidad cromática (CRI) equivalente a 95, más un indicador de estabilidad de los rojos superior a 90 (R9>90). Además, la luz de La Plus Belle es graduable y suave (2700K), pudiéndose regular la intensidad con el sensor integrado en el espejo.

A la izquierda: El marco de La Plus Belle está hecho con una aleación de aluminio especial que permite obtener coloraciones anódicas de elevadísima calidad. Los acabados disponibles se dividen en anodizado cepillado (oro, cobre) o anodizado pulido (bronce, aluminio natural).

Top: La Plus Belle is designed to provide the best possible light. Special LEDS are hidden beneath the optical silicone diffuser, assembled in a very frequent mode to increase the uniformity of the diffusion and provide a unique performance thanks to the exceptional combination of a chromatic rendering index (CRI) of 95 plus a reds stability indicator of over 90 (R9>90). Furthermore, the light from La Plus Belle is pleasant and soft (2700K) as well as manageable by the dimmer with a sensor integrated in the mirror.

Right: The frame of La Plus Belle is made of a special aluminium alloy that provides the best possible extremely high quality anode colourations. The finishes available are brushed anodized (gold, copper) or polished anodized (bronze, natural aluminium).





WIRERING



Formafantasma, 2018



El cable y el aro pueden tener combinaciones de colores distintas, pudiendo elegir entre una gama de tres acabados para el cable y cinco para el aro.

The cable and ring are available in different colour combinations. There is a range of three finishes for the cable and five for the ring.



NEW COLORS



Smithfield en los nuevos
colores rojo y verde.

Smithfield with new colors
red and green.

SMITHFIELD



Jasper Morrison, 2009



CLESSIDRA



Antonio Citterio, 2011

FORT KNOX



Philippe Starck, 2008



265



Paolo Rizzato, 1973

El difusor de la lámpara Glo-ball
está hecho de vidrio soplado a
mano.

The diffuser of the Glo-ball lamp is
hand blown glass.



GLO-BALL



Jasper Morrison, 1999/2009

TIGHT LIGHT



Piero Lissoni, 2011

ONTHEROCKS



Antonio Citterio assistant Toan Nguyen, 2003

Clara está diseñada para proporcionar una luz confortable y difusa. La lámpara se puede completar con un anillo externo opcional, para ajustarse a la perfección a la decoración del entorno.

Clara is designed to provide a comfortable and diffuse light. The lamp can be completed by an optional external ring, to perfectly match the taste of the environment.



CLARA

Technical info p.458

CLARA

Piero Lissoni, 2014


TARAXACUM 88



Achille Castiglioni, 1988



ARIETTE



Tobia Scarpa, 1973

WAN



Johanna Grawunder, 2005

SKYGARDEN RECESSED



Marcel Wanders, 2009



POCHETTE



Rodolfo Dordoni, 2003

KTRIBE



Philippe Starck, 2007

ROMEO BABE




Philippe Starck, 1996/2004

MINI BUTTON



Piero Lissoni, 2005

BUTTON



Piero Lissoni, 2004

FOGLIO



Tobia Scarpa, 1966





ABAJOURD'HUI



Flos Soft Architecture

SOFT SPUN



Flos Soft Architecture

Aprovechando la versión Soft del novedoso material compuesto Under Cover, la lámpara Spun Light se integra a la perfección con la arquitectura de los espacios, surgiendo de la superficie de la pared.

Making use of the Soft version of the innovative composite material Under Cover, the Spun Light integrates seamlessly with the architecture of spaces, rising out of the surface of the wall.



«To me a lush carpet of pine needles or
spongy grass is more welcome than
the most luxurious Persian rug» — *Helen Keller*

OUTDOOR/INDOOR

NEW

CAULE, IN VITRO,
MILE

NEW

CAULE




Patricia Urquiola, 2020



NEW

IN VITRO



Edward Barber & Jay Osgerby, 2018

NEW

MILE




Antonio Citterio, 2020


FLAUTA



Patricia Urquiola, 2020




RIGA



SPIGA

Las versiones outdoor de Flauta están disponibles en los acabados gris, antracita, Forest Green, deep brown, negro y blanco.


The outdoor versions of Flauta wall lamp are available in Grey, Anthracite, Forest Green, Deep Brown, Black and White finishes.



High-definition renderings by Pablo Limón

Los acabados verde opaco y acero pulido también se pueden utilizar en exteriores.

Matt green and polished inox finishes can also be used in outdoor locations.



LAST ORDER



Michael Anastassiades, 2020

IC WALL OUTDOOR



Michael Anastassiades, 2020

IC FLOOR OUTDOOR



Michael Anastassiades, 2019

CAPTAIN FLINT OUTDOOR




Michael Anastassiades, 2019

MY WAY




Piero Lissoni, 2017





REAL MATTER



Piero Lissoni, 2017

IPNOS



Nicoletta Rossi and Guido Bianchi, 2014



CAMOUFLAGE



Piero Lissoni, 2017

KTRIBE OUTDOOR



Philippe Starck, 2011

La versión para exteriores de la famosa Ktribe, embellecida con difusores entremezclados, está creada en exclusiva por Dedon.

The outdoor version of the famous Ktribe, embellished by interwoven diffusers, created exclusively by Dedon.



ROMEO OUTDOOR



Philippe Starck, 2006

SUPERARCHIMOOON OUTDOOR



Philippe Starck, 2006



CLESSIDRA





Antonio Citterio, 2011




TECHNICAL INFO

	265 Paolo Rizzatto, 1973 Potencia · <i>Power</i> MAX 75W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i>	Colores <i>Colors</i> ○ A0300009 ● A0300030	
	 Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> acero · <i>steel</i>			p. 379
	Peso · <i>Weight</i> 6,0 Kg	CE	IP 20	
	2097/18 CLEAR BULBS Gino Sarfatti, 1958 Potencia · <i>Power</i> 18 x MAX 15W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> cromo · <i>chrome</i> latón · <i>brass</i> negro mate · <i>matt black</i>	Colores <i>Colors</i> A1352057 A1352059 ● A1352031	
	 Fuente luminosa · <i>Light source</i> LED 2W E14 100lm [incluida - <i>included</i>] Supplied with 20xclear LED lamps (2xspare)			
	Materiales · <i>Materials</i> acero · <i>steel</i>			p. 256
	Peso · <i>Weight</i> 3,2 Kg	CE	IP 20	
	2097/18 FROSTED BULBS Gino Sarfatti, 1958 Potencia · <i>Power</i> 18 x MAX 15W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> cromo · <i>chrome</i> latón · <i>brass</i> negro mate · <i>matt black</i>	Colores <i>Colors</i> A1351057 A1351059 ● A1351031	
	 Fuente luminosa · <i>Light source</i> LED 2,7W E14 150lm [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> acero · <i>steel</i>			p. 256
	Peso · <i>Weight</i> 3,2 Kg	CE	IP 20	
	2097/30 CLEAR BULBS Gino Sarfatti, 1958 Potencia · <i>Power</i> 30 x MAX 15W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> cromo · <i>chrome</i> latón · <i>brass</i> negro mate · <i>matt black</i>	Colores <i>Colors</i> A1402057 A1402059 ● A1402031	
	 Fuente luminosa · <i>Light source</i> LED 2W E14 100lm [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> acero · <i>steel</i>			p. 259
	Peso · <i>Weight</i> 5,1 Kg	CE	IP 20	

	2097/30 FROSTED BULBS Gino Sarfatti, 1958 Potencia · <i>Power</i> 30 x MAX 15W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> cromo · <i>chrome</i> latón · <i>brass</i> negro mate · <i>matt black</i>	Colores <i>Colors</i> A1401057 A1401059 ● A1401031	
	 Fuente luminosa · <i>Light source</i> LED 2,7W E14 150lm [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> acero · <i>steel</i>			p. 259
	Peso · <i>Weight</i> 5,1 Kg	CE	IP 20	
	2097/50 CLEAR BULBS Gino Sarfatti, 1958 Potencia · <i>Power</i> 50 x MAX 15W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> cromo · <i>chrome</i> latón · <i>brass</i> negro mate · <i>matt black</i>	Colores <i>Colors</i> A1502057 A1502059 ● A1502031	
	 Fuente luminosa · <i>Light source</i> LED 2W E14 100lm [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> acero · <i>steel</i>			p. 259
	Peso · <i>Weight</i> 9,2 Kg	CE	IP 20	
	2097/50 FROSTED BULBS Gino Sarfatti, 1958 Potencia · <i>Power</i> 50 x MAX 15W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> cromo · <i>chrome</i> latón · <i>brass</i> negro mate · <i>matt black</i>	Colores <i>Colors</i> A1501057 A1501059 ● A1501031	
	 Fuente luminosa · <i>Light source</i> LED 2,7W E14 150lm [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> acero · <i>steel</i>			p. 259
	Peso · <i>Weight</i> 9,2 Kg	CE	IP 20	
	2620 Ron Gilad, 2013 Potencia · <i>Power</i> 170W Tensión · <i>Voltage</i> 120-277V	Acabados <i>Finishes</i> blanco · <i>white</i>	Colores <i>Colors</i> ○ F0031009	
	 Fuente luminosa · <i>Light source</i> LED 2W E14 100lm [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> aluminio, PMMA, acero · <i>aluminum, PMMA, steel</i>			p. 319
	Peso · <i>Weight</i> 18 Kg	CE	IP 20	


ON DEMAND

	AIM SMALL R. & E. Bouroullec, 2014 Potencia · <i>Power</i> 12W Tensión · <i>Voltage</i> 220-240V		Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> blue steel anodized light silveranodized ivy anodized	Colores <i>Colors</i> ○ F0095009 ● F0095030 ● F0095023 ● F0095054 ● F0095039
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> 1 LED module 12W 725lm 2700K CRI90 [incluida - <i>included</i>] DIMMABLE		blanco · <i>white</i> negro · <i>black</i>	ROSONE MULTIPLO / MULTIPLE ROSE ○ F0093009 ● F0093030
	Materiales · <i>Materials</i> aluminio, PC · <i>aluminum, PC</i>		DIMMABLE PARETE / WALL DIMMABLE RF22227	
	Peso · <i>Weight</i> 1,9 Kg (1 Aim small)		CE □ ▽ IP 20	
			p. 312	
	AIM SMALL CAVO SPINA/CABLE+PLUG R. & E. Bouroullec, 2014 Potencia · <i>Power</i> 12W Tensión · <i>Voltage</i> 230V		Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> blue steel anodized light silveranodized ivy anodized	Colores <i>Colors</i> ○ F0097009 ● F0097030 ● F0097023 ● F0097054 ● F0097039
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> 1 LED module 12W 725lm 2700K CRI90 [incluida - <i>included</i>] DIMMABLE			
	Materiales · <i>Materials</i> aluminio, PC · <i>aluminum, PC</i>		p. 312	
	Peso · <i>Weight</i> 1,9 Kg DIMMER INCLUDED		CE □ ▽ IP 20	
	AIM R. & E. Bouroullec, 2013 Potencia · <i>Power</i> 16W Tensión · <i>Voltage</i> 220/240V		Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> blue steel anodized light silveranodized ivy anodized	Colores <i>Colors</i> ○ F0090009 ● F0090030 ● F0090023 ● F0090054 ● F0090039
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> 1 LED module 16W 895lm 2700K CRI90 [incluida - <i>included</i>] DIMMABLE		blanco · <i>white</i> negro · <i>black</i>	ROSONE MULTIPLO / MULTIPLE ROSE ○ F0093009 ● F0093030
	Materiales · <i>Materials</i> aluminio, PC · <i>aluminum, PC</i>		DIMMABLE PARETE / WALL DIMMABLE RF22227	
	Peso · <i>Weight</i> 3,2 Kg (1 AIM)		CE □ ▽ IP 20	
			p. 312	
	AIM CAVO SPINA/CABLE+PLUG R. & E. Bouroullec, 2013 Potencia · <i>Power</i> 16W Tensión · <i>Voltage</i> 230V		Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> blue steel anodized light silveranodized ivy anodized	Colores <i>Colors</i> ○ F0092009 ● F0092030 ● F0092023 ● F0092054 ● F0092039
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> 1 LED module 16W 895lm 2700K CRI90 [incluida - <i>included</i>] DIMMABLE			
	Materiales · <i>Materials</i> aluminio, PC · <i>aluminum, PC</i>		p. 312	
	Peso · <i>Weight</i> 3,2 Kg DIMMER INCLUDED		CE □ ▽ IP 20	

	AOY Achille Castiglioni, 1975 Potencia · <i>Power</i> 1 x MAX 100W + 1 x MAX 70W Tensión · <i>Voltage</i> 220-250V		Acabados <i>Finishes</i> opale · <i>opal</i>	Colores <i>Colors</i> ■ F0200071
	Fuente luminosa · <i>Light source</i> A+ → D LED 10W E27 965lm A+ → E [excluida - <i>excluded</i>] + LED 8W E27 525lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> vidrio · <i>glass</i>		p. 140	
	Peso · <i>Weight</i> 12,1 Kg SWITCH INCLUDED		CE □ ▽ IP 20	
	ARCO Achille and Pier Giacomo Castiglioni, 1962 Potencia · <i>Power</i> MAX 100W Tensión · <i>Voltage</i> 220-250V		Acabados <i>Finishes</i> acero · <i>steel</i>	Colores <i>Colors</i> F0300000
	Fuente luminosa · <i>Light source</i> A+ → E 10W E27 965lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> mármol, acero inoxidable, aluminio · <i>marble, stainless steel, aluminum</i>		p. 180	
	Peso · <i>Weight</i> 63,8 Kg SWITCH INCLUDED		CE □ ▽ IP 20	
	ARCO LED Achille and Pier Giacomo Castiglioni, 1962 Potencia · <i>Power</i> 28W Tensión · <i>Voltage</i> 100-240V/48V		Acabados <i>Finishes</i> acero · <i>steel</i>	Colores <i>Colors</i> F0303000
	Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE 1 MULTICHIP LED 28W 1224lm 2700K CRI93 [incluida - <i>included</i>] DIMMABLE			
	Materiales · <i>Materials</i> mármol, acero inoxidable, aluminio · <i>marble, stainless steel, aluminum</i>		p. 180	
	Peso · <i>Weight</i> 63,8 Kg DIMMER INCLUDED		CE □ ▽ IP 20	
	ARIETTE 1/2 Tobia Scarpa, 1973 Potencia · <i>Power</i> 4 x MAX 40W Tensión · <i>Voltage</i> 220-250V		Acabados <i>Finishes</i> tela · <i>fabric</i> tela · <i>fabric</i>	Colores <i>Colors</i> ■ F0400009 ARIETTE 1 ■ F0500009 ARIETTE 2
	Fuente luminosa · <i>Light source</i> A+ → E LED 10W E27 965lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> tela · <i>fabric</i>		p. 389	
	Peso · <i>Weight</i> 0,8 Kg (1) - 1 Kg (2)		CE □ ▽ IP 20	

p. 260

TECHNICAL INFO

	BIBLIOTHEQUE NATIONALE Philippe Starck, 2013 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>] + CHARGER USB 5VDC Materiales · <i>Materials</i> PC, acero inoxidable, metacrilato · <i>PC, stainless steel, methacrylate</i> Peso · <i>Weight</i> 10,3 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> trasparente · <i>transparent</i> plata · <i>silver</i> bronce · <i>bronze</i> tela · <i>fabric</i> fumè · <i>fumée</i> Colores <i>Colors</i> F1011000 F1011004 F1011046 F1011007 F1011030
		CE   


p. 196

	BON JOUR Philippe Starck, 2015 Potencia · <i>Power</i> 13W Tensión · <i>Voltage</i> 100-240V/24V Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE EDGE LIGHTING 13W 884lm 2700K CRI90 [incluida - <i>included</i>] DIMMABLE Materiales · <i>Materials</i> polimetilmetacrilato · <i>polymethylmethacrylate</i> Peso · <i>Weight</i> 2,0 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> blanco · <i>white</i> cromo · <i>chrome</i> cobre · <i>copper</i> cromo mate · <i>matt chrome</i> Colores <i>Colors</i> F1032009 F1032057 F1032015 F1032046
		CE    


p. 90

	BON JOUR ACCESSORI · ACCESSORIES Descripción · <i>Description</i> Corona en PMMA transparente moldeado por inyección, o también en tela o rafia entrelazada a mano, para versiones personalizadas · <i>Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.</i> Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE EDGE LIGHTING 2,5W 114lm 2700K CRI 90 [incluida - <i>included</i>] DIMMABLE 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT Materiales · <i>Materials</i> aluminio, ABS, PMMA · <i>aluminum, ABS, PMMA</i> Peso · <i>Weight</i> 0,6 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> amarillo · <i>yellow</i> ámbar · <i>amber</i> rafia · <i>rattan</i> tela · <i>fabric</i> trasparente · <i>transparent</i> fumè · <i>fumée</i> Colores <i>Colors</i> F1033019 F1033070 F1033088 F1033007 F1033000 F1033030
		CE    

p. 90

	BON JOUR UNPLUGGED Philippe Starck, 2015 Potencia · <i>Power</i> 2,5W Tensión · <i>Voltage</i> 100-240V/5V Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE EDGE LIGHTING 2,5W 114lm 2700K CRI 90 [incluida - <i>included</i>] DIMMABLE 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT Materiales · <i>Materials</i> aluminio, ABS, PMMA · <i>aluminum, ABS, PMMA</i> Peso · <i>Weight</i> 0,6 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> blanco · <i>white</i> cromo · <i>chrome</i> cobre · <i>copper</i> cromo mate · <i>matt chrome</i> Colores <i>Colors</i> F1037009 F1037057 F1037015 F1037046
		CE    

p. 94

	BON JOUR UNPLUGGED ACCESSORI · ACCESSORIES Descripción · <i>Description</i> Corona en PMMA transparente moldeado por inyección, o también en tela o rafia entrelazada a mano, para versiones personalizadas · <i>Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.</i> Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE EDGE LIGHTING 13W 811lm 2700K CRI90 [incluida - <i>included</i>] DIMMABLE Materiales · <i>Materials</i> polimetilmetacrilato · <i>polymethylmethacrylate</i> Peso · <i>Weight</i> 1,54 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> amarillo · <i>yellow</i> ámbar · <i>amber</i> rafia · <i>rattan</i> tela · <i>fabric</i> trasparente · <i>transparent</i> fumè · <i>fumée</i> rojo · <i>red</i> Colores <i>Colors</i> F1036019 F1036070 F1036088 F1036007 F1036000 F1036030 F1036035
		CE   

p. 94

	BON JOUR VERSAILLES Philippe Starck, 2017 Potencia · <i>Power</i> 13W Tensión · <i>Voltage</i> 100-240V/24V Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE EDGE LIGHTING 13W 811lm 2700K CRI90 [incluida - <i>included</i>] DIMMABLE Materiales · <i>Materials</i> polimetilmetacrilato · <i>polymethylmethacrylate</i> Peso · <i>Weight</i> 1,54 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> cromo · <i>chrome</i> cobre · <i>copper</i> Colores <i>Colors</i> F1041057 F1041015
		CE    

p. 86

	BON JOUR VERSAILLES ACCESSORI · ACCESSORIES Descripción · <i>Description</i> Corona en PMMA transparente moldeado por inyección, o también en tela o rafia entrelazada a mano, para versiones personalizadas · <i>Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.</i> Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE EDGE LIGHTING 2,5W 208lm 2700K CRI 90 [incluida - <i>included</i>] DIMMABLE Materiales · <i>Materials</i> polimetilmetacrilato · <i>polymethylmethacrylate</i> Peso · <i>Weight</i> 0,28 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> amarillo · <i>yellow</i> ámbar · <i>amber</i> rafia · <i>rattan</i> tela · <i>fabric</i> trasparente · <i>transparent</i> fumè · <i>fumée</i> Colores <i>Colors</i> F1033019 F1033070 F1033088 F1033007 F1033000 F1033030
		CE    




p. 86

	BON JOUR VERSAILLES SMALL Philippe Starck, 2017 Potencia · <i>Power</i> 3,5W Tensión · <i>Voltage</i> 100-240V/24V Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE EDGE LIGHTING 2,5W 208lm 2700K CRI 90 [incluida - <i>included</i>] DIMMABLE Materiales · <i>Materials</i> polimetilmetacrilato · <i>polymethylmethacrylate</i> Peso · <i>Weight</i> 0,28 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> cromo · <i>chrome</i> cobre · <i>copper</i> Colores <i>Colors</i> F1042057 F1042015
		CE    

p. 86

ø 131,5 mm 55 mm 	BON JOUR VERSAILLES SMALL ACCESSORI · ACCESSORIES	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 86
	Descripción · <i>Description</i> Corona en PMMA transparente moldeado por inyección, o también en tela o rafia entrelazada a mano, para versiones personalizadas · <i>Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.</i>	amarillo · <i>yellow</i>	 F1036019	
		ámbar · <i>amber</i>	 F1036070	
		rafia · <i>rattan</i>	 F1036088	
		tela · <i>fabric</i>	 F1036007	
ø 140 mm 46 mm 	MINI BUTTON	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 396
	Piero Lissoni, 2005	polycarbonato · <i>polycarbonate</i>	 F1491009	
	Potencia · <i>Power</i> MAX 25W	vidrio · <i>glass</i>	 F1490009	
	Tensión · <i>Voltage</i> 220-250V			
	Fuente luminosa · <i>Light source</i> LED 3W G9 290lm [excluida - <i>excluded</i>] o · <i>or</i> LED 2W G9 240lm [excluida - <i>excluded</i>]			
80 mm  ø 410 mm	BUTTON	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 397
	Piero Lissoni, 2004	blanco · <i>white</i>	 F3180009	
	Potencia · <i>Power</i> 22W + 40W			
	Tensión · <i>Voltage</i> 220-240V			
	Fuente luminosa · <i>Light source</i> 22W 2GX13 T5 FSC 1800lm warm white [excluida - <i>excluded</i>] + 40W 2GX13 T5 FSC 3400lm warm white [excluida - <i>excluded</i>] Ballast elettronico · <i>Electronic Ballast</i>			
100 mm  ø 470 mm	BUTTON HL	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 397
	Piero Lissoni, 2005	blanco · <i>white</i>	 F3190009	
	Potencia · <i>Power</i> 5 x MAX 40W			
	Tensión · <i>Voltage</i> 220-250V			
	Fuente luminosa · <i>Light source</i> LED 3W G9 290lm [excluida - <i>excluded</i>] o · <i>or</i> LED 2W G9 240lm [excluida - <i>excluded</i>]			

32/35 mm  ø 140 mm	CAMOUFLAGE 140 OUTDOOR/INDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 430
	Piero Lissoni, 2017	cemento · <i>concrete</i>	 F1310089	
	Potencia · <i>Power</i> 8W	crema d'Orcia	 F1310090	
	Tensión · <i>Voltage</i> 24V	Basaltina	 F1310087	
	Fuente luminosa · <i>Light source</i> MID-POWER LED 8W 786lm # FIXT 474lm 2700K CRI80 24V [incluida - <i>included</i>]	imprimación · <i>primer</i>	 F1310000	
32/35 mm  ø 140 mm	CAMOUFLAGE 140 OUTDOOR/INDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 430
	Piero Lissoni, 2017	cemento · <i>concrete</i>	 F1311089	
	Potencia · <i>Power</i> 8W	crema d'Orcia	 F1311090	
	Tensión · <i>Voltage</i> 24V	Basaltina	 F1311087	
	Fuente luminosa · <i>Light source</i> MID-POWER LED 8W 913lm # FIXT 551lm 3000K CRI80 24V [incluida - <i>included</i>]	imprimación · <i>primer</i>	 F1311000	
32/35 mm  ø 140 mm	CAMOUFLAGE 140 OUTDOOR/INDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 430
	Piero Lissoni, 2017	cemento · <i>concrete</i>	 F1312089	
	Potencia · <i>Power</i> 8W	crema d'Orcia	 F1312090	
	Tensión · <i>Voltage</i> 24V	Basaltina	 F1312087	
	Fuente luminosa · <i>Light source</i> MID-POWER LED 8W 960lm # FIXT 579lm 4000K CRI80 24V [incluida - <i>included</i>]	imprimación · <i>primer</i>	 F1312000	
42/48 mm  ø 240 mm	CAMOUFLAGE 240 OUTDOOR/INDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 430
	Piero Lissoni, 2017	cemento · <i>concrete</i>	 F1315089	
	Potencia · <i>Power</i> 12W	crema d'Orcia	 F1315090	
	Tensión · <i>Voltage</i> 220-240V	Basaltina	 F1315087	
	Fuente luminosa · <i>Light source</i> MID-POWER LED 12W 1281lm # FIXT 773lm 2700K CRI80 220-240V [incluida - <i>included</i>]	imprimación · <i>primer</i>	 F1315000	





 42/48 mm ø 240 mm	CAMOUFLAGE 240 OUTDOOR/INDOOR			
	Piero Lissoni, 2017	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Potencia · <i>Power</i> 12W	cemento · <i>concrete</i>	● F1316089	
	Tensión · <i>Voltage</i> 220-240V	cremad'Orcia	○ F1316090	
 42/48 mm ø 240 mm		Basaltina	● F1316087	
		imprimación · <i>primer</i>	○ F1316000	
		blanco · <i>white</i>	○ F1316001	
		gris · <i>grey</i>	● F1316006	
 373 mm ø 210 1537 mm ø 320 mm		antracita · <i>anthracite</i>	● F1316033	
		negro · <i>black</i>	● F1316030	
		deep brown	● F1316018	
		forest green	● F1311012	
 373 mm ø 210 1537 mm ø 320 mm				
 373 mm ø 210 1537 mm ø 320 mm				

p. 430

p. 430

p. 185

p. 423

 373 mm ø 210 1537 mm ø 320 mm	CAPTAIN FLINT OUTDOOR/INDOOR			
	Michael Anastassiades, 2019	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Potencia · <i>Power</i> 13W	acero inox · <i>stainless steel</i> (occhio di pernice marble)	● F011A34F005	
	Tensión · <i>Voltage</i> 230-240V	latón · <i>brass</i> (grey lava marble)	● ● F011A33F059	
 373 mm ø 210 1537 mm ø 320 mm		deep brown (travertino imperiale marble)	● ● F011A31F018	
		negro · <i>black</i> (black lava marble)	● ● F011A32F030	
		red burgundy · <i>red burgundy</i> (black lava marble)	● ● F011A32F037	
 373 mm ø 210 1537 mm ø 320 mm				
 300 mm ø 500 mm	CAULE FLOOR 1			
	Patricia Urquiola, 2020	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Potencia · <i>Power</i> 10W	blanco · <i>white</i>	○ F016M21K001	
	Tensión · <i>Voltage</i> 100-240V	gris · <i>grey</i>	● F016M21K006	
 300 mm ø 500 mm		antracita · <i>anthracite</i>	● F016M21K033	
		negro · <i>black</i>	● F016M21K030	
		deep brown	● F016M21K018	
		forest green	● F016M21K012	
300 mm ø 500 mm				

p. 423


p. 423



p. 409

p. 409

	CAULE FLOOR 2 - OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Patricia Urquiola, 2020	blanco · <i>white</i>	○ F016M22K001	
	Potencia · <i>Power</i> 10W	gris · <i>grey</i>	● F016M22K006	
	Tensión · <i>Voltage</i> 100-240V	antracita · <i>anthracite</i>	● F016M22K033	
		negro · <i>black</i>	● F016M22K030	
		deep brown	● F016M22K018	
		forest green	● F016M22K012	
Fuente luminosa · <i>Light source</i> LED 10W 447lm ≠ FIXT 282lm 2700K CRI80 100/240V [incluida · <i>included</i>]				
LED INCLUDED NOT REPLACEABLE				
Materiales · <i>Materials</i> aluminio, vidrio, acero · <i>aluminum, glass, stainless steel</i>				
Peso · <i>Weight</i> 5,80 Kg DIMMER INCLUDED				
para gama completa y accesorios consulte flos.com · <i>for full range and accessories consult flos.com</i>				
		p. 409		
		CE  IP 65		

	CAULE FLOOR 2 NEST - OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Patricia Urquiola, 2020	blanco · <i>white</i>	○ F016N22K001	
	Potencia · <i>Power</i> 10W	gris · <i>grey</i>	● F016N22K006	
	Tensión · <i>Voltage</i> 100-240V	antracita · <i>anthracite</i>	● F016N22K033	
		negro · <i>black</i>	● F016N22K030	
		deep brown	● F016N22K018	
		forest green	● F016N22K012	
Fuente luminosa · <i>Light source</i> LED 10W 447lm ≠ FIXT 124lm 2700K CRI80 100/240V [incluida · <i>included</i>]				
LED INCLUDED NOT REPLACEABLE				
Materiales · <i>Materials</i> aluminio, vidrio, acero · <i>aluminum, glass, stainless steel</i>				
para gama completa y accesorios consulte flos.com · <i>for full range and accessories consult flos.com</i>				
Peso · <i>Weight</i> 5,80 Kg		DIMMER INCLUDED		
		CE  IP 65		

	CAULE FLOOR 3	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Patricia Urquiola, 2020	blanco · <i>white</i>	○ F016M23K001
	Potencia · <i>Power</i> 10W	gris · <i>grey</i>	● F016M23K006
	Tensión · <i>Voltage</i> 100-240V	antracita · <i>anthracite</i>	● F016M23K033
		negro · <i>black</i>	● F016M23K030
		deep brown	● F016M23K018
		forest green	● F016M23K012
Fuente luminosa · <i>Light source</i> LED 10W 447lm ≠ FIXT 282lm 2700K CRI80 100/240V [incluida - <i>included</i>]			
LED INCLUDED NOT REPLACEABLE			
Materiales · <i>Materials</i> aluminio, vidrio, acero · <i>aluminum, glass, stainless steel</i>			
Peso · <i>Weight</i> 6 Kg		DIMMER INCLUDED	
para gama completa y accesorios consulte flos.com · <i>for full range and accessories consult flos.com</i>		CE  IP 65	

	CAULE FLOOR 3 NEST	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Patricia Urquiola, 2020	blanco · <i>white</i>	○ F016N23K001
	Potencia · <i>Power</i> 10W	gris · <i>grey</i>	● F016N23K006
	Tensión · <i>Voltage</i> 100-240V	antracita · <i>anthracite</i>	● F016N23K033
		negro · <i>black</i>	● F016N23K030
		deep brown	● F016N23K018
		forest green	● F016N23K012
Fuente luminosa · <i>Light source</i> LED 10W 447lm ≠ FIXT 124lm 2700K CRI80 100/240V [incluida - <i>included</i>]			
LED INCLUDED NOT REPLACEABLE			
Materiales · <i>Materials</i> aluminio, vidrio, acero · <i>aluminum, glass, stainless steel</i>			
p. 409			
para gama completa y accesorios consulta flos.com · <i>for full range and accessories consult flos.com</i>			
Peso · <i>Weight</i> 6 Kg		DIMMER INCLUDED	
		CE  IP 65	

	CAULE FLOOR 4	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Patricia Urquiola, 2020	blanco · <i>white</i>	○ F016M24K001	
	Potencia · <i>Power</i> 10W	gris · <i>grey</i>	● F016M24K006	
	Tensión · <i>Voltage</i> 100-240V	antracita · <i>anthracite</i>	● F016M24K033	
		negro · <i>black</i>	● F016M24K030	
		deep brown	● F016M24K018	
		forest green	● F016M24K012	
Fuente luminosa · <i>Light source</i> LED 10W 447lm ≠ FIXT 282lm 2700K CRI80 100/240V [incluida - <i>included</i>]				
LED INCLUDED NOT REPLACEABLE				
Materiales · <i>Materials</i> aluminio, vidrio, acero · <i>aluminum, glass, stainless steel</i>				
para gama completa y accesorios consulte flos.com · <i>for full range and accessories consult flos.com</i>				
Peso · <i>Weight</i> 6,80 Kg		p. 409		
DIMMER INCLUDED		CE  IP 65		


	CAULE FLOOR 5	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Patricia Urquiola, 2020	blanco · <i>white</i>	○ F016M25K001
	Potencia · <i>Power</i> 10W	gris · <i>grey</i>	● F016M25K006
	Tensión · <i>Voltage</i> 100-240V	antracita · <i>anthracite</i>	● F016M25K033
		negro · <i>black</i>	● F016M25K030
		deep brown	● F016M25K018
		forest green	● F016M25K012
Fuente luminosa · <i>Light source</i> LED 10W 447lm ≠ FIXT 282lm 2700K CRI80 100/240V [incluida - <i>included</i>]			
LED INCLUDED NOT REPLACEABLE			
Materiales · <i>Materials</i> aluminio, vidrio, acero · <i>aluminum, glass, stainless steel</i>			
p. 409			
para gama completa y accesorios consulte flos.com · <i>for full range and accessories consult flos.com</i>			
Peso · <i>Weight</i> 7,20 Kg		DIMMER INCLUDED	
		CE  IP 65	


 ø 285/485 mm	CHASEN	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Patricia Urquiola, 2007	blanco · <i>white</i>	○ F1636009
	Potencia · <i>Power</i> 120W	negro · <i>black</i>	● F1636030
	Tensión · <i>Voltage</i> 230V		
 A+ → E			
Fuente luminosa · <i>Light source</i> 120W E27 PAR38 872lm [incluida - <i>included</i>]			
Materiales · <i>Materials</i> acero inoxidable, aluminio, vidrio · <i>stainless steel, aluminum, glass</i>			
p. 310			
Peso · <i>Weight</i> 6,5 Kg		   	

	CHIARA F	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Mario Bellini, 1969 -2020	stainless steel with black edge	● F1590056
	Potencia · <i>Power</i> 15W		
	Tensión · <i>Voltage</i> 220-240V		
			
Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [incluida - <i>included</i>]			
A+ → E			
Materiales · <i>Materials</i> acero inoxidable, tpu · <i>stainless steel, tpu</i>			
p. 158			
Peso · <i>Weight</i> 10,5 Kg		DIMMER INCLUDED	
		   	




	CHIARA T Mario Bellini, 2020 Potencia · <i>Power</i> 1 x MAX 10W LED Tensión · <i>Voltage</i> 220 -240V Fuente luminosa · <i>Light source</i> LED 10W E14 800lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E14 900lm [excluida - <i>excluded</i>] o · <i>or</i> LED 8W E14 900lm [excluida - <i>excluded</i>] o · <i>or</i> LED 8W E14 700lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, tpu · <i>aluminum, tpu</i> Peso · <i>Weight</i> 1,3 Kg DIMMER INCLUDED Acabados <i>Finishes</i> dark grey with olive green edge aluminum with anthra-cite edge pink gold with oxide red edge Colores <i>Colors</i> F1595023 F1595004 F1595034 p. 58
	CLARA Piero Lissoni, 2014 Potencia · <i>Power</i> 57W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> TOP LED 57W 3141lm 2700K CRI>90 [incluida - <i>included</i>] DIMMABLE Materiales · <i>Materials</i> polycarbonato · <i>polycarbonate</i> Peso · <i>Weight</i> 3 Kg Acabados <i>Finishes</i> blanco · <i>white</i> cromo · <i>chrome</i> cobre · <i>copper</i> trasparente · <i>transparent</i> fumè · <i>fumée</i> Colores <i>Colors</i> F1570009 DECORADO / <i>FRIEZE FINISHES</i> F1571057 F1571015 F1571000 F1571030A p. 384
	CLESSIDRA OUTDOOR/INDOOR Antonio Citterio, 2011 Potencia · <i>Power</i> 10W Tensión · <i>Voltage</i> 100-240V Fuente luminosa · <i>Light source</i> 2 LED 10W 637lm 3000K CRI80 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio, PMMA · <i>aluminum, PMMA</i> Peso · <i>Weight</i> 1,1 Kg Acabados <i>Finishes</i> gris · <i>grey</i> deep brown gris · <i>grey</i> deep brown Colores <i>Colors</i> F1583006 20°x20° OUTDOOR F1583018 20°x20° OUTDOOR F1584006 40°x40° OUTDOOR F1584018 40°x40° OUTDOOR p. 438
	CLESSIDRA INDOOR Antonio Citterio, 2011 Potencia · <i>Power</i> 10W Tensión · <i>Voltage</i> 100-240V Fuente luminosa · <i>Light source</i> 2 LED 10W 637lm 3000K CRI80 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio, PMMA · <i>aluminum, PMMA</i> Peso · <i>Weight</i> 1,1 Kg Acabados <i>Finishes</i> blanco · <i>white</i> cromo · <i>chrome</i> blanco · <i>white</i> cromo · <i>chrome</i> Colores <i>Colors</i> F1583009 20°x20° F1583057 20°x20° F1584009 40°x40° F1584057 40°x40° p. 374

	COORDINATES C1 Michael Anastassiades, 2020 Potencia · <i>Power</i> 45W Tensión · <i>Voltage</i> 100 - 240V Fuente luminosa · <i>Light source</i> STRIP LED 45W 2270lm 2700K CRI95 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 3,8 Kg DIMMER INCLUDED 1-10/PUSH/DALI Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> F1852044 p. 348
	COORDINATES C1 CL III Michael Anastassiades, 2020 Potencia · <i>Power</i> 38W Tensión · <i>Voltage</i> 48V Fuente luminosa · <i>Light source</i> STRIP LED 38W 2270lm 2700K CRI95 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 1,3 Kg Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> F1832044 ALIMENTATION / <i>POWER SUPPLY</i> RF29208 DIMMER LED / <i>LED DIMMER</i> RF26994 p. 348
	COORDINATES C1 LONG Michael Anastassiades, 2020 Potencia · <i>Power</i> 52W Tensión · <i>Voltage</i> 100 - 240V Fuente luminosa · <i>Light source</i> STRIP LED 52W 2670lm 2700K CRI95 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 4 Kg DIMMER INCLUDED 1-10/PUSH/DALI Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> F1864044 p. 348
	COORDINATES C1 LONG CL III Michael Anastassiades, 2020 Potencia · <i>Power</i> 45W Tensión · <i>Voltage</i> 48V Fuente luminosa · <i>Light source</i> STRIP LED 45W 2670lm 2700K CRI95 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 1,5 Kg Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> F1830044 ALIMENTATION / <i>POWER SUPPLY</i> RF29208 DIMMER LED / <i>LED DIMMER</i> RF26994 p. 348

	COORDINATES C2 Michael Anastassiades, 2020 Potencia · <i>Power</i> 69W Tensión · <i>Voltage</i> 100 - 240V Fuente luminosa · <i>Light source</i> STRIP LED 69W 3660lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 4,6 Kg DIMMER INCLUDED 1-10/PUSH/DALI Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1858044 p. 348	CE⌚IP20
	COORDINATES C2 CL III Michael Anastassiades, 2020 Potencia · <i>Power</i> 61W Tensión · <i>Voltage</i> 48V Fuente luminosa · <i>Light source</i> STRIP LED 61W 3660lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 2,1 Kg Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1836044 ALIMENTATION / POWER SUPPLY RF29209 DIMMER LED / LED DIMMER RF26994 p. 348	CE⌚IP20
	COORDINATES C2 LONG Michael Anastassiades, 2020 Potencia · <i>Power</i> 83W Tensión · <i>Voltage</i> 100 - 240V Fuente luminosa · <i>Light source</i> STRIP LED 83W 4470lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 5,1 Kg DIMMER INCLUDED 1-10/PUSH/DALI Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1866044 p. 348	CE⌚IP20
	COORDINATES C2 LONG CL III Michael Anastassiades, 2020 Potencia · <i>Power</i> 75W Tensión · <i>Voltage</i> 48V Fuente luminosa · <i>Light source</i> STRIP LED 75W 4470lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 2,6 Kg Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1834044 ALIMENTATION / POWER SUPPLY RF29209 DIMMER LED / LED DIMMER RF26994 p. 348	CE⌚IP20

	COORDINATES C4 Michael Anastassiades, 2020 Potencia · <i>Power</i> 157W Tensión · <i>Voltage</i> 100 - 240V Fuente luminosa · <i>Light source</i> STRIP LED 157W 8830lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 8,1 Kg DIMMER INCLUDED 1-10/PUSH/DALI Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1856044 p. 348	CE⌚IP20
	COORDINATES C4 CL III Michael Anastassiades, 2020 Potencia · <i>Power</i> 147W Tensión · <i>Voltage</i> 48V Fuente luminosa · <i>Light source</i> STRIP LED 147W 8830lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 5,1 Kg Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1840044 ALIMENTATION / POWER SUPPLY RF29209 DIMMER LED / LED DIMMER RF26994 p. 348	CE⌚IP20
	COORDINATES C4 LONG Michael Anastassiades, 2020 Potencia · <i>Power</i> 185W Tensión · <i>Voltage</i> 100 - 240V Fuente luminosa · <i>Light source</i> STRIP LED 185W 10450lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 9,0 Kg DIMMER INCLUDED 1-10/PUSH/DALI Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1868044 p. 348	CE⌚IP20
	COORDINATES C4 LONG CL III Michael Anastassiades, 2020 Potencia · <i>Power</i> 174W Tensión · <i>Voltage</i> 48V Fuente luminosa · <i>Light source</i> STRIP LED 174W 10450lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 6,0 Kg Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1838044 ALIMENTATION / POWER SUPPLY RF27617 DIMMER LED / LED DIMMER RF26994 p. 348	CE⌚IP20

p. 154p. 348p. 348p. 234p. 234p. 234p. 234p. 234





	COORDINATES S2 CLIII Michael Anastassiades, 2020 Potencia · <i>Power</i> 50W Tensión · <i>Voltage</i> 48V Fuente luminosa · <i>Light source</i> STRIP LED 55W 2960lm 2700K CRI95 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 1,7 Kg	Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1844044 ALIMENTATION / POWER SUPPLY RF29208 DIMMER LED / LED DIMMER RF26994	
	COORDINATES S3 Michael Anastassiades, 2020 Potencia · <i>Power</i> 71W Tensión · <i>Voltage</i> 120 - 277V Fuente luminosa · <i>Light source</i> STRIP LED 71W 3850lm 2700K CRI95 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 3,2 Kg	Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1850044 DIMMER INCLUDED 1-10/PUSH/DALI	p. 234
	COORDINATES S3 CL III Michael Anastassiades, 2020 Potencia · <i>Power</i> 64W Tensión · <i>Voltage</i> 48V Fuente luminosa · <i>Light source</i> STRIP LED 64W 3850lm 2700K CRI95 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 2,2 Kg	Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1846044 ALIMENTATION / POWER SUPPLY RF29209 DIMMER LED / LED DIMMER RF26994	p. 234
	COORDINATES S4 Michael Anastassiades, 2020 Potencia · <i>Power</i> 161W Tensión · <i>Voltage</i> 120 - 240V Fuente luminosa · <i>Light source</i> STRIP LED 161W 8830lm 2700K CRI95 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 7,9 Kg	Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1854044 DIMMER INCLUDED 1-10/PUSH/DALI	p. 234

p. 234

p. 234

p. 234

p. 234

	COORDINATES S4 CLIII Michael Anastassiades, 2020 Potencia · <i>Power</i> 161W Tensión · <i>Voltage</i> 48V Fuente luminosa · <i>Light source</i> STRIP LED 161W 8830lm 2700K CRI95 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 5,1 Kg	Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1848044 ALIMENTATION / POWER SUPPLY RF29209 DIMMER LED / LED DIMMER RF26994
p. 234		
	COORDINATES WALL 1 Michael Anastassiades, 2020 Potencia · <i>Power</i> 15W Tensión · <i>Voltage</i> 230V Fuente luminosa · <i>Light source</i> LED module 15W 962lm 2700K CRI90 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 0,80 Kg	Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1810044
p. 344		
	COORDINATES WALL 2 Michael Anastassiades, 2020 Potencia · <i>Power</i> 24W Tensión · <i>Voltage</i> 230V Fuente luminosa · <i>Light source</i> LED module 24W 1403lm 2700K CRI90 [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio extruido, silicona platino opal extruida · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 1 Kg	Acabados <i>Finishes</i> anodizado champagne · <i>anodized champagne</i> Colores <i>Colors</i> ● F1811044
p. 344		
	COPYCAT Michael Anastassiades, 2015 Potencia · <i>Power</i> 16W Tensión · <i>Voltage</i> 100-240V/24V Fuente luminosa · <i>Light source</i> 1 COB LED 16W 900lm total 2700K CRI83 [incluida - <i>included</i>] DIMMABLE Materiales · <i>Materials</i> aluminio, vidrio soplado · <i>aluminum, blown glass</i> Peso · <i>Weight</i> 3,6 Kg	Acabados <i>Finishes</i> oro 24K · <i>24K gold</i> cobre · <i>copper</i> negro · <i>black</i> aluminio · <i>aluminum</i> Colores <i>Colors</i> ● F1952044 ● F1952015 ● F1952030 F1952050
p. 103		

p. 234

p. 344

p. 344

p. 103

	DIABOLO Achille Castiglioni, 1998 - 2020 Potencia · <i>Power</i> max 70W - 21W LED Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm total [excluida - <i>excluded</i>] o · <i>or</i> LED E27 2200lm total [excluida - <i>excluded</i>] A+ → E Acabados <i>Finishes</i> beaver brown cherry red blanco · <i>white</i> Colores <i>Colors</i> ● F2121026 ● F2121035 ○ F2121009 Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 2,9 Kg CE IP 20 p. 248
	FANTASMA PICCOLO Tobia Scarpa, 1961 Potencia · <i>Power</i> 3 x MAX 60W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] A+ → E Acabados <i>Finishes</i> blanco · <i>white</i> Colores <i>Colors</i> ○ F2101009 Materiales · <i>Materials</i> Cocoon, acero · <i>Cocoon, steel</i> Peso · <i>Weight</i> 10 Kg DIMMER INCLUDED CE IP 20 p. 194
	FLAUTA H225 RIGA/INDOOR Patricia Urquiola, 2020 Potencia · <i>Power</i> 12W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> 2 LED 12W 493lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Acabados <i>Finishes</i> nero-<i>black</i> blanco · <i>white</i> anodized blue steel anodized copper anodized ruby red Colores <i>Colors</i> ● F2340030 ○ F2340009 ● F2340023 ● F2340015 ● F2340035 Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 0,8 Kg DIMMER INCLUDED PUSH/DALI CE IP 40 p. 354
	FLAUTA H225 SPIGA/INDOOR Patricia Urquiola, 2020 Potencia · <i>Power</i> 12W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> 2 LED 12W 493lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Acabados <i>Finishes</i> nero-<i>black</i> blanco · <i>white</i> anodized blue steel anodized copper anodized ruby red Colores <i>Colors</i> ● F2341030 ○ F2341009 ● F2341023 ● F2341015 ● F2341035 Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 0,8 Kg DIMMER INCLUDED PUSH/DALI CE IP 40 p. 354



	FLAUTA H500 RIGA/INDOOR Patricia Urquiola, 2020 Potencia · <i>Power</i> 12W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> 2 LED 12W 493lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Acabados <i>Finishes</i> nero-<i>black</i> blanco · <i>white</i> anodized blue steel anodized copper anodized ruby red Colores <i>Colors</i> ● F2342030 ○ F2342009 ● F2342023 ● F2342015 ● F2342035 Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 1,5 Kg DIMMER INCLUDED PUSH/DALI CE IP 40 p. 354
	FLAUTA H500 SPIGA/INDOOR Patricia Urquiola, 2020 Potencia · <i>Power</i> 12W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> 2 LED 12W 493lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Acabados <i>Finishes</i> nero-<i>black</i> blanco · <i>white</i> anodized blue steel anodized copper anodized ruby red Colores <i>Colors</i> ● F2343030 ○ F2343009 ● F2343023 ● F2343015 ● F2343035 Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 1,5 Kg DIMMER INCLUDED PUSH/DALI CE IP 40 p. 354
	FLAUTA H1000 RIGA/INDOOR Patricia Urquiola, 2020 Potencia · <i>Power</i> 12W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> 2 LED 12W 493lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Acabados <i>Finishes</i> nero-<i>black</i> blanco · <i>white</i> anodized blue steel anodized copper anodized ruby red Colores <i>Colors</i> ● F2344030 ○ F2344009 ● F2344023 ● F2344015 ● F2344035 Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 2,7 Kg DIMMER INCLUDED PUSH/DALI CE IP 40 p. 354
	FLAUTA H1000 SPIGA/INDOOR Patricia Urquiola, 2020 Potencia · <i>Power</i> 12W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> 2 LED 12W 493lm 2700K CRI95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Acabados <i>Finishes</i> nero-<i>black</i> blanco · <i>white</i> anodized blue steel anodized copper anodized ruby red Colores <i>Colors</i> ● F2345030 ○ F2345009 ● F2345023 ● F2345015 ● F2345035 Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 2,7 Kg DIMMER INCLUDED PUSH/DALI CE IP 40 p. 354



	FLAUTA H225 RIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019A21D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019A21D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019A21D033	
		gris · grey	● F019A21D006	
		deep brown	● F019A21D018	p. 415
		forest green	● F019A21D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [incluida - <i>included</i>]			
				p. 415
	Materiales · <i>Materials</i>			
	aluminio · <i>aluminum</i>			
	Peso · <i>Weight</i> 0,8 Kg	DIMMER INCLUDED PUSH/DALI		
	FLAUTA H225 RIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019A31D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019A31D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019A31D033	
		gris · grey	● F019A31D006	
		deep brown	● F019A31D018	p. 415
		forest green	● F019A31D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [incluida - <i>included</i>]			
				p. 415
	Materiales · <i>Materials</i>			
	aluminio · <i>aluminum</i>			
	Peso · <i>Weight</i> 0,8 Kg	DIMMER INCLUDED PUSH/DALI		
	FLAUTA H225 RIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019A41D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019A41D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019A41D033	
		gris · grey	● F019A41D006	
		deep brown	● F019A41D018	p. 415
		forest green	● F019A41D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [incluida - <i>included</i>]			
				p. 415
	Materiales · <i>Materials</i>			
	aluminio · <i>aluminum</i>			
	Peso · <i>Weight</i> 0,8 Kg	DIMMER INCLUDED PUSH/DALI		
	FLAUTA H225 SPIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019B21D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019B21D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019B21D033	
		gris · grey	● F019B21D006	
		deep brown	● F019B21D018	p. 415
		forest green	● F019B21D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [incluida - <i>included</i>]			
				p. 415
	Materiales · <i>Materials</i>			
	aluminio · <i>aluminum</i>			
	Peso · <i>Weight</i> 0,8 Kg	DIMMER INCLUDED PUSH/DALI		


	FLAUTA H225 SPIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019B31D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019B31D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019B31D033	
		gris · grey	● F019B31D006	
		deep brown	● F019B31D018	p. 415
		forest green	● F019B31D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [incluida - <i>included</i>]			
				p. 415
	Materiales · <i>Materials</i>			
	aluminio · <i>aluminum</i>			
	Peso · <i>Weight</i> 0,8 Kg	DIMMER INCLUDED PUSH/DALI		
	FLAUTA H225 SPIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019B41D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019B41D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019B41D033	
		gris · grey	● F019B41D006	
		deep brown	● F019B41D018	p. 415
		forest green	● F019B41D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [incluida - <i>included</i>]			
	FLAUTA H500 RIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019A22D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019A22D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019A22D033	
		gris · grey	● F019A22D006	
		deep brown	● F019A22D018	p. 415
		forest green	● F019A22D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [incluida - <i>included</i>]			
				p. 415
	Materiales · <i>Materials</i>			
	aluminio · <i>aluminum</i>			
	Peso · <i>Weight</i> 1,5 Kg	DIMMER INCLUDED PUSH/DALI		
	FLAUTA H500 RIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019A32D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019A32D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019A32D033	
		gris · grey	● F019A32D006	
		deep brown	● F019A32D018	p. 415
		forest green	● F019A32D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [incluida - <i>included</i>]			
				p. 415
	Materiales · <i>Materials</i>			
	aluminio · <i>aluminum</i>			
	Peso · <i>Weight</i> 1,5 Kg	DIMMER INCLUDED PUSH/DALI		


	FLAUTA H500 RIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019A42D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019A42D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019A42D033	
		gris · <i>grey</i>	● F019A42D006	
		deep brown	● F019A42D018	p. 415
		forest green	● F019A42D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [incluida - <i>included</i>]			
		Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019B22D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019B22D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019B22D033	
		gris · <i>grey</i>	● F019B22D006	
		deep brown	● F019B22D018	p. 415
		forest green	● F019B22D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [incluida - <i>included</i>]			
		Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019B32D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019B32D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019B32D033	
		gris · <i>grey</i>	● F019B32D006	
		deep brown	● F019B32D018	p. 415
		forest green	● F019B32D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [incluida - <i>included</i>]			
		Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019B42D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019B42D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019B42D033	
		gris · <i>grey</i>	● F019B42D006	
		deep brown	● F019B42D018	p. 415
		forest green	● F019B42D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [incluida - <i>included</i>]			
		Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019B23D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019B23D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019B23D033	
		gris · <i>grey</i>	● F019B23D006	
		deep brown	● F019B23D018	p. 415
		forest green	● F019B23D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [incluida - <i>included</i>]			

	FLAUTA H1000 RIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019A23D030	
	Potencia · <i>Power</i> 12W	white · <i>white</i>	○ F019A23D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019A23D033	
		gris · <i>grey</i>	● F019A23D006	
		deep brown	● F019A23D018	p. 415
		forest green	● F019A23D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [incluida - <i>included</i>]			
		Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019A33D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019A33D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019A33D033	
		gris · <i>grey</i>	● F019A33D006	
		deep brown	● F019A33D018	p. 415
		forest green	● F019A33D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [incluida - <i>included</i>]			
		Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019A43D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019A43D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019A43D033	
		gris · <i>grey</i>	● F019A43D006	
		deep brown	● F019A43D018	p. 415
		forest green	● F019A43D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [incluida - <i>included</i>]			
		Acabados <i>Finishes</i>	Colores <i>Colors</i>	p. 415
	Patricia Urquiola, 2020	black · <i>black</i>	● F019B23D030	
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019B23D001	
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F019B23D033	
		gris · <i>grey</i>	● F019B23D006	
		deep brown	● F019B23D018	p. 415
		forest green	● F019B23D012	
	Fuente luminosa · <i>Light source</i>			
	LED INCLUDED NOT REPLACEABLE			
	LED 12W 2x555lm ≠ FIXT 2x347lm 2700K CRI80 [incluida - <i>included</i>]			

	FLAUTA H1000 SPIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019B33D030
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019B33D001
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	■ F019B33D033
		gris · <i>grey</i>	■ F019B33D006
		deep brown	■ F019B33D018
		forest green	■ F019B33D012
Fuente luminosa · <i>Light source</i>			
LED INCLUDED NOT REPLACEABLE LED 12W 2x597lm ≠ FIXT 2x372lm 3000K CRI80 [incluida - <i>included</i>]			
Materiales · <i>Materials</i>			
aluminio · <i>aluminum</i>			
p. 415			
Peso · <i>Weight</i> 2,7 Kg			
DIMMER INCLUDED PUSH/DALI			
  			


	FLAUTA H1000 SPIGA/OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Patricia Urquiola, 2020	negro · <i>black</i>	● F019B43D030
	Potencia · <i>Power</i> 12W	blanco · <i>white</i>	○ F019B43D001
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	■ F019B43D033
		gris · <i>grey</i>	■ F019B43D006
		deep brown	■ F019B43D018
		forest green	■ F019B43D012
Fuente luminosa · <i>Light source</i>			
LED INCLUDED NOT REPLACEABLE LED 12W 2x638lm ≠ FIXT 2x398lm 4000K CRI80 [incluida - <i>included</i>]			
Materiales · <i>Materials</i>			
aluminio · <i>aluminum</i>			
p. 415			
Peso · <i>Weight</i> 2,7 Kg			
DIMMER INCLUDED PUSH/DALI			
  			


	FOGLIO	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Tobia Scarpa, 1966	blanco · <i>white</i>	○ F2400009
	Potencia · <i>Power</i> 2 x MAX 100W	negro · <i>black</i>	● F2400030
	Tensión · <i>Voltage</i> 220-250V	cromo · <i>chrome</i>	F2400057
		black nikel	■ F2400063
		oro 22K · <i>gold 22K</i>	■ F2400044
Fuente luminosa · <i>Light source</i>			
A+ → E LED 10W E27 965lm [excluida - <i>excluded</i>]			
Materiales · <i>Materials</i>			
acero · <i>steel</i>			
p. 398			
Peso · <i>Weight</i> 3,7 Kg			
  			


	FORT KNOX WALL LED MINI	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Philippe Starck, 2008	blanco · <i>white</i>	○ 09.2125.40
	Potencia · <i>Power</i> 25W	negro · <i>black</i>	● 09.2125.14
	Tensión · <i>Voltage</i> 220-240V	aluminio pulido · <i>polished aluminum</i>	09.2125.05
			
Fuente luminosa · <i>Light source</i>			
LED INCLUDED NOT REPLACEABLE Power LED 25W 1985lm 3000K CRI90 [incluida - <i>included</i>] NO DIMMABLE			
Materiales · <i>Materials</i>			
aluminio pressofuso · <i>die-cast aluminum</i>			
p. 376			
Peso · <i>Weight</i> 0,6 Kg			
  			

	FORT KNOX WALL LED	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Philippe Starck, 2008	blanco · <i>white</i>	○ 09.2110.40ADA
	Potencia · <i>Power</i> 32W	negro · <i>black</i>	● 09.2110.14ADA
	Tensión · <i>Voltage</i> 220-240V	aluminio pulido · <i>polished aluminum</i>	09.2110.05ADA
			
Fuente luminosa · <i>Light source</i>			
LED INCLUDED NOT REPLACEABLE Power LED 32W 2896lm 3000K CRI90 [incluida - <i>included</i>] DIMMABLE DALI			
Materiales · <i>Materials</i>			
aluminio pressofuso · <i>die-cast aluminum</i>			
p. 376			
Peso · <i>Weight</i> 1,4 Kg			
  			

	FRISBI	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Achille Castiglioni, 1978	cromo · <i>chrome</i>	F2500000
	Potencia · <i>Power</i> 1 x MAX 105W		
	Tensión · <i>Voltage</i> 220-250V		
			
Fuente luminosa · <i>Light source</i>			
A++ → E LED 8W E27 740lm [excluida - <i>excluded</i>]			
Materiales · <i>Materials</i>			
polimetilmetacrilato, acero · <i>polymethylmethacrylate, steel</i>			
p. 301			
Peso · <i>Weight</i> 2,7 Kg			
   d0,3m{			


	FUCSIA 1	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Achille Castiglioni, 1996	vidrio · <i>glass</i>	F2410000
	Potencia · <i>Power</i> MAX 40W		
	Tensión · <i>Voltage</i> 220-250V		
			
Fuente luminosa · <i>Light source</i>			
A+ → E LED 4W E14 360lm [excluida - <i>excluded</i>]			
Materiales · <i>Materials</i>			
vidrio, acero · <i>glass, steel</i>			
p. 294			
Peso · <i>Weight</i> 1 Kg			
   d0,3m{			

	GAKU WIRELESS	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Nendo, 2018	blanco · <i>white</i>	○ F2520009
	Potencia · <i>Power</i> 2W	negro · <i>black</i>	● F2520030
			
Fuente luminosa · <i>Light source</i>			
LED INCLUDED NOT REPLACEABLE LED Array 2W 116lm 2700K CRI 90 [incluida - <i>included</i>] DIMMABLE WIRELESS CHARGING			
Materiales · <i>Materials</i>			
madera de fresno , policarbonato · <i>ash wood, polycarbonate</i>			
p. 80			
Peso · <i>Weight</i> 2,5 Kg			
DIMMER INCLUDED			
  			

	GAKU WIRE	Acabados Finishes	Colores Colors
	Nendo, 2018	blanco · white	○ F2521009
	Potencia · Power 5W	negro · black	● F2521030
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · Light source LED Array 5,5W 100lm 2700K CRI 90 [incluida - included] DIMMABLE		
Materiales · Materials madera de fresno , policarbonato · ash wood, polycarbonate		p. 80	
Peso · Weight 2,4 Kg DIMMER INCLUDED		CE IP 20	

	GAKU ACCESSORIES BOWL	Acabados Finishes	Colores Colors
		blanco · white	○ F2522009
		negro · black	● F2522030
	Materiales · Materials policarbonato · polycarbonate		
		p. 80	
		CE	

	GAKU ACCESSORIES VASE	Acabados Finishes	Colores Colors
		blanco · white	○ F2523009
		negro · black	● F2523030
	Materiales · Materials policarbonato · polycarbonate		
		p. 80	
		CE	




	GAKU ACCESSORIES KEY BOWL	Acabados Finishes	Colores Colors
		blanco · white	○ F2524009
		negro · black	● F2524030
	Materiales · Materials policarbonato · polycarbonate		
		p. 80	
		CE	



	GAKU ACCESSORIES BOOKEND	Acabados Finishes	Colores Colors
		blanco · white	○ F2525009
		negro · black	● F2525030
Materiales · Materials policarbonato · polycarbonate		p. 80	
		CE	




	GAKU ACCESSORIES MIRROR	Acabados Finishes	Colores Colors
		blanco · white	○ F2526009
		negro · black	● F2526030
Materiales · Materials policarbonato · polycarbonate		p. 80	
		CE	



	GATTO	Acabados Finishes	Colores Colors
	Achille and Pier Giacomo Castiglioni, 1960	blanco · white	○ F2601009
	Potencia · Power MAX 60W		
	Tensión · Voltage 220-240V		
 A+ → E Fuente luminosa · Light source LED 10W E27 965lm [excluida - excluded]			
Materiales · Materials cocoon, acero · cocoon, steel		p. 112	
Peso · Weight 2,3 Kg DIMMER INCLUDED		CE □ ▽ IP 20 	

	GATTO PICCOLO	Acabados Finishes	Colores Colors
	Achille and Pier Giacomo Castiglioni, 1960	blanco · white	○ F2701009
	Potencia · Power MAX 60W		
	Tensión · Voltage 220-240V		
 A+ → E Fuente luminosa · Light source LED 8W E14 900lm [excluida - excluded] o · or LED 8W E14 700lm [excluida - excluded] o · or LED 10W E14 800lm [excluida - excluded] o · or LED 10W E14 900lm [excluida - excluded]			
Materiales · Materials cocoon, acero · cocoon, steel		p. 112	
Peso · Weight 0,9 Kg DIMMER INCLUDED		CE □ ▽ IP 20 	

	GLO-BALL BASIC ZERO Jasper Morrison, 2009 Potencia · <i>Power</i> MAX 60W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 8W E14 900lm [excluida - <i>excluded</i>] o · <i>or</i> LED 8W E14 700lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E14 800lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E14 900lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio · <i>glass</i> Peso · <i>Weight</i> 1 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> blanco · <i>white</i> Colores <i>Colors</i> ○ F3330009
	GLO-BALL BASIC ZERO SWITCH Jasper Morrison, 2009 Potencia · <i>Power</i> MAX 60W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 8W E14 900lm [excluida - <i>excluded</i>] o · <i>or</i> LED 8W E14 700lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E14 800lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E14 900lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio · <i>glass</i> Peso · <i>Weight</i> 1 Kg	Acabados <i>Finishes</i> blanco · <i>white</i> Colores <i>Colors</i> ○ F3331009 SWITCH
	GLO-BALL BASIC 1 Jasper Morrison, 1998 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio · <i>glass</i> Peso · <i>Weight</i> 2,6 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> blanco · <i>white</i> Colores <i>Colors</i> ○ F3021000
	GLO-BALL BASIC 2 Jasper Morrison, 1998 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] o · <i>or</i> LED 18W E27 2000lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio · <i>glass</i> Peso · <i>Weight</i> 5,3 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> blanco · <i>white</i> Colores <i>Colors</i> ○ F3026000

	GLO-BALL WALL MINI Jasper Morrison, 2002 Potencia · <i>Power</i> MAX 25W Tensión · <i>Voltage</i> 220-250V Fuente luminosa · <i>Light source</i> LED 3W G9 290lm [excluida - <i>excluded</i>] o · <i>or</i> LED 2W G9 240lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio · <i>glass</i> Peso · <i>Weight</i> 5,3 Kg	Acabados <i>Finishes</i> blanco · <i>white</i> blanco · <i>white</i> Colores <i>Colors</i> ○ F4190009 MIRROR ○ F4194009 C/W
	GLO-BALL C/W ZERO Jasper Morrison, 2009 Potencia · <i>Power</i> MAX 60W Tensión · <i>Voltage</i> 220-250V Fuente luminosa · <i>Light source</i> LED 8W E14 900lm [excluida - <i>excluded</i>] o · <i>or</i> LED 8W E14 700lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E14 800lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E14 900lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio · <i>glass</i> Peso · <i>Weight</i> 1 Kg	Acabados <i>Finishes</i> blanco · <i>white</i> Colores <i>Colors</i> ○ F3335009
	GLO-BALL C1 Jasper Morrison, 1999 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-250V Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio · <i>glass</i> Peso · <i>Weight</i> 2,5 Kg	Acabados <i>Finishes</i> blanco · <i>white</i> Colores <i>Colors</i> ○ F3023000
	GLO-BALL C2 Jasper Morrison, 1999 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-250V Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] o · <i>or</i> LED 18W E27 2000lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio · <i>glass</i> Peso · <i>Weight</i> 5,1 Kg	Acabados <i>Finishes</i> blanco · <i>white</i> Colores <i>Colors</i> ○ F3028000

	GLO-BALL W	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 1999	blanco · <i>white</i>	○ F3022000
	Potencia · <i>Power</i> MAX 100W		
	Tensión · <i>Voltage</i> 220-250V		
	Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>]		
Materiales · <i>Materials</i> vidrio · <i>glass</i>			
p. 380			
Peso · <i>Weight</i> 1,8 Kg			
	GLO-BALL F1	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 1998	plata · <i>silver</i>	● F3031020
	Potencia · <i>Power</i> MAX 150W	negro mate · <i>matt black</i>	● F3031031
	Tensión · <i>Voltage</i> 220-250V		
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>]		
Materiales · <i>Materials</i> vidrio, acero · <i>glass, steel</i>			
p. 192			
Peso · <i>Weight</i> 12 Kg DIMMER INCLUDED			
	GLO-BALL F2	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 1998	plata · <i>silver</i>	● F3032020
	Potencia · <i>Power</i> MAX 250W	negro mate · <i>matt black</i>	● F3032031
	Tensión · <i>Voltage</i> 220-250V		
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>]		
Materiales · <i>Materials</i> vidrio, acero · <i>glass, steel</i>			
p. 192			
Peso · <i>Weight</i> 12,5 Kg DIMMER INCLUDED			
	GLO-BALL F3	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 1998	plata · <i>silver</i>	● F3030000
	Potencia · <i>Power</i> MAX 250W	negro mate · <i>matt black</i>	● F3030031
	Tensión · <i>Voltage</i> 220-250V		
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] o · <i>or</i> LED 18W E27 2000lm [excluida - <i>excluded</i>]		
Materiales · <i>Materials</i> vidrio, acero · <i>glass, steel</i>			
p. 192			
Peso · <i>Weight</i> 18,9 Kg DIMMER INCLUDED			

	MINI GLO-BALL S	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 1998	blanco · <i>white</i>	○ F4195009
	Potencia · <i>Power</i> MAX 25W		
	Tensión · <i>Voltage</i> 220-250V		
	Fuente luminosa · <i>Light source</i> LED 3W G9 290lm [excluida - <i>excluded</i>]] o · <i>or</i> LED 2W G9 240lm [excluida - <i>excluded</i>]		
Materiales · <i>Materials</i> vidrio · <i>glass</i>			
p. 320			
Peso · <i>Weight</i> 0,7 Kg			
	GLO-BALL S1	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 1998	blanco · <i>white</i>	○ F3005061
	Potencia · <i>Power</i> MAX 150W		
	Tensión · <i>Voltage</i> 220-250V		
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>]		
Materiales · <i>Materials</i> vidrio · <i>glass</i>			
p. 320			
Peso · <i>Weight</i> 2,7 Kg			
	GLO-BALL S2	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 1998	blanco · <i>white</i>	○ F3010061
	Potencia · <i>Power</i> MAX 250W		
	Tensión · <i>Voltage</i> 220-250V		
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] o · <i>or</i> LED 18W E27 2000lm [excluida - <i>excluded</i>]		
Materiales · <i>Materials</i> vidrio · <i>glass</i>			
p. 320			
Peso · <i>Weight</i> 5,6 Kg			
	MINI GLO-BALL T	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 2003	blanco · <i>white</i>	○ F4191009
	Potencia · <i>Power</i> MAX 25W		
	Tensión · <i>Voltage</i> 220-240V		
	Fuente luminosa · <i>Light source</i> LED 3W G9 290lm [excluida - <i>excluded</i>]] o · <i>or</i> LED 2W G9 240lm		
Materiales · <i>Materials</i> vidrio · <i>glass</i>			
p. 132			
Peso · <i>Weight</i> 0,4 Kg SWITCH INCLUDED			

	GLO-BALL T1 Jasper Morrison, 1998 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio, acero · <i>glass, steel</i> Peso · <i>Weight</i> 7 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> plata · <i>silver</i> negro mate · <i>matt black</i>	Colores <i>Colors</i> ● F3020000 ● F3020031	p. 132
	GOLDMAN Ron Gilad, 2013 Potencia · <i>Power</i> 8W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE 42 LED 8W 248lm total 2700K CRI 85 + CHARGER USB 5VDC 1,5A [incluida - <i>included</i>] DIMMABLE Materiales · <i>Materials</i> aluminio, metacrilato · <i>aluminum, methacrylate</i> Peso · <i>Weight</i> 0,9 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> latón /verde · <i>brass/green</i> negro/fumè · <i>black/fumée</i>	Colores <i>Colors</i> ● F3440044 ● F3440030	p. 116
	GUNS - BEDSIDE GUN Philippe Starck, 2005 Potencia · <i>Power</i> MAX 75W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, papel plastificado · <i>aluminum, plasticized paper</i> Peso · <i>Weight</i> 1,7 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> oro 18K · <i>18K gold</i>	Colores <i>Colors</i> ● F2953000	p. 134
	GUNS - LOUNGE GUN Philippe Starck, 2005 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, papel plastificado · <i>aluminum, plasticized paper</i> Peso · <i>Weight</i> 19,5 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> oro 18K · <i>18K gold</i>	Colores <i>Colors</i> ● F2955000	p. 186

	GUNS - TABLE GUN Philippe Starck, 2005 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, papel plastificado · <i>aluminum, plasticized paper</i> Peso · <i>Weight</i> 6,2 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> oro 18K · <i>18K gold</i>	Colores <i>Colors</i> ● F2954000	p. 134
	IC C/W1 Michael Anastassiades, 2014 Potencia · <i>Power</i> MAX 60W Tensión · <i>Voltage</i> 220-250V Fuente luminosa · <i>Light source</i> LED 8W E14 900lm [excluida - <i>excluded</i>] o · or LED 8W E14 700lm [excluida - <i>excluded</i>] o · or LED 10W E14 800lm [excluida - <i>excluded</i>] o · or LED 10W E14 900lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> acero, latón , vidrio soplado · <i>steel, brass, blown glass</i> Peso · <i>Weight</i> 2 Kg	Acabados <i>Finishes</i> cromo · <i>chrome</i> latón · <i>brass</i> negro · <i>black</i> rojo burgundy · <i>red burgundy</i>	Colores <i>Colors</i> F3178057 ● F3178059 ● F3178030 ● F3178035	p. 360
	IC C/W1 OUTDOOR/INDOOR Michael Anastassiades, 2020 Potencia · <i>Power</i> MAX 60W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 8W E14 900lm [excluida - <i>excluded</i>] o · or LED 8W E14 800lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> acero, latón , vidrio soplado · <i>steel, brass, blown glass</i> Peso · <i>Weight</i> 2,2 Kg	Acabados <i>Finishes</i> acero inox satinado · <i>brushed stainless steel</i> finitura latón · <i>brass finish</i> negro · <i>black</i> deep brown rojo burgundy · <i>red burgundy</i>	Colores <i>Colors</i> F012H00C005 ● F012H00C059 ● F012H00C030 ● F012H00C018 ● F012H00C037	p. 420
	IC C/W1 DOUBLE Michael Anastassiades, 2020 Potencia · <i>Power</i> MAX 60W Tensión · <i>Voltage</i> 220-250V Fuente luminosa · <i>Light source</i> LED 8W E14 900lm [excluida - <i>excluded</i>] o · or LED 8W E14 700lm [excluida - <i>excluded</i>] o · or LED 10W E14 800lm [excluida - <i>excluded</i>] o · or LED 10W E14 900lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> acero, latón , vidrio soplado · <i>steel, brass, blown glass</i> Peso · <i>Weight</i> 2,7 Kg	Acabados <i>Finishes</i> cromo · <i>chrome</i> latón · <i>brass</i> negro · <i>black</i> rojo burgundy · <i>red burgundy</i>	Colores <i>Colors</i> F3157057 ● F3157059 ● F3157030 ● F3157035	p. 359

	IC C/W2	Michael Anastassiades, 2014	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Potencia · <i>Power</i>	MAX 205W	cromo · <i>chrome</i>	() F3179057	
	Tensión · <i>Voltage</i>	220-250V	latón · <i>brass</i>	() F3179059	
			negro · <i>black</i>	(●) F3179030	
			rojo burgundy · <i>red burgundy</i>	(●) F3179035	
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] o · <i>or</i> LED 18W E27 2000lm [excluida - <i>excluded</i>]				
	A+ → E				
	Materiales · <i>Materials</i> acero, latón , vidrio soplado · <i>steel, brass, blown glass</i>				
	Peso · <i>Weight</i> 3,7 Kg				
	CE L P 20				
	IC C/W2 OUTDOOR/INDOOR	Michael Anastassiades, 2020	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Potencia · <i>Power</i>	MAX 205W	acero inox satinado · <i>brushed stainless steel</i>	() F012J00C005	
	Tensión · <i>Voltage</i>	220-250V	finitura latón · <i>brass finish</i>	() F012J00C059	
			negro · <i>black</i>	(●) F012J00C030	
			deep brown	(●) F012J00C018	
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>]				
	A+ → E				
	Materiales · <i>Materials</i> acero, latón , vidrio soplado · <i>steel, brass, blown glass</i>				
	Peso · <i>Weight</i> 3,8 Kg				
	CE L P 65				
	IC C/W2 DOUBLE	Michael Anastassiades, 2020	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Potencia · <i>Power</i>	MAX 205W	cromo · <i>chrome</i>	() F3159057	
	Tensión · <i>Voltage</i>	220-250V	latón · <i>brass</i>	() F3159059	
			negro · <i>black</i>	(●) F3159030	
			rojo burgundy · <i>red burgundy</i>	(●) F3159035	
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] o · <i>or</i> LED 18W E27 2000lm [excluida - <i>excluded</i>]				
	A+ → E				
	Materiales · <i>Materials</i> acero, latón , vidrio soplado · <i>steel, brass, blown glass</i>				
	Peso · <i>Weight</i> 4,3 Kg				
	CE L P 20				
	IC F1	Michael Anastassiades, 2014	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Potencia · <i>Power</i>	MAX 60W	cromo · <i>chrome</i>	() F3173057	
	Tensión · <i>Voltage</i>	220-240V	latón · <i>brass</i>	() F3173059	
			negro · <i>black</i>	(●) F3173030	
			rojo burgundy · <i>red burgundy</i>	(●) F3173035	
	Fuente luminosa · <i>Light source</i> LED 8W E14 900lm [excluida - <i>excluded</i>] o · <i>or</i> LED 8W E14 700lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E14 800lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E14 900lm [excluida - <i>excluded</i>]				
	A+ → E				
	Materiales · <i>Materials</i> acero, latón , vidrio soplado · <i>steel, brass, blown glass</i>				
	Peso · <i>Weight</i> 5 Kg				
	DIMMER INCLUDED				
	CE L P 20				

p. 360

p. 420

p. 359

p. 176

	IC F1 OUTDOOR/INDOOR	Michael Anastassiades, 2019	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Potencia · <i>Power</i>	8W	acero inox · <i>stainless steel</i> (occhio di pernice marble)	() (●) F012A04C005	
	Tensión · <i>Voltage</i>	220-240V	latón · <i>brass</i> (grey lava marble)	() (●) F012A03C059	
			deep brown (travertino imperiale marble)	(●) F012A01C018	
			negro · <i>black</i> (black lava marble)	(●) F012A02C030	
	Fuente luminosa · <i>Light source</i> LED 8W E14 900lm [excluida - <i>excluded</i>] o · <i>or</i> LED 8W E14 700lm [excluida - <i>excluded</i>]				
	A+ → E				
	Materiales · <i>Materials</i> acero, latón , vidrio soplado · <i>steel, brass, blown glass</i>				
	Peso · <i>Weight</i> 5 Kg				
	DIMMER INCLUDED				
	CE L P 65				
	IC F2	Michael Anastassiades, 2014	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Potencia · <i>Power</i>	MAX 205W	cromo · <i>chrome</i>	() F3174057	
	Tensión · <i>Voltage</i>	220-240V	latón · <i>brass</i>	() F3174059	
			negro · <i>black</i>	(●) F3174030	
			rojo burgundy · <i>red burgundy</i>	(●) F3174035	
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] o · <i>or</i> LED 18W E27 2000lm [excluida - <i>excluded</i>]				
	A+ → E				
	Materiales · <i>Materials</i> acero, latón , vidrio soplado · <i>steel, brass, blown glass</i>				
	Peso · <i>Weight</i> 10 Kg				
	DIMMER INCLUDED				
	CE L P 65				
	IC F2 OUTDOOR/INDOOR	Michael Anastassiades, 2019	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Potencia · <i>Power</i>	17W	acero inox · <i>stainless steel</i> (occhio di pernice marble)	() (●) F012B04C005	
	Tensión · <i>Voltage</i>	220-240V	latón · <i>brass</i> (grey lava marble)	() (●) F012B03C059	
			deep brown (travertino imperiale marble)	(●) F012B01C018	
			negro · <i>black</i> (black lava marble)	(●) F012B02C030	
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>]				
	A+ → E				
	Materiales · <i>Materials</i> acero, latón , vidrio soplado · <i>steel, brass, blown glass</i>				
	Peso · <i>Weight</i> 10 Kg				
	DIMMER INCLUDED				
	CE L P 65				
	IC S1	Michael Anastassiades, 2014	Acabados <i>Finishes</i>	Colores <i>Colors</i>	
	Potencia · <i>Power</i>	MAX 60W	cromo · <i>chrome</i>	() F3175057	
	Tensión · <i>Voltage</i>	220-250V	latón · <i>brass</i>	() F3175059	
			negro · <i>black</i>	(●) F3175030	
			rojo burgundy · <i>red burgundy</i>	(●) F3175035	
	Fuente luminosa · <i>Light source</i> LED 8W E14 900lm [excluida - <i>excluded</i>] o · <i>or</i> LED 8W E14 700lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E14 800lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E14 900lm [excluida - <i>excluded</i>]				
	A+ → E				
	Materiales · <i>Materials</i> acero, latón , vidrio soplado · <i>steel, brass, blown glass</i>				
	Peso · <i>Weight</i> 2,2 Kg				
	CE L P 20				

p. 421

p. 176


p. 421


p. 282


p. 282p. 99p. 99p. 99p. 338 - 410p. 338 - 410p. 338 - 410p. 338 - 410

	IN VITRO WALL	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Philippe Starck, 2020	blanco · <i>white</i>	○ F018B22B001
	Potencia · <i>Power</i> 11W	negro · <i>black</i>	● F018B22B030
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F018B22B033
		deep brown	● F018B22B018
		forest green	● F018B22B012
		pale green	● F018B22B013
		terracotta	● F018B22B025
		Fuente luminosa · <i>Light source</i>	
	LED INCLUDED	LED 11W 1150lm ≠ FIXT 667lm 2700K	
	NOT REPLACEABLE	CRI80 220/240V [incluida - <i>included</i>]	
		DIMMABLE 1-10V	
		Materiales · <i>Materials</i>	
		aluminio, vidrio · <i>aluminum, glass</i>	
		p. 338 - 410	
para gama completa y accesorios consulte flos.com · for full range and accessories consult flos.com			

	IN VITRO WALL	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Philippe Starck, 2020	blanco · <i>white</i>	○ F018B22D001
	Potencia · <i>Power</i> 11W	negro · <i>black</i>	● F018B22D030
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F018B22D033
		deep brown	● F018B22D018
		forest green	● F018B22D012
		pale green	● F018B22D013
		terracotta	● F018B22D025
		Fuente luminosa · <i>Light source</i>	
	LED INCLUDED	LED 11W 1150lm ≠ FIXT 667lm 2700K	
	NOT REPLACEABLE	CRI80 220/240V [incluida - <i>included</i>]	
		DIMMABLE DALI	
		Materiales · <i>Materials</i>	
		aluminio, vidrio · <i>aluminum, glass</i>	
		p. 338 - 410	
para gama completa y accesorios consulte flos.com · for full range and accessories consult flos.com			


	IN VITRO SUSPENSION	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Philippe Starck, 2020	blanco · <i>white</i>	○ F018D25A001
	Potencia · <i>Power</i> 13W	negro · <i>black</i>	● F018D25A030
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F018D25A033
		deep brown	● F018D25A018
		forest green	● F018D25A012
		pale green	● F018D25A013
		terracotta	● F018D25A025
		Fuente luminosa · <i>Light source</i>	
	LED INCLUDED	LED 13W 1378lm ≠ FIXT 799lm 2700K	
	NOT REPLACEABLE	CRI80 220/240V [incluida - <i>included</i>]	
		NO DIMMABLE	
		Materiales · <i>Materials</i>	
		aluminio, vidrio · <i>aluminum, glass</i>	
		p. 229 - 410	
para gama completa y accesorios consulte flos.com · for full range and accessories consult flos.com			

	IN VITRO SUSPENSION	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Philippe Starck, 2020	blanco · <i>white</i>	○ F018D25B001
	Potencia · <i>Power</i> 13W	negro · <i>black</i>	● F018D25B030
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F018D25B033
		deep brown	● F018D25B018
		forest green	● F018D25B012
		pale green	● F018D25B013
		terracotta	● F018D25B025
		Fuente luminosa · <i>Light source</i>	
	LED INCLUDED	LED 13W 1378lm ≠ FIXT 799lm 2700K	
	NOT REPLACEABLE	CRI80 220/240V [incluida - <i>included</i>]	
		DIMMABLE 1-10V	
		Materiales · <i>Materials</i>	
		aluminio, vidrio · <i>aluminum, glass</i>	
		p. 229 - 410	
para gama completa y accesorios consulte flos.com · for full range and accessories consult flos.com			

	IN VITRO SUSPENSION	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Philippe Starck, 2020	blanco · <i>white</i>	○ F018D25D001
	Potencia · <i>Power</i> 13W	negro · <i>black</i>	● F018D25D030
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F018D25D033
		deep brown	● F018D25D018
		forest green	● F018D25D012
		pale green	● F018D25D013
		terracotta	● F018D25D025
		Fuente luminosa · <i>Light source</i>	
	LED INCLUDED	LED 13W 1378lm ≠ FIXT 799lm 2700K	
	NOT REPLACEABLE	CRI80 220/240V [incluida - <i>included</i>]	
		DIMMABLE DALI	
		Materiales · <i>Materials</i>	
		aluminio, vidrio · <i>aluminum, glass</i>	
		p. 229 - 410	
para gama completa y accesorios consulte flos.com · for full range and accessories consult flos.com			

	IN VITRO UNPLUGGED	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Philippe Starck, 2020	blanco · <i>white</i>	○ F018E21K001
	Potencia · <i>Power</i> 2,5W	negro · <i>black</i>	● F018E21K030
	Tensión · <i>Voltage</i> IN 5V	antracita · <i>anthracite</i>	● F018E21K033
		deep brown	● F018E21K018
		forest green	● F018E21K012
		pale green	● F018E21K013
		terracotta	● F018E21K025
		Fuente luminosa · <i>Light source</i>	
	LED INCLUDED	LED EDGE LIGHTING 2,5W	
	NOT REPLACEABLE	182lm ≠ FIXT 103lm 2700K CRI 90 [incluida - <i>included</i>] DIMMABLE	
		6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT	
		Materiales · <i>Materials</i>	
		aluminio, vidrio, silicone · <i>aluminum, glass, silicone</i>	
		p. 56 - 410	
para gama completa y accesorios consulte flos.com · for full range and accessories consult flos.com			

	IN VITRO UNPLUGGED	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Philippe Starck, 2020	blanco · <i>white</i>	○ F018E31K001
	Potencia · <i>Power</i> 2,5W	negro · <i>black</i>	● F018E31K030
	Tensión · <i>Voltage</i> IN 5V	antracita · <i>anthracite</i>	● F018E31K033
		deep brown	● F018E31K018
		forest green	● F018E31K012
		pale green	● F018E31K013
		terracotta	● F018E31K025
		Fuente luminosa · <i>Light source</i>	
	LED INCLUDED	LED EDGE LIGHTING 2,5W	
	NOT REPLACEABLE	195lm ≠ FIXT 110lm 3000K CRI 90 [incluida - <i>included</i>] DIMMABLE	
		6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT	
		Materiales · <i>Materials</i>	
		aluminio, vidrio, silica · <i>aluminum, glass, silicone</i>	
		p. 56 - 410	
para gama completa y accesorios consulte flos.com · for full range and accessories consult flos.com			

	IPNOS OUTDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Nicoletta Rossi and Guido Bianchi, 2014	negro · <i>black</i>	● F3150030
	Potencia · <i>Power</i> 15W	naturale · <i>natural</i>	● F3150054
	Tensión · <i>Voltage</i> 100-240V/24	bronce · <i>bronze</i>	● F3150046
		trasparente · <i>transparent</i>	○ F3125000 TOP PLATE OPTIONAL
		Fuente luminosa · <i>Light source</i>	
	LED INCLUDED	196 TOP LED 15W 665lm 3500K CRI 85 [incluida - <i>included</i>]	
	NOT REPLACEABLE		
		Materiales · <i>Materials</i>	
		aluminio, policarbonato · <i>aluminum, polycarbonate</i>	
		p. 429	
para gama completa y accesorios consulte flos.com · for full range and accessories consult flos.com			

	INFRA-STRUCTURE EPISODE 2_C2	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Vincent Van Duysen, 2020	negro mate · <i>matte black</i>	● 03.8461.14
	Potencia · <i>Power</i> 25,5W	blanco mate · <i>matte white</i>	○ 03.8461.40
Tensión · <i>Voltage</i> 48V			
LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> TOP LED 25,5W 2366lm 2700K CRI90			
Materiales · <i>Materials</i> aluminio extruido y torneado, policarbonato opalino extruido · <i>extruded aluminum, opal polycarbonate extruded</i>			
p. 252			
Peso · <i>Weight</i> 2,5 Kg REMOTE DRIVER INCLUDED			
	INFRA-STRUCTURE EPISODE 2_C3	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Vincent Van Duysen, 2020	negro mate · <i>matte black</i>	● 03.8462.14
	Potencia · <i>Power</i> 50W	blanco mate · <i>matte white</i>	○ 03.8462.40
Tensión · <i>Voltage</i> 100-240V			
LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> TOP LED 40W 3195lm + 20W 1820lm 2700K CRI90			
Materiales · <i>Materials</i> aluminio extruido y torneado, policarbonato opalino extruido · <i>extruded and spin-formed aluminum, opal polycarbonate extruded</i>			
p. 252			
Peso · <i>Weight</i> 7 Kg REMOTE DRIVER INCLUDED			
	INFRA-STRUCTURE EPISODE 2_C4	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Vincent Van Duysen, 2020	negro mate · <i>matte black</i>	● 03.8463.14
	Potencia · <i>Power</i> 105,5W	blanco mate · <i>matte white</i>	○ 03.8463.40
Tensión · <i>Voltage</i> 48V			
LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> TOP LED 40W 3195lm + 40W 3195lm + 25,5W 2366lm 2700K CRI90			
Materiales · <i>Materials</i> aluminio extruido y torneado, policarbonato opalino extruido · <i>extruded and spin-formed aluminum, opal polycarbonate extruded</i>			
p. 252			
Peso · <i>Weight</i> 12,5 Kg REMOTE DRIVER INCLUDED			
	INFRA-STRUCTURE EPISODE 2_C6	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Vincent Van Duysen, 2020	negro mate · <i>matte black</i>	● 03.8466.14
	Potencia · <i>Power</i> 50W	blanco mate · <i>matte white</i>	○ 03.8466.40
Tensión · <i>Voltage</i> 48V			
LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> TOP LED 30W 1325lm + TOP LED 20W 1820lm 2700K CRI90			
Materiales · <i>Materials</i> aluminio extruido y torneado, policarbonato opalino extruido · <i>extruded and spin-formed aluminum, opal polycarbonate extruded</i>			
p. 252			
Peso · <i>Weight</i> 5 Kg REMOTE DRIVER INCLUDED			

	INFRA-STRUCTURE EPISODE 2_C7	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Vincent Van Duysen, 2020	negro mate · <i>matte black</i>	● 03.8467.14
	Potencia · <i>Power</i> 85,5W	blanco mate · <i>matte white</i>	○ 03.8467.40
Tensión · <i>Voltage</i> 48V			
LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> TOP LED 2x30W 1325lm + TOP LED 30W 2366lm 2700K CRI90			
Materiales · <i>Materials</i> aluminio extruido y torneado, policarbonato opalino extruido · <i>extruded and spin-formed aluminum, opal polycarbonate extruded</i>			
p. 252			
Peso · <i>Weight</i> 10,5 Kg REMOTE DRIVER INCLUDED			
	KAP SURFACE - ROUND	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Flos Architectural, 2011	E / I*	NON DIMMABLE
	Potencia · <i>Power</i> 9,2W	blanco/blanco · <i>white/white</i>	○ ○ 03.6000.B1
Tensión · <i>Voltage</i> 220-240V			
LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LED ARRAY 9,2W 935lm 2700K CRI90 [incluida - <i>included</i>]			
Materiales · <i>Materials</i> aluminio · <i>aluminum</i>			
p. 340			
Peso · <i>Weight</i> 0,45 Kg DIMMER INCLUDED * E =Exterior colour - I = Interior colour			
	KAP SURFACE - ROUND	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Flos Architectural, 2011	E / I*	NON DIMMABLE
	Potencia · <i>Power</i> 9,2W	blanco/oro mate · <i>white/matt gold</i>	○ ● 03.6001.B1
Tensión · <i>Voltage</i> 220-240V			
LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LED ARRAY 9,2W 935lm 2700K CRI90 [incluida - <i>included</i>]			
Materiales · <i>Materials</i> aluminio · <i>aluminum</i>			
p. 340			
Peso · <i>Weight</i> 0,45 Kg DIMMER INCLUDED * E =Exterior colour - I = Interior colour			
	KAP SURFACE - ROUND	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Flos Architectural, 2011	E / I*	NON DIMMABLE
	Potencia · <i>Power</i> 9,2W	blanco/cobre · <i>white/copper</i>	○ ● 03.6002.B1
Tensión · <i>Voltage</i> 220-240V			
LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LED ARRAY 9,2W 935lm 2700K CRI90 [incluida - <i>included</i>]			
Materiales · <i>Materials</i> aluminio · <i>aluminum</i>			
p. 340			
Peso · <i>Weight</i> 0,45 Kg DIMMER INCLUDED * E =Exterior colour - I = Interior colour			

	KAP SURFACE - ROUND		Acabados <i>Finishes</i>		Colores <i>Colors</i>	
	Flos Architectural, 2011		E / I*		NON DIMMABLE	
	Potencia · <i>Power</i> 9,2W		blanco/negro · <i>white/black</i>		● 03.6003.B1	
	Tensión · <i>Voltage</i> 220-240V		nero/negro · <i>black/black</i>		● 03.6003.14	
			deep brown/negro · <i>deep brown/black</i>		● 03.6003.18	
	KAP SURFACE - SQUARE		Acabados <i>Finishes</i>		Colores <i>Colors</i>	
	Flos Architectural, 2011		E / I*		NON DIMMABLE	
	Potencia · <i>Power</i> 9,2W		blanco/blanco · <i>white/white</i>		● 03.6010.B1	
	Tensión · <i>Voltage</i> 220-240V		negro/blanco · <i>black/white</i>		● 03.6010.14	
			deep brown/blanco · <i>deep brown/white</i>		● 03.6010.18	
	KAP SURFACE - SQUARE		Acabados <i>Finishes</i>		Colores <i>Colors</i>	
	Flos Architectural, 2011		E / I*		NON DIMMABLE	
	Potencia · <i>Power</i> 9,2W		blanco/oro mate · <i>white/matt gold</i>		● 03.6011.B1	
	Tensión · <i>Voltage</i> 220-240V		nero/oro mate · <i>black/matt gold</i>		● 03.6011.14	
			deep brown/oro mate · <i>deep brown/matt gold</i>		● 03.6011.18	
	KAP SURFACE - SQUARE		Acabados <i>Finishes</i>		Colores <i>Colors</i>	
	Flos Architectural, 2011		E / I*		NON DIMMABLE	
	Potencia · <i>Power</i> 9,2W		blanco/cobre · <i>white/copper</i>		● 03.6012.B1	
	Tensión · <i>Voltage</i> 220-240V		nero/cobre · <i>black/copper</i>		● 03.6012.14	
			deep brown/cobre · <i>deep brown/copper</i>		● 03.6012.18	

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa · *Light source*
LED ARRAY 9,2W 935lm 2700K
CRI90 [incluida - *included*]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED

MAINS DIMMABLE

blanco/negro · *white/black* ● 03.5903.B1
nero/negro · *black/black* ● 03.5903.14
deep brown/negro · *deep brown/black* ● 03.5903.18

DALI/PUSH VERSION

blanco/negro · *white/black* ● 03.6003.B1.DA
nero/negro · *black/black* ● 03.6003.14.DA
deep brown/negro · *deep brown/black* ● 03.6003.18.DA



* E =Exterior colour - I = Interior colour

p. 340

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa · *Light source*
LED ARRAY 9,2W 935lm 2700K
CRI90 [incluida - *included*]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED

MAINS DIMMABLE

blanco/blanco · *white/white* ● 03.5910.B1
negro/blanco · *black/white* ● 03.5910.14
deep brown/blanco · *deep brown/white* ● 03.5910.18

DALI/PUSH VERSION

blanco/blanco · *white/white* ● 03.6010.B1.DA
negro/blanco · *black/white* ● 03.6010.14.DA
deep brown/blanco · *deep brown/white* ● 03.6010.18.DA



* E =Exterior colour - I = Interior colour

p. 340

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa · *Light source*
LED ARRAY 9,2W 935lm 2700K
CRI90 [incluida - *included*]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED

MAINS DIMMABLE

blanco/oro mate · *white/matt gold* ● 03.5911.B1
nero/oro mate · *black/matt gold* ● 03.5911.14
deep brown/oro mate · *deep brown/matt gold* ● 03.5911.18

DALI/PUSH VERSION

blanco/oro mate · *white/matt gold* ● 03.6011.B1.DA
nero/oro mate · *black/matt gold* ● 03.6011.14.DA
deep brown/oro mate · *deep brown/matt gold* ● 03.6011.18.DA



* E =Exterior colour - I = Interior colour

p. 340

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa · *Light source*
LED ARRAY 9,2W 935lm 2700K
CRI90 [incluida - *included*]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED





DALI/PUSH VERSION

blanco/cobre · *white/copper* ● 03.6012.B1.DA
nero/cobre · *black/copper* ● 03.6012.14.DA
deep brown/cobre · *deep brown/copper* ● 03.6012.18.DA



* E =Exterior colour - I = Interior colour

p. 340

	KAP SURFACE - SQUARE		Acabados <i>Finishes</i>		Colores <i>Colors</i>	
	Flos Architectural, 2011		E / I*		NON DIMMABLE	
	Potencia · <i>Power</i> 9,2W		blanco/negro · <i>white/black</i>		● 03.6013.B1	
	Tensión · <i>Voltage</i> 220-240V		nero/negro · <i>black/black</i>		● 03.6013.14	
			deep brown/negro · <i>deep brown/black</i>		● 03.6013.18	
	KELVIN EDGE BASE		Acabados <i>Finishes</i>		Colores <i>Colors</i>	
	Antonio Citterio, 2015		blanco · <i>white</i>		● F3452009	
	Potencia · <i>Power</i> 7W		negro · <i>black</i>		● F3452030	
	Tensión · <i>Voltage</i> 100-240V/24		titanio · <i>titanium</i>		● F3452033	
			cromo · <i>chrome</i>		F3452057	
	KELVIN EDGE MORSETTO · CLAMP		Acabados <i>Finishes</i>		Colores <i>Colors</i>	
	Antonio Citterio, 2015		blanco · <i>white</i>		● F3460009	
	Potencia · <i>Power</i> 7W		negro · <i>black</i>		● F3460030	
	Tensión · <i>Voltage</i> 100-240V/24		titanio · <i>titanium</i>		● F3460033	
			cromo · <i>chrome</i>		F3460057	
	KELVIN EDGE SUPP. SCRIVANIA · DESK SUPP.		Acabados <i>Finishes</i>		Colores <i>Colors</i>	
	Antonio Citterio, 2015		blanco · <i>white</i>		● F3458009 CV - VC	
	Potencia · <i>Power</i> 7W		blanco · <i>white</i>		● F3456009 CO - HC	
	Tensión · <i>Voltage</i> 100-240V/24		negro · <i>black</i>		● F3458030 CV - VC	
			negro · <i>black</i>		● F3456030 CO - HC	
	KELVIN EDGE SUPP. SCRIVANIA · DESK SUPP.		Acabados <i>Finishes</i>		Colores <i>Colors</i>	
	Antonio Citterio, 2015		titanio · <i>titanium</i>		● F3458033 CV - VC	
	Potencia · <i>Power</i> 7W		titanio · <i>titanium</i>		● F3456033 CO - HC	
	Tensión · <i>Voltage</i> 100-240V/24		cromo · <i>chrome</i>		F3458057 CV - VC	
			cromo · <i>chrome</i>		F3456057 CO - HC	

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa · *Light source*
LED ARRAY 9,2W 935lm 2700K
CRI90 [incluida - *included*]

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,45 Kg DIMMER INCLUDED

MAINS DIMMABLE

blanco/negro · *white/black* ● 03.5913.B1
nero/negro · *black/black* ● 03.5913.14
deep brown/negro · *deep brown/black* ● 03.5913.18

DALI/PUSH VERSION

blanco/negro · *white/black* ● 03.6013.B1.DA
nero/negro · *black/black* ● 03.6013.14.DA
deep brown/negro · *deep brown/black* ● 03.6013.18.DA



* E =Exterior colour - I = Interior colour


p. 340

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa · *Light source*
EDGE LIGHTING 7W 306lm
2700/3200K CRI 90
[incluida - *included*]
DIMMABLE K SELECTION

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 3 Kg DIMMER INCLUDED



p. 128

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa · *Light source*
EDGE LIGHTING 7W 306lm
2700/3200K CRI 90
[incluida - *included*]
DIMMABLE K SELECTION

Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,7 Kg DIMMER INCLUDED



p. 128

LED INCLUDED
NOT REPLACEABLE

Fuente luminosa · *Light source*
EDGE LIGHTING 7W 306lm
2700/3200K CRI 90
[incluida - *included*]
DIMMABLE K SELECTION





Materiales · *Materials*
aluminio · *aluminum*

Peso · *Weight* 0,6 Kg DIMMER INCLUDED








CV: cable visible CO: cable oculto - VC: visible cable HC: hidden cable


p. 128



	KELVIN EDGE ATTACCO A PARETE · WALL Antonio Citterio, 2015 Potencia · <i>Power</i> 7W Tensión · <i>Voltage</i> 100-240V/24 Fuente luminosa · <i>Light source</i> EDGE LIGHTING 7W 306lm 2700/3200K CRI 90 [incluida - <i>included</i>] DIMMABLE K SELECTION LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 0,6 Kg DIMMER INCLUDED Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> titanio · <i>titanium</i> cromo · <i>chrome</i> Colores <i>Colors</i> ○ F3454009 ● F3454030 ● F3454033 F3454057
	KELVIN LED BASE Antonio Citterio assistant Toan Nguyen, 2009 Potencia · <i>Power</i> 8W Tensión · <i>Voltage</i> 100-240V/24 Fuente luminosa · <i>Light source</i> 30 TOP LED 7,5W 568lm total 3000K CRI 95 [incluida - <i>included</i>] DIMMABLE GREEN MODE LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 4,8 Kg DIMMER INCLUDED Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> antracita · <i>anthracite</i> cromo · <i>chrome</i> Colores <i>Colors</i> ○ F3311009 ● F3311030 ● F3311033 F3311057
	KELVIN LED MORSETTO · CLAMP Antonio Citterio assistant Toan Nguyen, 2009 Potencia · <i>Power</i> 8W Tensión · <i>Voltage</i> 100-240V/24 Fuente luminosa · <i>Light source</i> 30 TOP LED 7,5W 568lm total 3000K CRI 95 [incluida - <i>included</i>] DIMMABLE GREEN MODE LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 1,6 Kg DIMMER INCLUDED Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> antracita · <i>anthracite</i> cromo · <i>chrome</i> Colores <i>Colors</i> ○ F3301009 ● F3301030 ● F3301033 F3313057
	KELVIN LED SUPP. SCRIVANIA · DESK SUPP. Antonio Citterio assistant Toan Nguyen, 2009 Potencia · <i>Power</i> 8W Tensión · <i>Voltage</i> 100-240V/24 Fuente luminosa · <i>Light source</i> 30 TOP LED 7,5W 568lm total 3000K CRI 95 [incluida - <i>included</i>] DIMMABLE GREEN MODE LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 1,5 Kg DIMMER INCLUDED Acabados <i>Finishes</i> blanco · <i>white</i> blanco · <i>white</i> negro · <i>black</i> negro · <i>black</i> antracita · <i>anthracite</i> antracita · <i>anthracite</i> cromo · <i>chrome</i> cromo · <i>chrome</i> Colores <i>Colors</i> ○ F3308009 CV · VC ○ F3309009 CO · HC ● F3308030 CV · VC ● F3309030 CO · HC ● F3308033 CV · VC ● F3309033 CO · HC F3308057 CV · VC F3309057 CO · HC


CV: cable visible CO: cable
oculto · VC: visible cable HC:
hidden cable

	KELVIN LED ATTACCO A PARETE · WALL Antonio Citterio assistant Toan Nguyen, 2009 Potencia · <i>Power</i> 8W Tensión · <i>Voltage</i> 100-240V/24 Fuente luminosa · <i>Light source</i> 30 TOP LED 7,5W 568lm total 3000K CRI 95 [incluida - <i>included</i>] DIMMABLE GREEN MODE LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 1,5 Kg DIMMER INCLUDED Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> antracita · <i>anthracite</i> cromo · <i>chrome</i> Colores <i>Colors</i> ○ F3302009 ● F3302030 ● F3302033 F3314057
	KELVIN LED F Antonio Citterio, 2011 Potencia · <i>Power</i> 8W Tensión · <i>Voltage</i> 100-240V/24 Fuente luminosa · <i>Light source</i> 30 TOP LED 8W 568lm total 2700K CRI 95 [incluida - <i>included</i>] LED INCLUDED NOT REPLACEABLE Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 3,8 Kg DIMMER INCLUDED Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> antracita · <i>anthracite</i> Colores <i>Colors</i> ○ F3305009 ● F3305030 ● F3305033
	KTRIBE F1 Philippe Starck, 2007 Potencia · <i>Power</i> MAX 100W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 8,5W E27 740lm [excluida - <i>excluded</i>] o · <i>or</i> LED 10W E27 965lm [excluida - <i>excluded</i>] A+ → E Materiales · <i>Materials</i> aluminio, policarbonato, PMMA, tela · <i>aluminum, polycarbonate, PMMA, fabric</i> Peso · <i>Weight</i> 4,3 Kg DIMMER INCLUDED Acabados <i>Finishes</i> trasparente · <i>transparent</i> aluminizado plata · <i>aluminized silver</i> aluminizado bronce · <i>aluminized bronze</i> tela · <i>fabric</i> fumè · <i>fumée</i> Colores <i>Colors</i> F6265000 ● F6265004 ● F6265046 ● F6265007 ● F6265030
	KTRIBE F2 Philippe Starck, 2007 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>] A+ → E Materiales · <i>Materials</i> aluminio, policarbonato, PMMA, tela · <i>aluminum, polycarbonate, PMMA, fabric</i> Peso · <i>Weight</i> 6,7 Kg DIMMER INCLUDED Acabados <i>Finishes</i> trasparente · <i>transparent</i> aluminizado plata · <i>aluminized silver</i> aluminizado bronce · <i>aluminized bronze</i> tela · <i>fabric</i> fumè · <i>fumée</i> Colores <i>Colors</i> F6305000 ● F6305004 ● F6305046 ● F6305007 ● F6305030

	KTRIBE F3 Philippe Starck, 2007 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, policarbonato, PMMA, tela · <i>aluminum, polycarbonate, PMMA, fabric</i> Peso · <i>Weight</i> 14,0 Kg DIMMER INCLUDED   	Acabados <i>Finishes</i> trasparente · <i>transparent</i> aluminizado plata · <i>aluminized silver</i> aluminizado bronce · <i>aluminized bronze</i> tela · <i>fabric</i> fumè · <i>fumée</i> Colores <i>Colors</i> F6301000 F6301004 F6301046 F6301007 F6301030
	KTRIBE F3 OUTDOOR/INDOOR Philippe Starck, 2007 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> LED 21W E27 2450lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, policarbonato, PVC · <i>aluminum, polycarbonate, PVC</i> Peso · <i>Weight</i> 23,0 Kg DIMMER INCLUDED  	Acabados <i>Finishes</i> panama green wall Colores <i>Colors</i> F6268022 F6268041
	KTRIBE S1 Philippe Starck, 2005 Potencia · <i>Power</i> MAX 75W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> LED 3W G9 290lm [excluida - <i>excluded</i>] o · <i>or</i> LED 2W G9 240lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> policarbonato, PMMA · <i>polycarbonate, PMMA</i> Peso · <i>Weight</i> 1 Kg   	Acabados <i>Finishes</i> aluminizado plata · <i>aluminized silver</i> fumè · <i>fumée</i> Colores <i>Colors</i> F6256000 F6256030
	KTRIBE S2 Philippe Starck, 2005 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> policarbonato, PMMA · <i>polycarbonate, PMMA</i> Peso · <i>Weight</i> 2,5 Kg   	Acabados <i>Finishes</i> trasparente · <i>transparent</i> aluminizado plata · <i>aluminized silver</i> aluminizado bronce · <i>aluminized bronze</i> fumè · <i>fumée</i> Colores <i>Colors</i> F6257000A F6257000 F6257046 F6257030

	KTRIBE S3 Philippe Starck, 2005 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> policarbonato, PMMA · <i>polycarbonate, PMMA</i> Peso · <i>Weight</i> 4,5 Kg   	Acabados <i>Finishes</i> trasparente · <i>transparent</i> aluminizado plata · <i>aluminized silver</i> aluminizado bronce · <i>aluminized bronze</i> fumè · <i>fumée</i> Colores <i>Colors</i> F6258000A F6258000 F6258046 F6258030
	KTRIBE T1 Philippe Starck, 2007 Potencia · <i>Power</i> MAX 100W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, metacrilato, policarbonato · <i>aluminum, methacrylate, polycarbonate</i> Peso · <i>Weight</i> 3,1 Kg DIMMER INCLUDED  	Acabados <i>Finishes</i> trasparente · <i>transparent</i> fumè · <i>fumée</i> Colores <i>Colors</i> F6263000 F6263030
	KTRIBE T1 GLASS Philippe Starck, 2007 Potencia · <i>Power</i> MAX 100W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, vidrio, policarbonato · <i>aluminum, glass, polycarbonate</i> Peso · <i>Weight</i> 4,6 Kg DIMMER INCLUDED   	Acabados <i>Finishes</i> trasparente · <i>transparent</i> Colores <i>Colors</i> F6281000
	KTRIBE T2 Philippe Starck, 2007 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, policarbonato, PMMA, tela · <i>aluminum, polycarbonate, PMMA, fabric</i> Peso · <i>Weight</i> 5,9 Kg DIMMER INCLUDED   	Acabados <i>Finishes</i> trasparente · <i>transparent</i> aluminizado plata · <i>aluminized silver</i> aluminizado bronce · <i>aluminized bronze</i> tela · <i>fabric</i> fumè · <i>fumée</i> Colores <i>Colors</i> F6303000 F6303004 F6303046 F6303007 F6303030

	KTRIBE W Philippe Starck, 2007 Potencia · <i>Power</i> MAX 100W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, policarbonato, PMMA, tela · <i>aluminum, polycarbonate, PMMA, fabric</i> Peso · <i>Weight</i> 1,7 Kg DIMMER INCLUDED  	Acabados <i>Finishes</i> trasparente · <i>transparent</i> aluminizado plata · <i>aluminized silver</i> aluminizado bronce · <i>aluminized bronze</i> tela · <i>fabric</i> fumè · <i>fumée</i> Colores <i>Colors</i>  F6307000  F6307004  F6307046  F6307007  F6307030	p. 394
	LAMPADINA Achille Castiglioni, 1972 Potencia · <i>Power</i> MAX 5W Tensión · <i>Voltage</i> 230V  A++ → E Fuente luminosa · <i>Light source</i> LED 2W E27 200lm [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 0,3 Kg SWITCH INCLUDED   	Acabados <i>Finishes</i> negro · <i>black</i> naranja · <i>orange</i> blanco · <i>white</i> verde · <i>green</i> turquesa · <i>turquoise</i> violeta · <i>violet</i> Colores <i>Colors</i>  F3300000  F3299075  F3299009  F3299039  F3299074  F3299042	p. 104
	LA PLUS BELLE Philippe Starck, 2019 Potencia · <i>Power</i> 57W Tensión · <i>Voltage</i> 120 - 277V  LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> 560 TOP LED 58W 5300lm 2700K CRI 95 Materiales · <i>Materials</i> aluminio · <i>aluminum</i> Peso · <i>Weight</i> 32,8 Kg DIMMER INCLUDED  	Acabados <i>Finishes</i> bronce pulido · <i>polished bronze</i> cobre satinado · <i>brushed cooper</i> oro satinado · <i>brushed gold</i> brill · <i>brill</i> Colores <i>Colors</i>  F3680046  F3680015  F3680044  F3680064	p. 362
	LAST ORDER CLEAR Michael Anastassiades, 2020 Potencia · <i>Power</i> 2,5W Tensión · <i>Voltage</i> IN 5V  LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LED 2,5W 200lm 2700K CRI90 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT Materiales · <i>Materials</i> cristal, latón , policarbonato · <i>chrystal, brass,</i> <i>polycarbonate</i> Peso · <i>Weight</i> 1,7 Kg DIMMER INCLUDED   	Acabados <i>Finishes</i> latón pulido <i>polished</i> <i>brass (INDOOR)</i> cobre satinado <i>satin</i> <i>copper (INDOOR)</i> verde mate <i>matt green</i> <i>(OUTDOOR)</i> acero pulido <i>polished inox</i> <i>(OUTDOOR)</i> Colores <i>Colors</i>  F3693059  F3693015  F3693039  F3693056	p. 62 - 418

	LAST ORDER FLUTED Michael Anastassiades, 2020 Potencia · <i>Power</i> 2,5W Tensión · <i>Voltage</i> IN 5V  LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LED 2,5W 200lm 2700K CRI90 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT Materiales · <i>Materials</i> cristal, latón , policarbonato · <i>chrystal, brass,</i> <i>polycarbonate</i> Peso · <i>Weight</i> 1,7 Kg DIMMER INCLUDED   	Acabados <i>Finishes</i> latón pulido <i>polished</i> <i>brass (INDOOR)</i> cobre satinado <i>satin</i> <i>copper (INDOOR)</i> verde mate <i>matt green</i> <i>(OUTDOOR)</i> acero pulido <i>polished inox</i> <i>(OUTDOOR)</i> Colores <i>Colors</i>  F3694059  F3694015  F3694039  F3694056	p. 62 - 418
	LUMINATOR Achille and Pier Giacomo Castiglioni, 1954 Potencia · <i>Power</i> MAX 205W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> LED 12W E27 1000lm [excluida - <i>excluded</i>] o · <i>or</i> LED 8W E27 660lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> metal · <i>metal</i> Peso · <i>Weight</i> 4,1 Kg SWITCH INCLUDED  	Acabados <i>Finishes</i> antracita · <i>anthracite</i> Colores <i>Colors</i>  F3770033	p. 211
	MAYDAY Konstantin Grcic, 2000 Potencia · <i>Power</i> MAX 60W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> polipropilene · <i>polypropylene</i> Peso · <i>Weight</i> 0,7 Kg SWITCH INCLUDED   	Acabados <i>Finishes</i> negro · <i>black</i> naranja · <i>orange</i> Colores <i>Colors</i>  F3780030  F3780002	p. 74
	MILE WALL 1 WASHER UP Antonio Citterio, 2020 Potencia · <i>Power</i> 4,5W Tensión · <i>Voltage</i> 220-240V  LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LED 4,5W 431lm ≠ FIXT 240lm 2700K CRI80 220/240V [incluida - <i>included</i>] Materiales · <i>Materials</i> aluminio fundido, policarbonato · <i>die cast alumi-</i> <i>num, polycarbonate</i> Peso · <i>Weight</i> 0,5 Kg  	Acabados <i>Finishes</i> blanco · <i>white</i> gris · <i>grey</i> antracita · <i>anthracite</i> negro · <i>black</i> deep brown forest green imprimación · <i>primer</i> Colores <i>Colors</i>  F015B21A001  F015B21A006  F015B21A033  F015B21A030  F015B21A018  F015B21A012  F015B21A000	para unidad · <i>unit price</i> embalaje por color 2 piezas · <i>packed 2 pieces</i> p. 412

para gama completa y accesorios
consulte flos.com · *for full range*
and accessories consult flos.com



p. 412



p. 412



p. 412

p. 412



p. 412p. 412p. 412p. 412



	MILE WALL 1 WASHER UP & DOWN	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Antonio Citterio, 2020	blanco · <i>white</i>	 F015E23A001
	Potencia · <i>Power</i> 13,5W	gris · <i>grey</i>	 F015E23A006
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	 F015E23A033
	Fuente luminosa · <i>Light source</i> LED 13,5W 2x846lm ≠ FIXT 2x472lm 2700K CRI80 220/240V [incluida - <i>included</i>] NO DIMMABLE	negro · <i>black</i>	 F015E23A030
		deep brown	 F015E23A018
		forest green	 F015E23A012
		imprimación · <i>primer</i>	 F015E23A000
para gama completa y accesorios consulte flos.com · <i>for full range</i> and accessories consult flos.com		p. 412	



	MILE WALL 1 WASHER UP & DOWN	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Antonio Citterio, 2020	blanco · <i>white</i>	 F015E23B001
	Potencia · <i>Power</i> 13,5W	gris · <i>grey</i>	 F015E23B006
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	 F015E23B033
	Fuente luminosa · <i>Light source</i> LED 13,5W 2x846lm ≠ FIXT 2x472lm 2700K CRI80 220/240V [incluida - <i>included</i>] DIMMABLE 1-10V	negro · <i>black</i>	 F015E23B030
		deep brown	 F015E23B018
		forest green	 F015E23B012
		imprimación · <i>primer</i>	 F015E23B000
para gama completa y accesorios consulte flos.com · <i>for full range</i> and accessories consult flos.com		p. 412	


	MILE WALL 1 WASHER UP & DOWN	Acabados Finishes	Colores Colors
	Antonio Citterio, 2020	blanco · white	 F015E23D001
	Potencia · Power 13,5W	gris · grey	 F015E23D006
	Tensión · Voltage 220-240V	antracita · anthracite	 F015E23D033
	Fuente luminosa · Light source LED 13,5W 2x846lm ≠ FIXT 2x472lm 2700K CRI80 220/240V [incluida - included] DIMMABLE DALI	negro · black	 F015E23D030
		deep brown	 F015E23D018
		forest green	 F015E23D012
		imprimación · primer	 F015E23D000
para gama completa y accesorios consulte flos.com · for full range and accessories consult flos.com		p. 412	



 ø 236 mm 432 mm ø 162 mm	MISS K	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Philippe Starck, 2003	plata · <i>silver</i>	 F6255000
	Potencia · <i>Power</i> MAX 100W	negro · <i>black</i>	 F6255030
	Tensión · <i>Voltage</i> 220-240V	tela · <i>fabric</i>	 F6255007
		trasparente · <i>transparent</i>	 F6255078
		fumè · <i>fumée</i>	 F6255031
 A+ → E	Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>]		
Materiales · <i>Materials</i> PMMA, policarbonato, tela · <i>PMMA, polycarbonate, fabric</i>			
Peso · <i>Weight</i> 1,2 Kg	DIMMER INCLUDED	    	p. 142

	MY WAY 110X100 OUTDOOR/INDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Piero Lissoni, 2017	blanco · <i>white</i>	 F4350001
	Potencia · <i>Power</i> 5W	gris · <i>grey</i>	 F4350006
	Tensión · <i>Voltage</i> 100-240V	antracita · <i>anthracite</i>	 F4350033
	Fuente luminosa · <i>Light source</i> MID-POWER LED 5W 421lm ≠ FIXT 188lm 2700K CRI80 100-240V [incluida - <i>included</i>]	negro · <i>black</i>	 F4350030
		deep brown	 F4350018
		forest green	 F4350012
para gama completa y accesorios consulte flos.com · <i>for full range</i> and accessories consult flos.com		p. 424	

	MY WAY 110X100 OUTDOOR/INDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Piero Lissoni, 2017	blanco · <i>white</i>	 F4351001
	Potencia · <i>Power</i> 5W	gris · <i>grey</i>	 F4351006
	Tensión · <i>Voltage</i> 100-240V	antracita · <i>anthracite</i>	 F4351033
	Fuente luminosa · <i>Light source</i> MID-POWER LED 5W 490lm ≠ FIXT 211lm 3000K CRI80 100-240V [incluida - <i>included</i>]	negro · <i>black</i>	 F4351030
		deep brown	 F4351018
		forest green	 F4351012
para gama completa y accesorios consulte flos.com · <i>for full range</i> and accessories consult flos.com		p. 424	

	MY WAY 110X100 OUTDOOR/INDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Piero Lissoni, 2017	blanco · <i>white</i>	 F4352001
	Potencia · <i>Power</i> 5W	gris · <i>grey</i>	 F4352006
	Tensión · <i>Voltage</i> 100-240V	antracita · <i>anthracite</i>	 F4352033
	Fuente luminosa · <i>Light source</i> MID-POWER LED 5W 514lm ≠ FIXT 221lm 4000K CRI80 100-240V [incluida - <i>included</i>]	negro · <i>black</i>	 F4352030
		deep brown	 F4352018
		forest green	 F4352012
para gama completa y accesorios consulte flos.com · <i>for full range</i> and accessories consult flos.com		p. 424	

	MY WAY 110X200 OUTDOOR/INDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Piero Lissoni, 2017	blanco · <i>white</i>	 F4353001
	Potencia · <i>Power</i> 13W	gris · <i>grey</i>	 F4353006
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	 F4353033
	Fuente luminosa · <i>Light source</i> MID-POWER LED 13W 1357lm ≠ FIXT 657lm 2700K CRI80 220-240V [incluida - <i>included</i>]	negro · <i>black</i>	 F4353030
		deep brown	 F4353018
		forest green	 F4353012
para gama completa y accesorios consulte flos.com · <i>for full range</i> and accessories consult flos.com		p. 424	

 58 mm 110 mm 200 mm	MY WAY 110X200 OUTDOOR/INDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Piero Lissoni, 2017	blanco · <i>white</i>	○ F4354001
	Potencia · <i>Power</i> 13W	gris · <i>grey</i>	● F4354006
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F4354033
 58 mm 110 mm 200 mm		negro · <i>black</i>	● F4354030
		deep brown	● F4354018
		forest green	● F4354012
 58 mm 110 mm 200 mm			
 58 mm 210 mm 200 mm			
 58 mm 210 mm 200 mm			

para gama completa y accesorios
consulte flos.com · for full range
and accessories consult flos.com

para gama completa y accesorios
consulte flos.com · for full range
and accessories consult flos.com

para gama completa y accesorios
consulte flos.com · for full range
and accessories consult flos.com

para gama completa y accesorios
consulte flos.com · for full range
and accessories consult flos.com

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 0,95 Kg



p. 424

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 0,95 Kg



p. 424

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,44 Kg







p. 424

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,44 Kg



p. 424

 58 mm 210 mm 200 mm	MY WAY 210X200 OUTDOOR/INDOOR	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Piero Lissoni, 2017	blanco · <i>white</i>	○ F4358001
	Potencia · <i>Power</i> 13W	gris · <i>grey</i>	● F4358006
	Tensión · <i>Voltage</i> 220-240V	antracita · <i>anthracite</i>	● F4358033
 58 mm 210 mm 200 mm		negro · <i>black</i>	● F4358030
		deep brown	● F4358018
		forest green	● F4358012
 5000 mm 1200 mm 700 mm			
 5000 mm 1200 mm 700 mm			
 4mt 820mm 330mm 450mm Ø365			
4mt 1270mm 330mm 450mm Ø365			

para gama completa y accesorios
consulte flos.com · for full range
and accessories consult flos.com

para gama completa y accesorios
consulte flos.com · for full range
and accessories consult flos.com

para gama completa y accesorios
consulte flos.com · for full range
and accessories consult flos.com

para gama completa y accesorios
consulte flos.com · for full range
and accessories consult flos.com

Materiales · *Materials*
aluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,44 Kg



p. 424

Materiales · *Materials*
aluminio, vidrio · *aluminum, glass*

Peso · *Weight* 38 Kg



p. 308

Materiales · *Materials*
vidrio soplado · *blown glass*

Peso · *Weight* 10,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



p. 269





Materiales · *Materials*
vidrio soplado · *blown glass*





Peso · *Weight* 14,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI










p. 269





	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potencia · <i>Power</i> 54W Tensión · <i>Voltage</i> 100-240V Fuente luminosa · <i>Light source</i> 4 STRIP LED x 9W + 1 COB LED 18W 1545lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0271000	p. 269
3 Low Cylinders & Cone	Peso · <i>Weight</i> 18,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CEIP20RoHS		
	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potencia · <i>Power</i> 63W Tensión · <i>Voltage</i> 100-240V Fuente luminosa · <i>Light source</i> 5 STRIP LED x 9W + 1 COB LED 18W 1831lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0272000	p. 269
4 Low Cylinders & Cone	Peso · <i>Weight</i> 22,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CEIP20RoHS		
	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potencia · <i>Power</i> 36W Tensión · <i>Voltage</i> 100-240V Fuente luminosa · <i>Light source</i> 2 STRIP LED x 9W + 1 COB LED 18W 1007lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0263000	p. 269
1 Low Cylinder & Bowl	Peso · <i>Weight</i> 11,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CEIP20RoHS		
	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potencia · <i>Power</i> 45W Tensión · <i>Voltage</i> 100-240V Fuente luminosa · <i>Light source</i> 3 STRIP LED x 9W + 1 COB LED 18W 1293lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0273000	p. 269
2 Low Cylinders & Bowl	Peso · <i>Weight</i> 15,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CEIP20RoHS		





	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potencia · <i>Power</i> 54W Tensión · <i>Voltage</i> 100-240V Fuente luminosa · <i>Light source</i> 4 STRIP LED x 9W + 1 COB LED 18W 1579lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0274000	p. 269
3 Low Cylinders & Bowl	Peso · <i>Weight</i> 19,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CEIP20RoHS		
	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potencia · <i>Power</i> 63W Tensión · <i>Voltage</i> 100-240V Fuente luminosa · <i>Light source</i> 5 STRIP LED x 9W + 1 COB LED 18W 1865lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0275000	p. 269
4 Low Cylinders & Bowl	Peso · <i>Weight</i> 23,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CEIP20RoHS		
	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potencia · <i>Power</i> 36W Tensión · <i>Voltage</i> 100-240V Fuente luminosa · <i>Light source</i> 4 STRIP LED x 9W 1166lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0276000	p. 269
3 Low Cylinders	Peso · <i>Weight</i> 14,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CEIP20RoHS		
	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potencia · <i>Power</i> 45W Tensión · <i>Voltage</i> 100-240V Fuente luminosa · <i>Light source</i> 5 STRIP LED x 9W 1452lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0277000	p. 269
4 Low Cylinders	Peso · <i>Weight</i> 18,7 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CEIP20RoHS		

p. 269p. 269p. 269p. 269p. 269p. 269p. 166p. 166

	NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potencia · <i>Power</i> 36W Tensión · <i>Voltage</i> 100-240/48V Fuente luminosa · <i>Light source</i> 4 STRIP LED x 9W 1057lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0290000	
3 Low Cylinders Small Base	Peso · <i>Weight</i> 18 Kg DIMMER INCLUDED	CE IP20		p. 166
	NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potencia · <i>Power</i> 45W Tensión · <i>Voltage</i> 100-240/48V Fuente luminosa · <i>Light source</i> 5 STRIP LED x 9W 1343lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0291000	
4 Low Cylinders Small Base	Peso · <i>Weight</i> 22 Kg DIMMER INCLUDED	CE IP20		p. 166
	NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potencia · <i>Power</i> 18W Tensión · <i>Voltage</i> 100-240/48V Fuente luminosa · <i>Light source</i> 2 STRIP LED x 9W 497lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0285000	
1 High Cylinder Small Base	Peso · <i>Weight</i> 10,5 Kg DIMMER INCLUDED	CE IP20		p. 166
	NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potencia · <i>Power</i> 27W Tensión · <i>Voltage</i> 100-240/48V Fuente luminosa · <i>Light source</i> 3 STRIP LED x 9W 795lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0286000	
2 High Cylinders Small Base	Peso · <i>Weight</i> 15 Kg DIMMER INCLUDED	CE IP20		p. 166





	NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potencia · <i>Power</i> 36W Tensión · <i>Voltage</i> 100-240/48V Fuente luminosa · <i>Light source</i> 4 STRIP LED x 9W 1093lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0287000	
3 High Cylinders Small Base	Peso · <i>Weight</i> 19,5 Kg DIMMER INCLUDED	CE IP20		p. 166
	NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potencia · <i>Power</i> 36W Tensión · <i>Voltage</i> 100-240/48V Fuente luminosa · <i>Light source</i> 2 STRIP LED x 9W + 1 COB LED 18W 876lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0265000	
1 High Cylinder & Cone Small Base	Peso · <i>Weight</i> 14,5 Kg DIMMER INCLUDED	CE IP20		p. 166
	NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potencia · <i>Power</i> 45W Tensión · <i>Voltage</i> 100-240/48V Fuente luminosa · <i>Light source</i> 3 STRIP LED x 9W + 1 COB LED 18W 1174lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0269000	
2 High Cylinders & Cone Small Base	Peso · <i>Weight</i> 19 Kg DIMMER INCLUDED	CE IP20		p. 166
	NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potencia · <i>Power</i> 45W Tensión · <i>Voltage</i> 100-240/48V Fuente luminosa · <i>Light source</i> 5 STRIP LED x 9W 1378lm 2700K CRI 90 Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0292000	
4 High Cylinders Big Base	Peso · <i>Weight</i> 28,5 Kg DIMMER INCLUDED	CE IP20		p. 166





	NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potencia · <i>Power</i> 54W Tensión · <i>Voltage</i> 100-240/48V	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0267000	
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> 4 STRIP LED x 9W + 1 COB LED 18W 1459lm 2700K CRI 90			
	Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>			p. 166
3 High Cylinders & Cone Big Base				
	NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potencia · <i>Power</i> 54W Tensión · <i>Voltage</i> 100-240/48V	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> ● F0266000	
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> 4 STRIP LED x 9W + 1 COB LED 18W 1493lm 2700K CRI 90			
	Materiales · <i>Materials</i> vidrio soplado · <i>blown glass</i>			p. 166
3 High Cylinders & Bowl Big Base				
	OBLIQUE Vincent van Duysen, 2020 Potencia · <i>Power</i> 8W Tensión · <i>Voltage</i> 24V	Acabados <i>Finishes</i> antracita mate · <i>matt anthracite</i> marrón mate · <i>matt brown</i> gris brillante · <i>glossy grey</i> óxido mate · <i>matt rust</i> salvia brillante · <i>glossy sage</i> blanco mate · <i>matt white</i>	Colores <i>Colors</i> ● 09.8300.DR ● 09.8300.DW ● 09.8300.AH ● 09.8300.DX ● 09.8300.DV ○ 09.8300.DY	
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> TOP LED x 8W 750lm 2700K · CRI 90 USB CONNECT INTEGRATED			
	Materiales · <i>Materials</i> aluminio extruido, metacrilato · <i>die cast aluminum, methacrylate</i>			p. 68
OBLIQUE QI				
	OBLIQUE QI Vincent van Duysen, 2020 Potencia · <i>Power</i> 8W Tensión · <i>Voltage</i> 48V	Acabados <i>Finishes</i> antracita mate · <i>matt anthracite</i> marrón mate · <i>matt brown</i> gris brillante · <i>glossy grey</i> óxido mate · <i>matt rust</i> salvia brillante · <i>glossy sage</i> blanco mate · <i>matt white</i>	Colores <i>Colors</i> ● 09.8310.DR ● 09.8310.DW ● 09.8310.AH ● 09.8310.DX ● 09.8310.DV ○ 09.8310.DY	
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> TOP LED x 8W 750lm 2700K · CRI 90 USB CONNECT INTEGRATED			
	Materiales · <i>Materials</i> aluminio extruido, metacrilato · <i>die cast aluminum, methacrylate</i>			p. 68
OBLIQUE QI				
	OBLIQUE QI Vincent van Duysen, 2020 Potencia · <i>Power</i> 8W Tensión · <i>Voltage</i> 48V	Acabados <i>Finishes</i> antracita mate · <i>matt anthracite</i> marrón mate · <i>matt brown</i> gris brillante · <i>glossy grey</i> óxido mate · <i>matt rust</i> salvia brillante · <i>glossy sage</i> blanco mate · <i>matt white</i>	Colores <i>Colors</i> ● 09.8310.DR ● 09.8310.DW ● 09.8310.AH ● 09.8310.DX ● 09.8310.DV ○ 09.8310.DY	
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> TOP LED x 8W 750lm 2700K · CRI 90 USB CONNECT INTEGRATED			
	Materiales · <i>Materials</i> aluminio extruido, metacrilato · <i>die cast aluminum, methacrylate</i>			p. 68
OBLIQUE QI				



	OK Konstantin Grcic, 2014 Potencia · <i>Power</i> 18W Tensión · <i>Voltage</i> 100-240V/24V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> amarillo · <i>yellow</i> cromo · <i>chrome</i>	Colores <i>Colors</i> ○ F4640009 ● F4640030 ● F4640019 F4640057	
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> Edge Lighting Technology 18W 1550lm 2700K CRI85 [incluida - <i>included</i>] DIMMABLE			
	Materiales · <i>Materials</i> aluminio, acero, PA · <i>aluminum, steel, PA</i>			p. 290
3 High Cylinders & Bowl Big Base				
	ONTHEROCKS HL Antonio Citterio assistant Toan Nguyen, 2003 Potencia · <i>Power</i> MAX 200W Tensión · <i>Voltage</i> 220V-250V	Acabados <i>Finishes</i> trasparente · <i>transparent</i>	Colores <i>Colors</i> ■ F4651000	
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> MAX 160W R7s HDG 3100lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> vidrio · <i>glass</i>			p. 383
3 High Cylinders & Bowl Big Base				
	OVERLAP S1 Michael Anastassiades, 2018 Potencia · <i>Power</i> MAX 105W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i>	Colores <i>Colors</i> ○ F4633009	
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> cocoon, acero · <i>cocoon. steel</i>			p. 266
OVERLAP S2				
	OVERLAP S2 Michael Anastassiades, 2018 Potencia · <i>Power</i> Max 105 Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i>	Colores <i>Colors</i> ○ F4634009	
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> cocoon, acero · <i>cocoon. steel</i>			p. 266
OVERLAP S2				
	OVERLAP S2 Michael Anastassiades, 2018 Potencia · <i>Power</i> Max 105 Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i>	Colores <i>Colors</i> ○ F4634009	
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> cocoon, acero · <i>cocoon. steel</i>			p. 266
OVERLAP S2				



	PARENTESI Achille Castiglioni and Pio Manzù, 1971 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> rojo · <i>red</i> níquel · <i>nickel</i>	Colores <i>Colors</i> ○ F5400009 ● F5400030 ● F5400035 ▮ F5400058	
	Fuente luminosa · <i>Light source</i> LED 8W E27 660lm [excluida - <i>excluded</i>] o · <i>or</i> LED 12W E27 1000lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> acero, elastómero · <i>steel, elastomer</i>			p. 322
	PARENTESI COMPL. ELEMENT Achille Castiglioni and Pio Manzù, 1971 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> rojo · <i>red</i> níquel · <i>nickel</i>	Colores <i>Colors</i> ○ F5500009 ● F5500030 ● F5500035 ▮ F5500058	
	Fuente luminosa · <i>Light source</i> LED 8W E27 660lm [excluida - <i>excluded</i>] o · <i>or</i> LED 12W E27 1000lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> elastómero · <i>elastomer</i>			p. 322
	PARENTESI D Achille Castiglioni and Pio Manzù, 1971 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> rojo · <i>red</i> níquel · <i>nickel</i>	Colores <i>Colors</i> ○ F5600009 ● F5600030 ● F5600035 ▮ F5600058	
	Fuente luminosa · <i>Light source</i> LED 8W E27 660lm [excluida - <i>excluded</i>] o · <i>or</i> LED 12W E27 1000lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> acero, elastómero · <i>steel, elastomer</i>			p. 322
	PARENTESI D COMPL. ELEMENT Achille Castiglioni and Pio Manzù, 1971 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> rojo · <i>red</i> níquel · <i>nickel</i>	Colores <i>Colors</i> ○ F5700009 ● F5700030 ● F5700035 ▮ F5700058	
	Fuente luminosa · <i>Light source</i> LED 8W E27 660lm [excluida - <i>excluded</i>] o · <i>or</i> LED 12W E27 1000lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> elastómero · <i>elastomer</i>			p. 322


	POCHETTE LED Rodolfo Dordoni, 2003 Potencia · <i>Power</i> 20W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> gris · <i>grey</i> blanco · <i>white</i> cromo · <i>chrome</i>	Colores <i>Colors</i> ● F9704020 ○ F9704009 ▮ F9704057	
	Fuente luminosa · <i>Light source</i> 144 LED 20W 2700K 1707lm CRI90 [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> zamak · <i>zamakk</i>			p. 392
	POCHETTE UP/DOWN LED Rodolfo Dordoni, 2003 Potencia · <i>Power</i> MAX 21,5W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> gris · <i>grey</i> blanco · <i>white</i> cromo · <i>chrome</i>	Colores <i>Colors</i> ● F9705020 ○ F9705009 ▮ F9705057	
	Fuente luminosa · <i>Light source</i> 144 LED 20W 2700K 1707lm CRI90 [incluida - <i>included</i>] + 36 LED 1,5W 2700K 37lm CRI90 [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> zamak · <i>zamakk</i>			p. 392
	RAY F1 Rodolfo Dordoni, 2007 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> negro · <i>black</i> blanco · <i>white</i> vidrio · <i>glass</i>	Colores <i>Colors</i> ● F5916030 ○ F5916009 ▮ F5915020	
	Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> acero, aluminio, vidrio · <i>steel, aluminum, glass</i>			p. 188
	RAY F2 Rodolfo Dordoni, 2007 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> negro · <i>black</i> blanco · <i>white</i> vidrio · <i>glass</i>	Colores <i>Colors</i> ● F5921030 ○ F5921009 ▮ F5920020	
	Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> acero, aluminio, vidrio · <i>steel, aluminum, glass</i>			p. 188



	RAY S Rodolfo Dordoni, 2007 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> negro · <i>black</i> blanco · <i>white</i> vidrio · <i>glass</i>	Colores <i>Colors</i> ● F5931030 ○ F5931009 ■ F5930020	
	 A+ → E Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>]			
Materiales · <i>Materials</i> acero, aluminio, vidrio · <i>steel, aluminum, glass</i>		p. 296		
Peso · <i>Weight</i> 3,8 Kg (aluminio · <i>aluminum</i>) - 6,8 Kg (vidrio · <i>glass</i>)		  		
	RAY T Rodolfo Dordoni, 2007 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> negro · <i>black</i> blanco · <i>white</i> vidrio · <i>glass</i>	Colores <i>Colors</i> ● F5911030 ○ F5911009 ■ F5910020	
	 A+ → E Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>]			
Materiales · <i>Materials</i> acero, aluminio, vidrio · <i>steel, aluminum, glass</i>		p. 120		
Peso · <i>Weight</i> DIMMER INCLUDED 4,2 Kg (<i>alum.</i>) - 6,5 Kg (<i>glass</i>)		  		
	REAL MATTER OUTDOOR/INDOOR Piero Lissoni, 2017 Potencia · <i>Power</i> 3W Tensión · <i>Voltage</i> 24V	Acabados <i>Finishes</i> cobre lucido · <i>polished copper</i> bronce satinado · <i>brushed bronze</i> oro satinado · <i>brushed gold</i> acero satinado · <i>brushed steel</i>	Colores <i>Colors</i> ● F5960015 ● F5960046 ● F5960044 ● F5960056	
	 LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LOW-POWER LED 3W 180lm ≠ FIXT 74lm 2700K CRI80 24V [incluida - <i>included</i>]		Instalación en hormigón con caja de empotrado	
Materiales · <i>Materials</i> aluminio, policarbonato · <i>aluminum, polycarbonate</i>		p. 426		
para gama completa y accesorios consulte flos.com · <i>for full range and accessories consult flos.com</i>		 		
	REAL MATTER OUTDOOR/INDOOR Piero Lissoni, 2017 Potencia · <i>Power</i> 3W Tensión · <i>Voltage</i> 24V	Acabados <i>Finishes</i> cobre lucido · <i>polished copper</i> bronce satinado · <i>brushed bronze</i> oro satinado · <i>brushed gold</i> acero satinado · <i>brushed steel</i>	Colores <i>Colors</i> ● F5980015 ● F5980046 ● F5980044 ● F5980056	
	 LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LOW-POWER LED 3W 180lm ≠ FIXT 74lm 2700K CRI80 24V [incluida - <i>included</i>]		Instalación en una pared de yeso (mín. 5 mm - máx. 20 mm)	
Materiales · <i>Materials</i> aluminio, policarbonato · <i>aluminum, polycarbonate</i>		p. 426		
para gama completa y accesorios consulte flos.com · <i>for full range and accessories consult flos.com</i>		 		

	REAL MATTER OUTDOOR/INDOOR Piero Lissoni, 2017 Potencia · <i>Power</i> 3W Tensión · <i>Voltage</i> 24V	Acabados <i>Finishes</i> cobre lucido · <i>polished copper</i> bronce satinado · <i>brushed bronze</i> oro satinado · <i>brushed gold</i> acero satinado · <i>brushed steel</i>	Colores <i>Colors</i> ● F5970015 ● F5970046 ● F5970044 ● F5970056	
	 LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LOW-POWER LED 3W 180lm ≠ FIXT 74lm 2700K CRI80 24V [incluida - <i>included</i>]		Instalación en hormigón sin caja de empotrado	
Materiales · <i>Materials</i> aluminio, policarbonato · <i>aluminum, polycarbonate</i>		p. 426		
para gama completa y accesorios consulte flos.com · <i>for full range and accessories consult flos.com</i>		 		
	REAL MATTER OUTDOOR/INDOOR Piero Lissoni, 2017 Potencia · <i>Power</i> 3W Tensión · <i>Voltage</i> 24V	Acabados <i>Finishes</i> cobre lucido · <i>polished copper</i> bronce satinado · <i>brushed bronze</i> oro satinado · <i>brushed gold</i> acero satinado · <i>brushed steel</i>	Colores <i>Colors</i> ● F5961015 ● F5961046 ● F5961044 ● F5961056	
	 LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LOW-POWER LED 3W 200lm ≠ FIXT 82lm 3000K CRI80 24V [incluida - <i>included</i>]		Instalación en hormigón con caja de empotrado	
Materiales · <i>Materials</i> aluminio, policarbonato · <i>aluminum, polycarbonate</i>		p. 426		
para gama completa y accesorios consulte flos.com · <i>for full range and accessories consult flos.com</i>		 		
	REAL MATTER OUTDOOR/INDOOR Piero Lissoni, 2017 Potencia · <i>Power</i> 3W Tensión · <i>Voltage</i> 24V	Acabados <i>Finishes</i> cobre lucido · <i>polished copper</i> bronce satinado · <i>brushed bronze</i> oro satinado · <i>brushed gold</i> acero satinado · <i>brushed steel</i>	Colores <i>Colors</i> ● F5981015 ● F5981046 ● F5981044 ● F5981056	
	 LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LOW-POWER LED 3W 200lm ≠ FIXT 82lm 3000K CRI80 24V [incluida - <i>included</i>]		Instalación en una pared de yeso (mín. 5 mm - máx. 20 mm)	
Materiales · <i>Materials</i> aluminio, policarbonato · <i>aluminum, polycarbonate</i>		p. 426		
para gama completa y accesorios consulte flos.com · <i>for full range and accessories consult flos.com</i>		 		
	REAL MATTER OUTDOOR/INDOOR Piero Lissoni, 2017 Potencia · <i>Power</i> 3W Tensión · <i>Voltage</i> 24V	Acabados <i>Finishes</i> cobre lucido · <i>polished copper</i> bronce satinado · <i>brushed bronze</i> oro satinado · <i>brushed gold</i> acero satinado · <i>brushed steel</i>	Colores <i>Colors</i> ● F5971015 ● F5971046 ● F5971044 ● F5971056	
	 LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> LOW-POWER LED 3W 200lm ≠ FIXT 82lm 3000K CRI80 24V [incluida - <i>included</i>]		Instalación en hormigón sin caja de empotrado	
Materiales · <i>Materials</i> aluminio, policarbonato · <i>aluminum, polycarbonate</i>		p. 426		
para gama completa y accesorios consulte flos.com · <i>for full range and accessories consult flos.com</i>		 		

 90 mm 2800 mm ø 110 mm	ROMEO BABE S Philippe Starck, 1997 Potencia · <i>Power</i> MAX 40W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> 33W HSGS G9 460lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio · <i>glass</i> Peso · <i>Weight</i> 0,4 Kg	Acabados <i>Finishes</i> vidrio · <i>glass</i> Colores <i>Colors</i> F6124000
 20 mm 170 mm ø 110 mm 150 mm 80 mm	ROMEO BABE W Philippe Starck, 1996 Potencia · <i>Power</i> MAX 40W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> 33W HSGS G9 460lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio, acero inoxidable · <i>glass, stainless steel</i> Peso · <i>Weight</i> 0,5 Kg	Acabados <i>Finishes</i> vidrio · <i>glass</i> Colores <i>Colors</i> F6260000A
 90 mm 2800 mm ø 110 mm	ROMEO BABE SOFT S Philippe Starck, 1997 Potencia · <i>Power</i> MAX 40W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> 33W HSGS G9 460lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> tela, vidrio · <i>fabric, glass</i> Peso · <i>Weight</i> 0,4 Kg	Acabados <i>Finishes</i> tela · <i>fabric</i> Colores <i>Colors</i> F6124007
 20 mm 170 mm ø 110 mm 150 mm 80 mm	ROMEO BABE SOFT W Philippe Starck, 1997 Potencia · <i>Power</i> MAX 40W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> 33W HSGS G9 460lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> tela, vidrio · <i>fabric, glass</i> Peso · <i>Weight</i> 0,4 Kg	Acabados <i>Finishes</i> tela · <i>fabric</i> Colores <i>Colors</i> F6260007A

 ø 500 mm 230 mm 1600 mm ø 450 mm	ROMEO MOON F Philippe Starck, 1996 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio, acero, aluminio · <i>glass, steel, aluminum</i> Peso · <i>Weight</i> 23,8 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> vidrio · <i>glass</i> Colores <i>Colors</i> F6109000
 2700 mm 210 mm ø 340 mm	ROMEO MOON S1 Philippe Starck, 1996 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio · <i>glass</i> Peso · <i>Weight</i> 4,5 Kg	Acabados <i>Finishes</i> vidrio · <i>glass</i> Colores <i>Colors</i> F6105000
 2700 mm 225 mm ø 500 mm	ROMEO MOON S2 Philippe Starck, 1996 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio · <i>glass</i> Peso · <i>Weight</i> 7,6 Kg	Acabados <i>Finishes</i> vidrio · <i>glass</i> Colores <i>Colors</i> F0003000
 ø 340 mm 220 mm 665 mm ø 250 mm	ROMEO MOON T1 Philippe Starck, 1998 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> vidrio, acero, aluminio · <i>glass, steel, aluminum</i> Peso · <i>Weight</i> 7,7 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> vidrio · <i>glass</i> Colores <i>Colors</i> F6107000

	ROMEO OUTDOOR/INDOOR C3 710MM Philippe Starck, 2007 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> LED 21W E27 2450lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, policarbonato, PVC · <i>aluminum, polycarbonate, PVC</i> Peso · <i>Weight</i> 7,3 Kg	Acabados <i>Finishes</i> panama green wall	Colores <i>Colors</i> ● F6468022 ● F6468041	p. 435
	ROMEO OUTDOOR/INDOOR C3 910MM Philippe Starck, 2007 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> LED 21W E27 2450lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> aluminio, policarbonato, PVC · <i>aluminum, polycarbonate, PVC</i> Peso · <i>Weight</i> 7,5 Kg	Acabados <i>Finishes</i> panama green wall	Colores <i>Colors</i> ● F6469022 ● F6469041	p. 435
	ROMEO SOFT F Philippe Starck, 1998 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> tela, vidrio, acero, aluminio · <i>fabric, glass, steel, aluminum</i> Peso · <i>Weight</i> 16,8 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> tela · <i>fabric</i>	Colores <i>Colors</i> ● F6109007	p. 206
	ROMEO SOFT T1 Philippe Starck, 1998 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> tela, vidrio, acero, aluminio · <i>fabric, glass, steel, aluminum</i> Peso · <i>Weight</i> 5,3 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> tela · <i>fabric</i>	Colores <i>Colors</i> ● F6107007	p. 123

	ROSY ANGELIS Philippe Starck, 1994 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V  A+ → E Fuente luminosa · <i>Light source</i> 1 LED 10W E27 965lm DIMMABLE Materiales · <i>Materials</i> tela, aluminio · <i>fabric, aluminum</i> Peso · <i>Weight</i> 1,6 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> gris · <i>grey</i>	Colores <i>Colors</i> ● F6160020	p. 205
	SAWARU Nendo, 2018 Potencia · <i>Power</i> 45W Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE LED Array 45W -2 channels: <u>warm</u> 835-1236lm; <u>cold</u> 1239-1783m; 1800-4000K CRI 90 [incluida - <i>included</i>] DIMMABLE Materiales · <i>Materials</i> aluminio extruido · <i>extruded aluminum</i> Peso · <i>Weight</i> 4 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> oro · <i>glod</i>	Colores <i>Colors</i> ○ F6640009 ● F6640030 ● F6640044	p. 163
	SERENA Patricia Urquiola, 2015 Potencia · <i>Power</i> 13W Tensión · <i>Voltage</i> 100-240V/24V LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> 1 LED 13W 643lm 2700K CRI 90 [incluida - <i>included</i>] DIMMABLE Materiales · <i>Materials</i> aluminio, policarbonato · <i>aluminum, polycarbonate</i> Peso · <i>Weight</i> 1,25 Kg DIMMER INCLUDED	Acabados <i>Finishes</i> cobre · <i>copper</i> aluminio · <i>aluminum</i> negro · <i>black</i>	Colores <i>Colors</i> ● F6582015 F6582054 ● F6582030	p. 84
	SKYGARDEN SMALL Marcel Wanders, 2021 Potencia · <i>Power</i> MAX 10W Tensión · <i>Voltage</i> 220-250V  A+ → E Fuente luminosa · <i>Light source</i> LED retrofit 8W E14 T28 900lm [incluida - <i>included</i>] Materiales · <i>Materials</i> escayola, vidrio, acero inoxidable · <i>plaster, glass, stainless steel</i> Peso · <i>Weight</i> 5 Kg	Acabados <i>Finishes</i> oro · <i>gold</i> marrón óxido · <i>rusty brown</i> blanco · <i>white</i> negro · <i>black</i> negro mate · <i>matt black</i>	Colores <i>Colors</i> ● F6405044 ● F6405047 ○ F6405009 ● F6405030 ● F6405031	p. 225

 300 mm 2700 mm ø 600 mm	SKYGARDEN 1	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Marcel Wanders, 2007	oro · <i>gold</i>	 F0001044
	Potencia · <i>Power</i> MAX 150W	marrón óxido · <i>rusty brown</i>	 F0001047
	Tensión · <i>Voltage</i> 220-250V	blanco · <i>white</i>	 F0001009
		negro · <i>black</i>	 F0001030
		negro mate · <i>matt black</i>	 F0001031
		Fuente luminosa · <i>Light source</i>	
 A+ → E		LED 15W E27 1515lm [excluida - <i>excluded</i>] o · <i>or</i> LED 20W E27 2300lm [excluida - <i>excluded</i>]	
Materiales · <i>Materials</i>		escayola, vidrio, acero inoxidable · <i>plaster, glass, stainless steel</i>	
Peso · <i>Weight</i> 13 Kg		  	


p. 298

p. 298


 ø 900 mm	SKYGARDEN 2	Acabados · <i>Finishes</i>	Colores · <i>Colors</i>
	Marcel Wanders, 2007	oro · <i>gold</i>	 F0002044
	Potencia · <i>Power</i> MAX 230W	marrón óxido · <i>rusty brown</i>	 F0002047
	Tensión · <i>Voltage</i> 220-250V	blanco · <i>white</i>	 F0002009
		negro · <i>black</i>	 F0002030
		negro mate · <i>matt black</i>	 F0002031
		Fuente luminosa · <i>Light source</i>	
	 A+ → E	LED 15W E27 1515lm [excluida - <i>excluded</i>] o · <i>or</i> LED 20W E27 2300lm [excluida - <i>excluded</i>]	
	Materiales · <i>Materials</i> escayola, vidrio, acero inoxidable · <i>plaster, glass, stainless steel</i>		
	Peso · <i>Weight</i> 29 Kg		
	  		

p. 298

p. 298

	SKYGARDEN RECESSED	Acabados Finishes	Colores Colors
	Marcel Wanders, 2009	blanco · <i>white</i>	 F6430009
	Potencia · <i>Power</i> MAX 60W		
	Tensión · <i>Voltage</i> 230-240V		
			
	 A+ → E	Fuente luminosa · <i>Light source</i> 60W GY 6.35 12V HSGS 1650lm Transformador incluido · <i>Transformer included</i>	
	Materiales · <i>Materials</i> escayola, vidrio, acero inoxidable · <i>plaster, glass, stainless steel</i>		
	Peso · <i>Weight</i> 4,0 Kg		
		 	p. 391

p. 391

	SKYGARDEN RECESSED	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Marcel Wanders, 2009	blanco · <i>white</i>	 F6433009
	Potencia · <i>Power</i> MAX 40W		
	Tensión · <i>Voltage</i> 220-250V		
		Fuente luminosa · <i>Light source</i>	
 A+ → E		LED 3W G9 290lm [excluida - <i>excluded</i>] o · <i>or</i> LED 2W G9 240lm [excluida - <i>excluded</i>]	
Materiales · <i>Materials</i>		escayola, vidrio, acero inoxidable · <i>plaster, glass, stainless steel</i>	
Peso · <i>Weight</i> 4,0 Kg		 	

p. 391

	SMITHFIELD C	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 2009	negro · <i>black</i>	 F1370030
	Potencia · <i>Power</i> 4xMAX 70W	negro mate · <i>matt black</i>	 F1370031
	Tensión · <i>Voltage</i> 220-250V	blanco · <i>white</i>	 F1370009
		mud	 F1370021
		verde · <i>green</i>	 F1370039
		rojo · <i>red</i>	 F1370035
		Fuente luminosa · <i>Light source</i>	
 A+ → E		LED retrofit 10W E27 965lm o-or LED retrofit 15W E27 2000lm o-or LED retrofit 18W E27 2000lm [excluida - <i>excluded</i>]	
Materiales · <i>Materials</i>		aluminio, metacrilato · <i>aluminum, methacrylate</i>	
Peso · <i>Weight</i> 4,5 Kg		DIMMER INCLUDED PUSH OR DALI	  

p. 372

 215 mm ø 600 mm	SMITHFIELD C PRO	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 2009	negro · <i>black</i>	 F1366030
	Potencia · <i>Power</i> 45W	negro mate · <i>matt black</i>	 F1366031
	Tensión · <i>Voltage</i> 220-240V	blanco · <i>white</i>	 F1366009
		mud	 F1366021
		verde · <i>green</i>	 F1366039
		rojo · <i>red</i>	 F1366035
		negro · <i>black</i>	 F1368030 DALI
		negro mate · <i>matt black</i>	 F1368031 DALI
		blanco · <i>white</i>	 F1368009 DALI
		mud	 F1368021 DALI
		verde · <i>green</i>	 F1368039 DALI
		rojo · <i>red</i>	 F1368035 DALI

p. 372


 215 mm 2700 mm ø 600 mm	SMITHFIELD S	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 2009	negro · <i>black</i>	● F1371030
	Potencia · <i>Power</i> 4xMAX 70W	negro mate · <i>matt black</i>	● F1371031
	Tensión · <i>Voltage</i> 220-250V	blanco · <i>white</i>	○ F1371009
		mud	● F1371021
		verde · <i>green</i>	● F1371039
		rojo · <i>red</i>	● F1371035
		Fuente luminosa · <i>Light source</i>	
 A+ → E	LED retrofit 10W E27 965lm o-or LED retrofit 15W E27 2000lm o-or LED retrofit 18W E27 2000lm [excluida - <i>excluded</i>]		
	Materiales · <i>Materials</i>		
	aluminio, metacrilato · <i>aluminum, methacrylate</i>		
	Peso · <i>Weight</i> 4,5 Kg		
	   		

p. 325

 215 mm 2700 mm ø 600 mm	SMITHFIELD S PRO	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Jasper Morrison, 2009	negro · <i>black</i>	 F1367030
	Potencia · <i>Power</i> 45W	negro mate · <i>matt black</i>	 F1367031
	Tensión · <i>Voltage</i> 220-240V	blanco · <i>white</i>	 F1367009
		mud	 F1367021
		verde · <i>green</i>	 F1367039
		rojo · <i>red</i>	 F1367035
		negro · <i>black</i>	 F1369030 DALI
		negro mate · <i>matt black</i>	 F1369031 DALI
		blanco · <i>white</i>	 F1369009 DALI
	mud	 F1369021 DALI	
	verde · <i>green</i>	 F1369039 DALI	
	rojo · <i>red</i>	 F1369035 DALI	
	Fuente luminosa · <i>Light source</i>		
	LED INCLUDED NOT REPLACEABLE	LED module 45W 2700K 2623lm CRI95 [incluida · <i>included</i>]	
Materiales · <i>Materials</i>			
aluminio, metacrilato · <i>aluminum, methacrylate</i>			
Peso · <i>Weight</i> 5,8 Kg	DIMMER INCLUDED PUSH OR DALI	   PENDING	

p. 325


p. 325

	SNOOPY Achille and Pier Giacomo Castiglioni, 1967 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> negro · <i>black</i> verde · <i>green</i> naranja · <i>orange</i>	Colores <i>Colors</i> ● F6380030 ● F6380039 ● F6380075
	SPLÜGEN BRÄU Achille and Pier Giacomo Castiglioni, 1961 Potencia · <i>Power</i> MAX 70W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> aluminio · <i>aluminum</i>	Colores <i>Colors</i> F6500000
	SPUN LIGHT F Sebastian Wrong, 2003 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> mud	Colores <i>Colors</i> ○ F6612009 ● F6612030 ● F6612021
	SPUN LIGHT T1 Sebastian Wrong, 2003 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> mud	Colores <i>Colors</i> ○ F6610009 ● F6610030 ● F6610021

	SNOOPY Achille and Pier Giacomo Castiglioni, 1967 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> negro · <i>black</i> verde · <i>green</i> naranja · <i>orange</i>	Colores <i>Colors</i> ● F6380030 ● F6380039 ● F6380075	Fuente luminosa · <i>Light source</i> LED 8W E27 740lm [excluida - <i>excluded</i>]
Materiales · <i>Materials</i> mármol, metal · <i>marble, metal</i>				
Peso · <i>Weight</i> 7,9 Kg	DIMMER INCLUDED	CE IP 20		

	SPLÜGEN BRÄU Achille and Pier Giacomo Castiglioni, 1961 Potencia · <i>Power</i> MAX 70W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> aluminio · <i>aluminum</i>	Colores <i>Colors</i> F6500000	Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>]
Materiales · <i>Materials</i> aluminio · <i>aluminum</i>				
Peso · <i>Weight</i> 1,5 Kg	CE IP 20			

	SPUN LIGHT F Sebastian Wrong, 2003 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> mud	Colores <i>Colors</i> ○ F6612009 ● F6612030 ● F6612021	Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>]
Materiales · <i>Materials</i> metal, aluminio · <i>metal, aluminum</i>				
Peso · <i>Weight</i> 9,3 Kg	DIMMER INCLUDED	CE IP 20		

	SPUN LIGHT T1 Sebastian Wrong, 2003 Potencia · <i>Power</i> MAX 150W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> mud	Colores <i>Colors</i> ○ F6610009 ● F6610030 ● F6610021	Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>]
Materiales · <i>Materials</i> metal, aluminio · <i>metal, aluminum</i>				
Peso · <i>Weight</i> 4,3 Kg	DIMMER INCLUDED	CE IP 20		


p. 118


p. 292

p. 202

p. 138

	SPUN LIGHT T2 Sebastian Wrong, 2003 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> mud	Colores <i>Colors</i> ○ F6611009 ● F6611030 ● F6611021
	STRING LIGHT TESTA A CONO · CONE HEAD Michael Anastassiades, 2014 Potencia · <i>Power</i> 21W Tensión · <i>Voltage</i> 100-240V/48V	Acabados <i>Finishes</i> negro · <i>black</i> negro · <i>black</i>	Colores <i>Colors</i> ● F6481030 CAVO 12 mt. ● F6491030 CAVO 22 mt.
	STRING LIGHT TESTA A SFERA · SPHERE HEAD Michael Anastassiades, 2014 Potencia · <i>Power</i> 21W Tensión · <i>Voltage</i> 100-240V/48V	Acabados <i>Finishes</i> negro · <i>black</i> negro · <i>black</i>	Colores <i>Colors</i> ● F6480030 CAVO 12 mt. ● F6490030 CAVO 22 mt.
	STRING LIGHT ACCESSORI · ACCESSORIES Tensión · <i>Voltage</i> 100-240V/48V Descripción · <i>Description</i> Rosetón de pared o techo para la instalación de 2 cabezales como máximo con 3 vías de salida posibles · <i>Wallrose. Feed up 2 heads maximum; 3 wayout for cables. Wall or ceiling installation</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> F6482030

	SPUN LIGHT T2 Sebastian Wrong, 2003 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> mud	Colores <i>Colors</i> ○ F6611009 ● F6611030 ● F6611021	Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>]
Materiales · <i>Materials</i> metal, aluminio · <i>metal, aluminum</i>				
Peso · <i>Weight</i> 5,6 Kg	DIMMER INCLUDED	CE IP 20		

	STRING LIGHT TESTA A CONO · CONE HEAD Michael Anastassiades, 2014 Potencia · <i>Power</i> 21W Tensión · <i>Voltage</i> 100-240V/48V	Acabados <i>Finishes</i> negro · <i>black</i> negro · <i>black</i>	Colores <i>Colors</i> ● F6481030 CAVO 12 mt. ● F6491030 CAVO 22 mt.	Fuente luminosa · <i>Light source</i> 1 LED ARRAY 21W 2700K 1033lm CRI93 [incluida - <i>included</i>] DIMMABLE - BLUETOOTH CONTROL
Materiales · <i>Materials</i> aluminio, policarbonato · <i>aluminum, polycarbonate</i>				
Peso · <i>Weight</i> 0,95 Kg (12 mt.) - 1,05 Kg (22 mt.)	DIMMER INCLUDED	CE IP 20		

	STRING LIGHT TESTA A SFERA · SPHERE HEAD Michael Anastassiades, 2014 Potencia · <i>Power</i> 21W Tensión · <i>Voltage</i> 100-240V/48V	Acabados <i>Finishes</i> negro · <i>black</i> negro · <i>black</i>	Colores <i>Colors</i> ● F6480030 CAVO 12 mt. ● F6490030 CAVO 22 mt.	Fuente luminosa · <i>Light source</i> 1 LED ARRAY 21W 2700K 1345lm CRI93 [incluida - <i>included</i>] DIMMABLE - BLUETOOTH CONTROL
Materiales · <i>Materials</i> aluminio, policarbonato · <i>aluminum, polycarbonate</i>				
Peso · <i>Weight</i> 1,15 Kg (12 mt.) - 1,25 Kg (22 mt.)	DIMMER INCLUDED	CE IP 20		

	STRING LIGHT ACCESSORI · ACCESSORIES Tensión · <i>Voltage</i> 100-240V/48V Descripción · <i>Description</i> Rosetón de pared o techo para la instalación de 2 cabezales como máximo con 3 vías de salida posibles · <i>Wallrose. Feed up 2 heads maximum; 3 wayout for cables. Wall or ceiling installation</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> F6482030	
Materiales · <i>Materials</i> metal, aluminio · <i>metal, aluminum</i>				
Peso · <i>Weight</i> 4,3 Kg	DIMMER INCLUDED	CE IP 20		




p. 138

p. 277

p. 277



p. 277


	STRING LIGHT ACCESSORI · ACCESSORIES Tensión · <i>Voltage</i> 100-240V/48V Descripción · <i>Description</i> "Floor Switch" para la instalación de dos cabezales como máximo con dos vías de salida posibles para el cable. Alojamiento interno para mantener enrollados 10 metros de cable · <i>Floor Switch. Feed up two heads maximum; Two wayout for cables. Space to wrap 10 meters cable</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> F6484030	p. 277
				
	STRING LIGHT ACCESSORI · ACCESSORIES Descripción · <i>Description</i> Cable de conexión suplementario para formar configuraciones personalizadas · <i>Extra connection cable to compose personal configurations</i>	Acabados <i>Finishes</i> negro · <i>black</i>	Colores <i>Colors</i> F6485030	p. 277
	STYLOS Achille Castiglioni, 1984 Potencia · <i>Power</i> 1 x MAX 120W + 1 x MAX 100W Tensión · <i>Voltage</i> 220-250V Fuente luminosa · <i>Light source</i> MAX 120W E27 PAR 38 872lm [incluida - <i>included</i>] + LED 21W E27 2452lm [incluida - <i>included</i>] Interruptor doble · <i>Double switch</i>	Acabados <i>Finishes</i> plata · <i>silver</i>	Colores <i>Colors</i> F6310004	p. 184
				
	SUPERARCHIMOON Philippe Starck, 2000 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>]	Acabados <i>Finishes</i> tela · <i>fabric</i>	Colores <i>Colors</i> F6366020	p. 208
				


	SUPERARCHIMOON OUTDOOR/INDOOR Philippe Starck, 2007 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> LED 21W E27 2450lm [excluida - <i>excluded</i>]	Acabados <i>Finishes</i> panama green wall	Colores <i>Colors</i> F6367022 F6367041	p. 436
				
	SUPER LINE UP&DOWN INDIRECT Flos Architectural, 2018 Potencia · <i>Power</i> 58W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> TOP LED 58W 4488lm UP - 2160lm DOWN 3000K CRI90 220/240V [incluida - <i>included</i>]	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> gris · <i>grey</i>	Colores <i>Colors</i> 03.9502.40 03.9502.14 03.9502.02	p. 232
				
	SUPER LINE UP&DOWN DIRECT Flos Architectural, 2018 Potencia · <i>Power</i> 58W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> TOP LED 58W 2268lm UP- 4488lm DOWN 3000K CRI90 220/240V [incluida - <i>included</i>]	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> gris · <i>grey</i>	Colores <i>Colors</i> 03.9500.40 03.9500.14 03.9500.02	p. 232
				
	SUPER LINE DOWN Flos Architectural, 2018 Potencia · <i>Power</i> 38,5W Tensión · <i>Voltage</i> 220-240V Fuente luminosa · <i>Light source</i> TOP LED 38,5W 4488lm 3000K CRI90 220/240V [incluida - <i>included</i>]	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> gris · <i>grey</i>	Colores <i>Colors</i> 03.9510.40 03.9510.14 03.9510.02	p. 232
				


	SUPERLOON Jasper Morrison, 2015 Potencia · <i>Power</i> 45W Tensión · <i>Voltage</i> 100-240V/48V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> cromo · <i>chrome</i>	Colores <i>Colors</i> ○ F6630009 ● F6630030 ▮ F6630057	
	Fuente luminosa · <i>Light source</i> EDGE LIGHTING 45W 2716lm 2200/2800K CRI80 [incluida - <i>included</i>] DIM TO WARM			
	Materiales · <i>Materials</i> aluminio, PMMA · <i>aluminum, PMMA</i>			p. 173
	Peso · <i>Weight</i> 11 Kg DIMMER INCLUDED	CE IP 20		
	TAB F E. Barber & J. Osgerby, 2011 Potencia · <i>Power</i> 9W Tensión · <i>Voltage</i> 100-240V/24V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> dark green blue matt	Colores <i>Colors</i> ○ F6564009 ● F6564030 ● F6564031 ● F6564014	
	Fuente luminosa · <i>Light source</i> 14 LED 9W 347lm 2700K CRI90 [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> aluminio, PMMA · <i>aluminum, PMMA</i>			p. 190
	Peso · <i>Weight</i> 2 Kg SWITCH INCLUDED	CE IP 20		
	TAB T E. Barber & J. Osgerby, 2011 Potencia · <i>Power</i> 9W Tensión · <i>Voltage</i> 100-240V/24V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> dark green blue matt	Colores <i>Colors</i> ○ F6563009 ● F6563030 ● F6563031 ● F6563014	
	Fuente luminosa · <i>Light source</i> 14 LED 9W 347lm 2700K CRI90 [incluida - <i>included</i>] DIMMABLE			
	Materiales · <i>Materials</i> aluminio, PMMA · <i>aluminum, PMMA</i>			p. 114
	Peso · <i>Weight</i> 0,8 Kg SWITCH INCLUDED	CE IP 20		
	TACCIA Achille and Pier Giacomo Castiglioni, 1962 Potencia · <i>Power</i> 28W Tensión · <i>Voltage</i> 100-240V/48V	Acabados <i>Finishes</i> plata · <i>silver</i> negro · <i>black</i> bronce · <i>bronze</i>	Colores <i>Colors</i> ● F6602004 ● F6602030 ● F6602046	
	Fuente luminosa · <i>Light source</i> 1 COB LED 28W 2700K CRI93 [incluida - <i>included</i>] DIMMABLE			
	Materiales · <i>Materials</i> vidrio, aluminio · <i>glass, aluminum</i>			p. 108
	Peso · <i>Weight</i> 10,7 Kg DIMMER INCLUDED	CE IP 20		




	TACCIA (PMMA) Achille and Pier Giacomo Castiglioni, 1962 Potencia · <i>Power</i> 28W Tensión · <i>Voltage</i> 100-240V/48V	Acabados <i>Finishes</i> plata · <i>silver</i> negro · <i>black</i> bronce · <i>bronze</i>	Colores <i>Colors</i> ● F6607004 ● F6607030 ● F6607046	
	Fuente luminosa · <i>Light source</i> 1 COB LED 28W 2700K CRI93 [incluida - <i>included</i>] DIMMABLE			
	Materiales · <i>Materials</i> PMMA, aluminio · <i>PMMA, aluminum</i>			p. 108
	Peso · <i>Weight</i> 7,6 Kg DIMMER INCLUDED	CE IP 20		
	TACCIA SMALL Achille and Pier Giacomo Castiglioni, 1962 Potencia · <i>Power</i> 16W Tensión · <i>Voltage</i> 100-240V/24V	Acabados <i>Finishes</i> plata · <i>silver</i> negro · <i>black</i> bronce · <i>bronze</i>	Colores <i>Colors</i> ● F6604004 ● F6604030 ● F6604046	
	Fuente luminosa · <i>Light source</i> 1 COB LED 16W 2700K CRI92 [incluida - <i>included</i>] DIMMABLE			
	Materiales · <i>Materials</i> vidrio, aluminio · <i>glass, aluminum</i>			p. 108
	Peso · <i>Weight</i> 4,25 Kg DIMMER INCLUDED	CE IP 20		
	TARAXACUM 1 Achille and Pier Giacomo Castiglioni, 1960 Potencia · <i>Power</i> MAX 100W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i>	Colores <i>Colors</i> ○ F7401009	
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> cocoon, acero · <i>cocoon, steel</i>			p. 304
	Peso · <i>Weight</i> 2,1 Kg	CE IP 20		
	TARAXACUM 2 Achille and Pier Giacomo Castiglioni, 1960 Potencia · <i>Power</i> MAX 100W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i>	Colores <i>Colors</i> ○ F7402009	
	Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> cocoon, acero · <i>cocoon, steel</i>			p. 304
	Peso · <i>Weight</i> 2,8 Kg	CE IP 20		


	TARAXACUM 88 C/W Achille Castiglioni, 1988 Potencia · <i>Power</i> 15 x MAX 40W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> aluminio · <i>aluminum</i>	Colores <i>Colors</i> F7420000	
	Fuente luminosa · <i>Light source</i> LED 3W E27 170lm [excluida - <i>excluded</i>] (SINGLE PACK) O · <i>Or</i> (KIT X 15 LAMP)			
	Materiales · <i>Materials</i> aluminio · <i>aluminum</i>			p. 386
	Peso · <i>Weight</i> 2,3 Kg	CE	IP 20	
	TARAXACUM 88 S1 Achille Castiglioni, 1988 Potencia · <i>Power</i> 60 x MAX 40W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> aluminio · <i>aluminum</i>	Colores <i>Colors</i> F7430000	
	Fuente luminosa · <i>Light source</i> LED 3W E27 170lm [excluida - <i>excluded</i>] (SINGLE PACK) O · <i>Or</i> (KIT X 15 LAMP)			
	Materiales · <i>Materials</i> aluminio · <i>aluminum</i>			p. 284
	Peso · <i>Weight</i> 10,6 Kg	CE	IP 20	
	TARAXACUM 88 S2 Achille Castiglioni, 1988 Potencia · <i>Power</i> 120 x MAX 40W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> aluminio · <i>aluminum</i>	Colores <i>Colors</i> F7440000	
	Fuente luminosa · <i>Light source</i> LED 3W E27 170lm [excluida - <i>excluded</i>] (SINGLE PACK) O · <i>Or</i> (KIT X 15 LAMP)			
	Materiales · <i>Materials</i> aluminio · <i>aluminum</i>			p. 284
	Peso · <i>Weight</i> 14,2 Kg	CE	IP 20	
	Producto a pedido <i>Made on demand</i>			
	TATOU F Patricia Urquiola, 2012 Potencia · <i>Power</i> MAX 205W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> gris ocre · <i>ochre-grey</i>	Colores <i>Colors</i> ○ F7764009 ● F7764048	
	Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> polycarbonato, acero · <i>polycarbonate, steel</i>			p. 178
	Peso · <i>Weight</i> 16,4 Kg	DIMMER INCLUDED	CE	IP 20


	TATOU S1 Patricia Urquiola, 2012 Potencia · <i>Power</i> MAX 70W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i> gris ocre · <i>ochre-grey</i>	Colores <i>Colors</i> ○ F7762009 ● F7762048	
	Fuente luminosa · <i>Light source</i> LED 8W E27 740lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> polycarbonato · <i>polycarbonate</i>			p. 289
	Peso · <i>Weight</i> 1,2 Kg	CE	IP 20	
	TATOU S2 Patricia Urquiola, 2012 Potencia · <i>Power</i> MAX 205W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i> gris ocre · <i>ochre-grey</i>	Colores <i>Colors</i> ○ F7766009 ● F7766048	
	Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> polycarbonato · <i>polycarbonate</i>			p. 289
	Peso · <i>Weight</i> 4,7 Kg	CE	IP 20	
	TATOU T1 Patricia Urquiola, 2012 Potencia · <i>Power</i> MAX 70W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> gris ocre · <i>ochre-grey</i>	Colores <i>Colors</i> ○ F7761009 ● F7761048	
	Fuente luminosa · <i>Light source</i> LED 10W E27 965lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> polycarbonato · <i>polycarbonate</i>			p. 124
	Peso · <i>Weight</i> 2,7 Kg	DIMMER INCLUDED	CE	IP 20
	THIN LED Fios Arquitectural, 2011 Potencia · <i>Power</i> 20W Tensión · <i>Voltage</i> 24V	Acabados <i>Finishes</i> blanco · <i>white</i> aluminio anodizado · <i>anodized aluminum</i> bronce anodizado · <i>anodized bronze</i>	Colores <i>Colors</i> ○ 09.0045.30B ● 09.0045.29B ● 09.0045.BZB	
	LED INCLUDED NOT REPLACEABLE	Fuente luminosa · <i>Light source</i> TOP LED 20W 1822lm 3000K 24V CRI90 [incluida - <i>included</i>]		
	Materiales · <i>Materials</i> aluminio, aluminio anodizado · <i>aluminum, anodized aluminum</i>			p. 342
	Peso · <i>Weight</i> 0,9 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE	IP 20


	TIGHT LIGHT Piero Lissoni, 2011 Potencia · <i>Power</i> 20W Tensión · <i>Voltage</i> 100-240V	Acabados <i>Finishes</i> blanco · <i>white</i>	Colores <i>Colors</i> ○ F0011009	
	LED INCLUDED NOT REPLACEABLE Fuente luminosa · <i>Light source</i> 48 TOP LED 2x10W 1989lm total 3000K CRI80 [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> PMMA, aluminio · <i>PMMA, aluminum</i>			p. 382
	Peso · <i>Weight</i> 1,1 Kg	CE IP 20		
	TOIO LIMITED EDITION 2018 Achille and Pier Giacomo Castiglioni, 1962 Potencia · <i>Power</i> MAX 300W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> negro mate · <i>matt black</i>	Colores <i>Colors</i> ● F7610030	
	Fuente luminosa · <i>Light source</i> LED 23W PRO PAR 56 1600lm [excluida - <i>excluded</i>] o · <i>or</i> LED 23W PRO PAR GX16 1500lm [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> acero · <i>steel</i>			p. 201
	Peso · <i>Weight</i> 8,2 Kg	DIMMER INCLUDED CE IP 20		
	TOIO Achille and Pier Giacomo Castiglioni, 1962 Potencia · <i>Power</i> MAX 300W Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> rojo · <i>red</i>	Colores <i>Colors</i> ○ F7600009 ● F7600030 ● F7600035	
	Fuente luminosa · <i>Light source</i> A+ → D 300W aluPAR 56 MFL [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> acero · <i>steel</i>			p. 200
	Peso · <i>Weight</i> 8,2 Kg	DIMMER INCLUDED CE IP 20		
	TOIO LED Achille and Pier Giacomo Castiglioni, 1962 Potencia · <i>Power</i> MAX 25W LED Tensión · <i>Voltage</i> 220-240V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i> rojo · <i>red</i>	Colores <i>Colors</i> ○ F7630009 ● F7630030 ● F7630035	
	Fuente luminosa · <i>Light source</i> A+ LED 23W PRO PAR 56 1600lm [excluida - <i>excluded</i>] o · <i>or</i> LED 23W PRO PAR GX16 1500lm [incluida - <i>included</i>]			
	Materiales · <i>Materials</i> acero · <i>steel</i>			p. 200
	Peso · <i>Weight</i> 8,2 Kg	DIMMER INCLUDED CE IP 20		


	WAN C/W Johanna Grawunder, 2005 Potencia · <i>Power</i> MAX 40W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i>	Colores <i>Colors</i> ○ F9550009 ● F9550030	
	Fuente luminosa · <i>Light source</i> A+ → E 33W HSGS G9 460lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> aluminio · <i>aluminum</i>			p. 390
	Peso · <i>Weight</i> 0,4 Kg	CE IP 20		
	WAN S Johanna Grawunder, 2006 Potencia · <i>Power</i> MAX 40W Tensión · <i>Voltage</i> 220-250V	Acabados <i>Finishes</i> blanco · <i>white</i> negro · <i>black</i>	Colores <i>Colors</i> ○ F9560009 ● F9560030	
	Fuente luminosa · <i>Light source</i> A+ → E 33W HSGS G9 460lm [excluida - <i>excluded</i>]			
	Materiales · <i>Materials</i> aluminio · <i>aluminum</i>			p. 297
	Peso · <i>Weight</i> 0,6 Kg	CE IP 20		
	WIRELINE Formafantasma, 2021 Potencia · <i>Power</i> 45W Tensión · <i>Voltage</i> 100-277V	Acabados <i>Finishes</i> rosa · <i>pink</i> forest green	Colores <i>Colors</i> ○ F9520034 ● F9520039	
	Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE LED module 45W 2793lm 2700K CRI90 [incluida - <i>included</i>] DIMMABLE			
	Materiales · <i>Materials</i> vidrio, acero inoxidable, caucho, PC · <i>glass stain-less steel, rubber, PC</i>			p. 216
	Peso · <i>Weight</i> 7,50 Kg	DIMMER INCLUDED 1-10/PUSH/DALI CE IP 20		
	WIRERING Formafantasma, 2018 Potencia · <i>Power</i> 16W Tensión · <i>Voltage</i> 24V	Acabados <i>Finishes</i> blanco/blanco · <i>white/white</i> blanco/gris · <i>white/grey</i> blanco/negro · <i>white/black</i> blanco/rosa · <i>white/pink</i> blanco/oro · <i>white/gold</i> gris/blanco · <i>grey/white</i> gris/gris · <i>grey/grey</i> gris/negro · <i>grey/black</i> gris/rosa · <i>grey/pink</i> gris/oro · <i>grey/gold</i> rosa/blanco · <i>pink/white</i> rosa/gris · <i>pink/grey</i> rosa/negro · <i>pink/black</i> rosa/rosa · <i>pink/pink</i> rosa/oro · <i>pink/gold</i>	Colores <i>Colors</i> ○ F9512009 ● F9512020 ● F9512030 ● F9512034 ● F9512044 ● F9513009 ● F9513020 ● F9513030 ● F9513034 ● F9513044 ● F9514009 ● F9514020 ● F9514030 ● F9514034 ● F9514044	
	Fuente luminosa · <i>Light source</i> LED INCLUDED NOT REPLACEABLE 180 LED 16W 2700K 712lm CRI90 [incluida - <i>included</i>] DIMMABLE			
	Materiales · <i>Materials</i> aluminio - caucho - PC · <i>aluminum - rubber - PC</i>			p. 368
	Peso · <i>Weight</i> 0,945 Kg	DIMMER INCLUDED CE IP 20		


 490 mm 2700 mm ø 680 mm	VISCONTEA Achille and Pier Giacomo Castiglioni, 1960 Potencia · <i>Power</i> MAX 100W Tensión · <i>Voltage</i> 220-250V Fuente luminosa · <i>Light source</i> LED 15W E27 2000lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> cocoon, acero · <i>cocoon, steel</i> Peso · <i>Weight</i> 1,7 Kg	Acabados <i>Finishes</i> blanco · <i>white</i> CE, IP 20, RoHS	Colores <i>Colors</i> F8001009 p. 306
 740 mm 4000 mm 260 mm ø 1100 mm	ZEPPELIN 1 Marcel Wanders, 2005 Potencia · <i>Power</i> MAX 250W Tensión · <i>Voltage</i> 220-250V Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> cocoon, acero, cristal · <i>cocoon, steel, crystal</i> Peso · <i>Weight</i> 15 Kg	Acabados <i>Finishes</i> blanco · <i>white</i> CE, IP 20, RoHS	Colores <i>Colors</i> F9800009 p. 330
 1350 mm 5000 mm 480 mm ø 1800 mm	ZEPPELIN 2 Marcel Wanders, 2005 Potencia · <i>Power</i> 3 x MAX 150W Tensión · <i>Voltage</i> 220-250V Fuente luminosa · <i>Light source</i> LED 21W E27 2452lm [excluida - <i>excluded</i>] Materiales · <i>Materials</i> cocoon, acero, cristal · <i>cocoon, steel, crystal</i> Peso · <i>Weight</i> 30 Kg	Acabados <i>Finishes</i> blanco · <i>white</i> CE, IP 20, RoHS	Colores <i>Colors</i> F9805009 p. 330
Producto a pedido <i>Made on demand</i>	ABAJOUR'D'HUI SMALL Flos Soft Architecture Fuente luminosa · <i>Light source</i> MAX 75W E27 QT-32 [excluida - <i>excluded</i>] Materiales · <i>Materials</i> Instalación sobre escayola · <i>plaster installation</i> Peso · <i>Weight</i> 8,25 Kg	Acabados <i>Finishes</i> escayola · <i>plaster</i> CE, IP 20, RoHS	Colores <i>Colors</i> SA.5001.1 p. 400
 800 mm 320 mm 150 mm 147,5 mm 700 mm 520 mm 250 mm 600 mm	ABAJOUR'D'HUI SMALL Flos Soft Architecture Fuente luminosa · <i>Light source</i> MAX 75W E27 QT-32 [excluida - <i>excluded</i>] Materiales · <i>Materials</i> Instalación sobre escayola · <i>plaster installation</i> Peso · <i>Weight</i> 8,25 Kg	Acabados <i>Finishes</i> escayola · <i>plaster</i> CE, IP 20, RoHS	Colores <i>Colors</i> SA.5001.1 p. 400

	ABAJOUR'D'HUI LARGE Flos Soft Architecture	Acabados Finishes escayola · plaster	Colores Colors ○ SA.5000.1
 A+ → E Fuente luminosa · Light source MAX 150W E27 QT-32 [excluida - excluded]			
Materiales · Materials Instalación sobre escayola · plaster installation			
Peso · Weight 16,25 Kg		CE 	


	SOFT SPUN SMALL FL Flos Soft Architecture	Acabados Finishes escayola · plaster	Colores Colors ○ SA.5004.1
 A Fuente luminosa · Light source 18W 2G11 [excluida - excluded] Ballast electronico · Electronic Ballast			
Materiales · Materials Instalación sobre escayola · plaster installation			
Peso · Weight 8,5 Kg		CE 	

	SOFT SPUN SMALL HL Flos Soft Architecture	Acabados Finishes escayola · plaster	Colores Colors ○ SA.5005.1
 A+ → E Fuente luminosa · Light source MAX 120W R7s QT-DE-12 [excluida - excluded]			
Materiales · Materials Instalación sobre escayola · plaster installation			
Peso · Weight 8,5 Kg		CE 	


	SOFT SPUN SMALL LED Flos Soft Architecture	Acabados Finishes escayola · plaster	Colores Colors ○ SA.5006.1D
LED INCLUDED NOT REPLACEABLE Fuente luminosa · Light source 1 LED WHITE 35W 1800lm 3000K CRI90 [incluida - included] Driver electronico · Electronic Driver			
Materiales · Materials Instalación sobre escayola · plaster installation			
Peso · Weight 8,5 Kg		CE 	

	SOFT SPUN LARGE FL	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Flos Soft Architecture	escayola · <i>plaster</i>	○ SA.5008.1
	 A Fuente luminosa · <i>Light source</i> 24W 2G11 TC-L (diff.) [excluida - <i>excluded</i>] Ballast elettr. · <i>Elect. Ballast</i> + LED 1.4W 80lm 2700K CRI>90 (base) [incluida - <i>included</i>] Driver elettronico · <i>Electronic Driver</i>		
	Materiales · <i>Materials</i> Instalación sobre escayola · <i>plaster installation</i> Peso · <i>Weight</i> 17 Kg		

p. 402

	SOFT SPUN LARGE HL	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Flos Soft Architecture	escayola · <i>plaster</i>	○ SA.5009.1
	 A Fuente luminosa · <i>Light source</i> 1 x MAX 160W R7s QT-DE (diff.) [excluida - <i>excluded</i>] + 1 LED 1.4W 80lm 2700K CRI>90 (base) [incluida - <i>included</i>] Driver elettronico · <i>Electronic Driver</i>		
	Materiales · <i>Materials</i> Instalación sobre escayola · <i>plaster installation</i> Peso · <i>Weight</i> 17 Kg		

p. 402

	SOFT SPUN LARGE LED	Acabados <i>Finishes</i>	Colores <i>Colors</i>
	Flos Soft Architecture	escayola · <i>plaster</i>	○ SA.5007.1D
	 A Fuente luminosa · <i>Light source</i> 1 LED WHITE 35W 1800lm 3000K CRI90 (diff.) [incluida - <i>included</i>] Driver elettr. · <i>Elect. Driver</i> + 1 LED WHITE 1.4W 80lm 2700K CRI>90 (base) [incluida - <i>included</i>] Driver elettr. · <i>Elect. Driver</i>		
	Materiales · <i>Materials</i> Instalación sobre escayola · <i>plaster installation</i> Peso · <i>Weight</i> 17 Kg		

p. 402

p. 406

CLASIFICACIÓN Y HOMOLOGACIONES · CLASSIFICATION & HOMOLOGATIONS

Clases de Aislamiento de las Luminarias · *Luminaires classification*



Clase I: Luminaria cuya protección contra los choques eléctricos no está basada en un aislamiento básico del aparato sino en medidas de seguridad adicionales consistentes en conectar las partes accesibles conductoras de la luminaria a un conductor de seguridad o toma de tierra · *Class I: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of connecting the accesible conductive parts to a safety conductor (earth)*



Clase II: Luminaria cuya protección contra los choques eléctricos no está basada en un aislamiento básico del aparato sino en medidas de seguridad adicionales consistentes en un doble aislamiento reforzado · *Class II: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of double reinforced insulation without conductive parts to a safety conductor (earth)*



Clase III: Luminaria cuya protección contra los choques eléctricos está basada en la muy baja tensión de alimentación sin que se produzcan voltajes mayores a ésta. Una luminaria de Clase III nunca debe ser suministrada con toma de tierra · *Class III: Luminaire in which protection against electrical shocks is based on the very low safety supply voltage and no voltages are produced higher than this. A Class III luminaire must never be provided with earthing*

Homologaciones · *Homologations*



Todas las luminarias producidas y presentadas en este programa se han realizado en conformidad con la Norma Europea EN 60 598 y, por consiguiente, cumplen los requisitos establecidos por la Directiva CEE 73/23 (Directiva de Baja Tensión). Su realización garantiza también la conformidad con la Directiva 89/336 en lo concerniente la Compatibilidad Electromagnética. Todos los productos que forman parte del campo de aplicación de estas Directivas llevan el marcado CE que certifica su conformidad a los respectivos requisitos · *All lamps manufactured and illustrated in this catalog comply with European Standard EN 60 598 and consequently meet the requirements set forth in Directive 73/23 EEC (Low Voltage Directive). They also comply with Directive 89/336 covering electromagnetic compatibility. All products falling under the scope of the above-mentioned Directives bear the CE mark as proof of their compliance with the respective requirements*



La presencia del marcado ENEC en el producto testimonia el cumplimiento de la normativa europea y garantiza la fiabilidad del sistema organizativo y productivo responsable de su fabricación, a través de un organismo de certificación acreditado. El marcado ENEC representa nuestro compromiso y mejor garantía en materias de seguridad y calidad en todos nuestros productos · *The ENEC mark on the product stands for the compliance of European Standard as well as a trustworthy organisation and product system and is guaranteed by an accredited certification body. This agreed mark stands for our engagement and represents the best guarantee in security and quality matter of our products*




La asociación española de normalización y certificación AENOR certifica que el Sistema de aseguramiento de la Calidad adoptado por Antares Iluminación S.A. es conforme a las exigencias de la Norma Europea EN ISO 9001: Sistemas de Calidad · *The Spanish Association for Standards and Certification AENOR, certifies that quality assurance system adopted by Antares Iluminación, S.A. complies with the requirements of the standard UNE-EN ISO-9001 Quality Systems.*

GRADO DE PROTECCIÓN · DEGREE OF PROTECTION

IP

20

Índice de protección contra la penetración de partículas sólidas y húmedas · *Protection degree offered by the fixture to the ingress of solids and liquids*

IP

20

1a cifra, protección contra la penetración de cuerpos sólidos: 0 Ninguna protección. 1 Protección contra cuerpos sólidos de tamaño superior a 50mm. 2 Protección contra cuerpos sólidos de tamaño superior a 12mm. 3 Protección contra cuerpos sólidos de tamaño superior a 2,5mm. 4 Protección contra cuerpos sólidos de tamaño superior a 1mm. 5 Protección contra el polvo. 6 Totalmente protegido contra el polvo · *1st figure, protection against penetration by solid bodies: 0 No protection - 1 Protected against solid bodies over 50 mm in diameter - 2 Protected against solid bodies over 12 mm in diameter - 3 Protected against solid bodies over 2,5 mm in diameter - 4 Protected against solid bodies over 1 mm in diameter - 5 Protected against dust - 6 Fully protected against dust*

IP

20

2a cifra, protección contra la penetración de agua: 0 Ninguna protección. 1 Protección contra caída vertical de gotas de agua. 2 Protección contra caída vertical de gotas de agua, 15° máx. inclinación. 3 Protección contra caída vertical de gotas de agua, 60° máx. inclinación. 4 Protección contra salpicaduras de agua. 5 Protección contra chorros de agua. 6 Protección contra olas de agua. 7 Protección contra inmersión. 8 Protección contra inmersión prolongada · *2nd figure, protection against penetration by water: 0 No protection - 1 Protected against drops of water falling vertically - 2 Protected against drops of water at a max. inclination of 15 degrees - 3 Protected against drops of water at a max. inclination of 60 degrees - 4 Protected against splashed of water - 5 Protected against jets of water - 6 Protected against waves - 7 Protected against immersion - 8 Protected against long term immersion*

Pictografía · *Pictography*



Luminarias con balastos incorporados o transformadores previstos para montaje directo sobre superficies normalmente inflamables · *Luminaire with builtin power packs or transformers, suitable for mounting directy onto normally inflammable surfaces*



Distancia mínima a los objetos iluminados · *Minimum distance from illuminated objects*

De conformidad con lo estipulado en el Reglamento 874/2012/UE, que complementa a la Directiva 2010/30/UE, relativo al etiquetado indicador del consumo energético de las lámparas eléctricas y la compatibilidad de los dispositivos de iluminación con las distintas fuentes de luz (integradas o compatibles con ellas), Flos S.p.A ha introducido las etiquetas solicitadas, en formato electrónico, en el mismo sitio web (www.flos.com), en la sección de productos. Las formas para descargar las etiquetas, redactadas en las distintas lenguas comunitarias, son las siguientes: Seleccione la colección/ el producto que le interesa (por ejemplo <http://www.flos.com/decorative/en/products/floor/Arco>) • Haga clic en “ Ver ficha técnica” • Haga clic en “Print Energy Label” • Seleccione el idioma e imprima la etiqueta · *In accordance with the provisions of Regulation 874/2012/EU and integration of the Directive 2010/30/EU concerning labeling indicating the energy consumption of electric lamps and the compatibility of lighting appliances with different light sources (integrated or compatible with these), Flos SpA has inserted the required labels, in electronic form, on its website (www.flos.com) in the area relating to products. The methods to download the labels in different languages envisaged at Community level are as follows: • Choose the collection/ product you are interested in (for ex: <http://www.flos.com/decorative/en/products/floor/Arco>) • Click on “see specs sheet” • Click on “Print Energy Label” • Select the language and print the label*

WHERE TO FIND US

La nostra rete internazionale di distributori, flagship store e showroom
Our international network of distributors, flagship stores and showrooms

ITALY

Flos Spa
Via Angelo Faini, 2
25073 Bovezzo (Brescia)
Tel +39 0302438.1
info@flos.com

SPAIN

Antares Iluminación S.A.U.
Calle Mallorca, 1
Polígono Industrial Reva 46394 Ribar-
roja (Valencia)
Tel +34 96 166 95 20
Fax +34 96 166 82 86
flos.architectural@flos.com

ITALY

Ares srl
Via dell'Artigianato, 24
20881 Bernareggio (Monza)
Tel +39 0396900892
flos.outdoor@flos.com

DISTRIBUTION

BELGIUM & LUXEMBOURG
Flos Belux
M +32 474 739 080
flosbelux@flos.com

FRANCE
Flos France
20-22, Passage Dauphine
75006 Paris
Tel +33 (0) 1 40 64 17 44
flos.france@flos.com

GERMANY
Flos Gmbh
Obermünsterstraße 18
93047 Regensburg
Tel +49-941-630837-00
info@flos-gmbh.de

UNITED KINGDOM
Atrium Ltd.
28 Leonard Street
EC2A 4BY London
Tel +44 (0) 20 7681 9933
Fax +44 (0) 20 7681 9943
flos@atrium.ltd.uk

UNITED KINGDOM
International Projects UK
Division
Tel +44 (0) 20 7681 9933
flos.international@flos.com

DENMARK
Flos Scandinavia A/S
Sydhavnsgade 28
DK-2450 København SV
Tel +45 (0) 3388 60 00
Fax +45 (0) 3388 60 10
info@flos.dk

NORWAY
Drammensveien 120
0277 Oslo - Norway
Tel +47 (0) 2212 86 00
Fax +47 (0) 2212 86 08
info@flos.no

THE NETHERLANDS
Flos BV
Cruquiusweg 109S
1019 AG Amsterdam
Tel +31 (0) 20 560 50 60
Fax +31 (0) 20 560 50 70
flosnetherlands@flos.com

U. S. A.
Flos USA Inc.
110 York Street - 5th Floor
Brooklyn, NY 11201
Tel +1 (718) 875-3472
Fax +1 (718) 875-3473
info@flosusa.com

JAPAN
Flos Co., Ltd.
PMC Building 9F
1-23-5 Higashiazabu Mina-
to-Ku Tokyo 104-0044
Tel +81 (0) 3 3582 1468
Fax +81 (0) 3 3582 097
flosjapan@flosjapan.com

FAR EAST
Flos Representative Office
1, Commonwealth Lane
#08-12, 149544 Singapore
Tel +65 (0) 6372 1495
Fax +65 (0) 6372 7607
flosasia@flos.com

CHINA
Flos Illumination (Shanghai)
Co. Ltd. Unit 101, Floor 1,
Building B9 No. 800 of Chang
De road Jing An District,
Shanghai, 200040, China
Tel: 86 021 62176187
floschina@flos.com

SWEDEN
Flos Scandinavia A/S
Karlplan Lützengatan 1
S-115-20
Tel +46 (0) 8 660 4405
Fax +46 (0) 8 660 7005
info@flos.se

**AUSTRIA - GERMANY
SWITZERLAND**
Flos GmbH
Obermünsterstraße 18
93047 Regensburg, Germany
Tel +49 941 630837 00
Fax +49 941 630837 60
info@flos-gmbh.de

LATIN AMERICA
Flos LatAm
M +52 55 6960 1772
flos.latinoamerica@flos.com

INDIA
Flos Representative Office
1, Commonwealth Lane
#08-12, 149544 Singapore
Tel +65 (0) 6372 1495
Fax +65 (0) 6372 7607
flosindia@flos.com

MIDDLE EAST
Flos Middle East
Dubai Design District
Dubai, United Arab Emirates
Tel +971 54 3567356
flosme@flos.com

HONG KONG
M +852 9307 3713
flosasia@flos.com

FLAGSHIP STORES

MILANO
Corso Monforte, 9
20122- Milano
Tel +39 02 37011080
Fax +39 02 780833
flosmilano@flos.com

ROMA
Via del Babuino, 85
00187 - Roma
Tel +39 06 3207631
Fax +39 06 3207690
flosroma@flos.com

PARIS
15, rue de Bourgogne
75007 - Paris
Tel +33 (0) 1 53 85 49 93
Fax +33 (0) 1 53 85 49 99
shop@flos.fr

LYON
17 rue Jarente
69002 - Lyon
Tel +33 478621301
Fax +33 478622119
lyon@flos.fr

NEW YORK
152 Greene Street
NY 10012
Tel +1 212 941 4760
Fax +1 212 941 4763
info@flosusa.com

STOCKHOLM
Karlplan Lützengatan 1 S-115-
20
Tel +46 (0) 8 660 4405
Fax +46 (0) 8 660 7005
info@flos.se

SHOWROOMS

MILANO
Corso Monforte, 15
20122 Milano
Tel +39 02 79 84 57
Fax +39 02 89 78 56 41
contract.milano@flos.com

COPENAGHEN
Sydhavnsgade 28
DK-2450 København SV
Tel +45 (0) 3388 60 00
Fax +45 (0) 3388 60 10
info@flos.dk

OSLO
Drammensveien 120
0277 Oslo - Norway
Tel +47 (0) 2212 86 00
Fax +47 (0) 2212 86 08
info@flos.no

AMSTERDAM
Cruquiusweg 109S
1019 AG Amsterdam
The Netherlands
Tel +31 (0) 20 560 50 60
Fax +31 (0) 20 560 50 70
info@flosmail.nl

TOKYO
PMC Building 9F
1-23-5 Higashiazabu Minato-Ku
Tokyo 104-0044
Tel +81 (0) 3 35 82 14 68
Fax +81 (0) 3 55 75 70 87
info@flosjapan.com

PARIS
20-22, Passage Dauphine
75006 Paris
Tel +33 (0) 1 40 64 17 44
flos.france@flos.com

CREDITS

EDITION

January 2021 © 2021 All rights reserved

ART DIRECTION

Stefanie Barth & Carina Frey

DESIGN

Guido Tamino

STILL LIFE PHOTOGRAPHY

Frank Hülsbömer

IN PLACE PHOTOGRAPHY

Bastian Achard, Florian Boehm, Germano Borrelli, Beppe Brancato, Santi Caleca, Marco Cappelletti, Studio Casali, Monica Castiglioni, Jackie Chan, Cesare Colombo, Ramak Fazel, Alecio Ferrari, Francesca Ferrari, Luciano Ferri, Vincenzo Flore, Alessandro Furchino Capria, Stefano Galuzzi, Giovanni Gastel, Zoë Ghertner, Stefania Giorgi, Frank Hülsbömer, Andrew Jacobs, Philippe Jarrigeon, Heidi Lerkenfeldt, Nico K. Tucci, Jean Baptiste Mondino, Maria Mulas, Ugo Mulas, Maki Ochoa, Giuseppe Pino, Timm Rautert, Jesper Ray - House of Pictures, Tommaso Sartori, Scheltens & Abbenes, Delfino Sisto Legnani, Luciano Svegliado, Tecma Solutions, Federico Torra, Leo Torri, Jan Verlinde

PRODUCT PHOTOS

Piero Fasanotto

ACKNOWLEDGEMENTS

Fondazione Achille Castiglioni, Studio la Città - Verona,
Alberto Garutti, La Mutina

ALL ABOUT LIGHT

FLOS