

LUTEC

CONNECTED BY LIGHTING

LUTEC

ECW Portfolio

OUTDOOR LIGHTING 2023

LUTEC China Head Office
CN8, Far-East Industry Park,
Yuyao, Zhejiang, China
+86-574-62760832
info@lutec.net

LUTEC Europe Regional Office
Herentalsebaan 425
2160 Wommelgem, Belgium
+32 3 284 51 62
info@lutec-europe.com

**LUTEC in Germany
Austria - Switzerland**
ECO-LIGHT Leuchten GmbH
+49 22 22 / 82 78 5-0
sales@eco-light.biz

**LUTEC in Hungary-Slovenia-Croatia
Czech-Slovakia**
LUTEC Lighting Kft
+36 30 897 8494
Info@lutec.hu

LUTEC in Ukraine
Eurotrade
+38 044 496 74 83
+38 067 507 02 30
sales@eurotrade.net.ua

LUTEC in France
Prof & Wholesale channel
LUTEC France S.A.S
+33 04 75 60 25 68
commande@lutec-france.fr

LUTEC in Belgium - The Netherlands
WEBRANDS Benelux
+32 3 369 26 16
info@webrands.eu

LUTEC in Poland
DELIGHTING Polska
+48 61 4367 481
kontakt@delighting.pl

DIY & Specialist channel
COREP SAS
+33-05-56 49 96 00
contact@corep.com

LUTEC in Italy
Lightec Srl.
+39 031 3551342
info@lightecsrl.com

LUTEC in Israel
Nisko Group LTD.
+972-72-2400636
info@niskoelec.com

LUTEC in Iberia
Prof & Specialist channel Spain
Silumin S.L.
+34 93 892 40 51
silumin@silumin.es

LUTEC in Greece - Cyprus
Samba - Eliezer
+30 2104820946
info@samba-eliezer.gr

LUTEC in United States - Canada
LUTEC USA LLC
+(704) 980 4135
shelley.greenberg@lutec.net

Prof & Specialist channel Portugal
Duarte Neves LDA
+351 219 668 100
info@duarteneves.pt

LUTEC in United Kingdom - Ireland
LUTEC UK Ltd
+44 (0) 1992 760870
sales@lutecuk.com

LUTEC in Iraq
Al-Riyad Group Co. Ltd.
+964 782 2222033
info@alriyad.iq

DIY & Garden channel
Spain & Portugal
BRIGHT and GO S.L.
+34 670 85 45 57
administracion@luteciberia.com

**LUTEC in Denmark - Sweden -
Norway - Iceland**
LOPE Group A/S
+45 47 17 82 26
mail@lopegroup.dk


LUTEC in South Korea
Belko Co., Ltd
+82 2 465 0603
belko@belko.co.kr

Canary Islands
Districan Luz
+34 928 791 179
info@districanluz.com

LUTEC in Chile
Manufacturas Eléctricas ByP Ltda.
+56 228 769 400
online@byp.cl

China Central Warehouse in
Yuyao

European Central Warehouse
Bornem- Belgium



2023
OUTDOOR LIGHTING
European Warehouse Portfolio

LUTEC

CONNECTED BY LIGHTING

23

OUTDOOR LIGHTING

Hello,
nice to meet you
we are

LUTEC

CONNECTED BY LIGHTING

one LUTEC,
one lighting world

We believe outdoor lighting is a unique category with a vast number of specific requirements and challenges. Our aim is to provide creative solutions, innovative designs using quality materials and products.

At LUTEC we truly focus and comprehensively embrace exterior lighting.

Our categories include Architectural designs with creative forms of illumination. Functional products, combining tough materials with stylish appeal, Decorative products ranging from period classics to ultra modern shapes. Solar lighting that incorporates the latest trends alongside unique technologies, all to support the ever changing climates around the World.

LUTEC now leads the market in connected exterior lighting : LED Outdoor - LED Solar & LED Camera lights. Featuring products to secure your home and to enhance the appearance of any exterior, flexible mood lighting, colour changing, dimming, scene setting, all controlled via our Apps.

One world, different faces, different segments developed with the same concern of quality and efficiency.

discover what's new

Looking for special light effects

LUTEC is introducing a number of new contemporary outdoor items, each of them having a specific and distinctive light effect: Narrow light rays or wide beams, Charming glows, Powerful spots. Resulting in an appropriate answer to consumer's actual needs for their outdoor lighting installations.

A Swiss Army Knife Luminaire




The GOLETA is the hero of the new collection. Elegant wall & ceiling LED light with many options. Eccentric moveable head, Warm White light to Day light switch, Front light, Back Light or both. It's your choice.

Up & Down Lights Revisited

CYPRES & MARBO designs, showing updated possibilities for Up & Down lighting. Suitable for GU10 retrofit spot lights. The ideal solution to create distinctive light patterns for different applications around your house.

Extreme Flat Design

RIALTO wall light can be seen as the elegant combination of two GEMINI XF luminaires. Resulting in a wide powerful beam down and the option to choose for 3 different beam patterns up.





enjoy the solar side of light

LUTEC has a variety of different concepts covering the complete solar energy field. Recently some new attractive Solar outdoor LED lights were launched in the market.

No electricity consumption - No electric wiring
100% green renewable solar energy. Hassle free and super fast installation, avoid a costly electric wiring installation in your garden or around your house.

Classical lanterns

New in the range are the Solar versions of the well known traditional series FIA & FLAIR. Including a dedicated retrofit LED filament bulb suitable for low voltage Solar light fixtures.

Charming summer nights

KOZY & DIVA Solar table lights create a gentle and unique light pattern. Excellent to convert your garden table in a cosy family place. All night long!

Convenient, comfortable & personal

DIAS bollard light with spike is a nice extension in the LUTEC connect Solar range. The perfect model to create and program the desired outdoor atmosphere for every occasion. Enhanced by LUTEC connect dynamic CCT & RGB colour technology.




retrofit in a modern jacket

LUTEC is continuously extending its offer Outdoor luminaires suitable for retrofit bulbs. This allows consumers to freely decide which LED lamp to install or replace.

Splendid light - versatile fixtures
New introduction of wall lights and bollard lights in different styles and materials featuring E27 & GU10 lamp holders. (Bulbs not included - Except for Solar LED lights)

Towards Energy Class A
With the introduction of the new ERP regulations in September 2021, the bulbs industry is moving fast and steady towards Energy Class A retrofit bulbs for all available models.

LUTEC connect solution
In order to complete your luminaire, LUTEC offers the most common LED retrofit bulbs as a service range. The LUTEC bulbs come with the LUTEC connect feature and are available in E14, E27 & GU10 sockets. Both Filament and RGB bulbs are in the portfolio.



LUTEC new camera-lights: everything under **control!**

As market initiator, LUTEC is proud to present the 3th generation of the connected camera light range, replacing in full the first 2 generations.

Brilliant Lights & Superb Recordings

All-round range of decorative and functional camera light fixtures, powered for powerful lighting. High-definition video recording during day time and at night.

Fast connection and Stable streaming

Thanks to the combination of Bluetooth MESH and WIFI technologies: Quick and convenient start-up process. Secure and solid Audio and Video streaming to your smart phone or tablet, wherever you are.

Warm Welcome - Safe Home


With the LUTEC connect App, you can control all parameters and adjust all possible settings to assure a personal and comfortable environment for your family and your visitors in and around your home.



+



always **connected**
with your home



outdoor lighting



connected light



architectural



tradition

our 7 activity segments



security



solar



functional



accessory



CONNECTED
LIGHT

make your
outdoor life
smarter

CONNECTED LIGHT

portable



NOMA
8506201331 / P27



NOMA
8506204331 / P27



PEPPER
8500102331 / P29



CARDI
6501702330 / P31



wall



CUBA
5193810118 / P35



DROPSI
5010901118 / P37



DROPA
5000501118 / P39



QUBO
5193004118 / P41



KIRA
5288909118 / P43



GEMINI
5189120118 / P45



spike



MINI LETO
6602903424 / P33



bollard



DROPA
7200501118 / P39



QUBO
7193003118 / P41



KIRA
7288906118 / P43



MAINS
7202201012 / P47



accessory



REMOTE CONTROL
9702315361 / P361



ACCESS BOX
9704401361 / P362



DAWNY
9760002330 / P365






make your outdoor life smarter

LUTEC connect



EASY TO CONNECT



Control & Adjust your lights from your bedroom to your garden




control your light like magic

LUTEC has a great range of connected lights. You immediately set the mood in and around your home with the magic of coloured light. Once you have connected your lights to your mobile phone, you can play with light like it's a piece of cake.



CCT

adjustable whites



Vary the intensity and white temperatures

By varying the white temperature, you can go from a soft and pleasant warm white for relaxing or enjoying an evening with friends, to a cooler white simulating daylight and providing more powerful lighting.

CCT+RGB

whites & colors




Light in color

You can create a festive atmosphere, transform your terrace into a cozy and pleasant space, enhance your garden decoration or simply choose your favorite scene. A color and mood for any time of day or night.

the LUTEC connect app

For a full smart lighting experience



CCT settings

RGB settings

Scenes



Voice Control Compatible



With additional Access Box




the 2 in 1 smart way

For an easy control

2 in 1 function

A standard wall switch will allow the luminaire to go from a warm light (2700k) with an additional click to a more intense daylight (4000k).



the smart remote control


With Double Integrated function

Simplicity is our promise, as nothing beats the convenience of remote control
Full functionality without Internet access
No Router & No Wifi required

Point & Play
in the room
Infra Red individual control



Control every light
Inside or outside the house
Bluetooth Group control




why Bluetooth Mesh ?

Full scalability towards all your indoor and outdoor living spaces

Bluetooth technology, the global standard for wireless connectivity, now supports mesh networking

Easy & stable connection
Long range indoor & outdoor
Connect up to 100 devices



further on the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system.

Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home





Hey Google, turn on the light!



Alexa, change the light in blue!



The complete LUTEC Connect lighting portfolio is Voice Control Compatible



Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.


visit the dedicated website
to support and inspire
our consumers in their experience

www.lutec-connect.world








touch control



app control



charging



* Dimming




Adjustable whites



RGB



Activity lights



noma

portable

NOMA is a modular, spheric light which can be used at any desired place indoor & outdoor. Create diverse coloured light scenes by means of App, Touch or Remote control. The starter kit comes with 2 light modules and a charger station (incl. USB cable). Multiple extension possible with the NOMA+ additional module.




smart lighting technology



White


8506201331

CLASS III
IP44
2xLED 2.3W
1200mAh
2x3.7V Li-ion battery
2x150 Lumen
Synthetics



8506204331

CLASS III
IP44
LED 2.3W
1200mAh
3.7V Li-ion battery
150 Lumen
Synthetics









* **Dimming** ☀





Adjustable whites

2700 K 6500 K

RGB

Activity lights

 Night
  Reading
  Relaxing
  Party

 Fire
  Ocean
  Forest
  Romance

pepper

portable

PEPPER is a modern, design award winning portable table lamp which is suitable both indoors and outdoors. It can be positioned, moved as desired and the brightness can be adjusted. The battery is easy to charge via the USB connector and included charging cable. PEPPER invites you to lift it up and take it wherever you want. Take it on a picnic or create cozy lighting in your living room. PEPPER is made of hard plastic and is durable against wind and water.







1	200lm(2700K)	3H
2	200lm(4500K)	3H
3	15lm(2700K)	48H
4		7H
5		OFF


White






8500102331

CLASS III
 IP54
 LED 4.5W
 2200mAh 3.7V Li-ion battery
 200 Lumen
 Synthetics





*** Dimming**

Adjustable whites

2700 K 6500 K

RGB

Activity lights

Night
 Reading
 Relaxing
 Party

Fire
 Ocean
 Forest
 Romance

cardi

portable light

This portable LUTEC Cardi is a very versatile indoor and outdoor lamp. The lamp creates the perfect atmosphere in any space, but it can also be used more functionally. It is weatherproof and dimmable and features 16 million colours to brighten up any spot.

Activate even more smart light functions with the access box. Control your lights hands free and use your voice instead of a mobile device!



1	200lm(2700K)	3H
2	200lm(4500K)	3H
3	15lm(2700K)	48H
4		7H
5		OFF


smart lighting technology



Matt Black

6501702330

CLASS III
IP54
LED 3.3W
2200mAh 3.7V Li-ion battery
200 Lumen
Synthetics





mini leto

spike & wall

Give your garden extra atmosphere with this MINI LETO outdoor garden lighting. The integrated connected LED module will not only feature warm white or bright white light but any color you want. Two way installation possible.




smart lighting technology



Dark Grey

6602903424

CLASS II
IP65
LED 8W
400 Lumen
Die Cast Aluminium



* Dimming



Adjustable whites



Activity lights



Night Reading Relaxing Party



Fire Ocean Forest Romance



cuba

wall

Rectangular; modern & versatile outdoor wall light with integrated connected LED module suitable for vertical and horizontal mounting. The light head with double diffuser can be rotated over 90°. Also available with motion sensor.






smart lighting technology



Dark Grey

5193810118

CLASS I
IP54
LED 15W
1000 Lumen
Die Cast Aluminium





dropsi

wall

Make your garden an inviting place with this contemporary DROPSI wall lamp. The movable spotlight head consists of a double diffuser that will accentuate your outdoor space and, in combination with the connected LED module, will create a very nice immersive effect.




smart lighting technology



Dark Grey

5010901118

CLASS I
IP44
LED 9.5W
690 Lumen
Die Cast Aluminium



* Dimming



Adjustable whites



Activity lights



Night Reading Relaxing Party



Fire Ocean Forest Romance



dropa

wall & bollard

The DROPA outdoor wall & bollard light in anthracite grey with integrated connected LED module is made of durable aluminium. The design consists of a double diffuser, one transparent and one opal, that will diffuse in a 360° radius for optimal illumination of paths and other outdoor areas.




smart lighting technology



Dark Grey


5000501118

CLASS II
IP44
LED 9.5W
500 Lumen
Die Cast Aluminium



7200501118

CLASS I
IP44
LED 9.5W
500 Lumen
Die Cast Aluminium



* Dimming



Adjustable whites



Activity lights



Night Reading Relaxing Party



Fire Ocean Forest Romance



► “Also available in non connected version” see page 95/97

* **Dimming**

Adjustable whites

2700 K 6500 K

RGB

Activity lights

Night
 Reading
 Relaxing
 Party

Fire
 Ocean
 Forest
 Romance



qubo

wall & bollard

QUBO dark grey wall & bollard light diffuse a stunning homogenous connected light. Ideal for general lighting in your garden or terrace.





smart lighting technology



Dark Grey



5193004118

CLASS I
IP54
LED 16W
1000 Lumen
Die Cast Aluminium



7193003118

CLASS I
IP54
LED 16W
1000Lumen
Die Cast Aluminium





kira

wall & bollard

The KIRA outdoor connected LED wall & bollard light featuring a bended and frameless diffusor. Distributes a homogenous white light to illuminate walls, pathways and other open spaces around your home.



smart lighting technology




Dark Grey

5288909118

7288906118

CLASS I
IP54
LED 19W
1200 Lumen
Die Cast Aluminium





CLASS I
IP54
LED 19W
1200 Lumen
Die Cast Aluminium



* **Dimming**

Adjustable whites

2700 K 6500 K




► "Also available in non connected version" see page 91



gemini

Wall Up & Down

Minimalistic die-cast wall light with a light output of 900 lumen, the light beam will cover the full surface in the two directions. This elegant 'brick' light in dark grey ensures a perfect light beam thanks to the connected LED module.




smart lighting technology



Dark Grey

5189120118

CLASS I
IP54
LED 17W
900 Lumen
Die Cast Aluminium



► "Also available in non connected version" see page 141

* **Dimming**

Adjustable whites

2700 K 6500 K

RGB

Activity lights

Night
 Reading
 Relaxing
 Party

Fire
 Ocean
 Forest
 Romance





mains

bollard

The MAINS bollard socket light, with integrated Cloud access box, facilitates away-from-home control for all the devices in your LUTEC connect network. Convenient full control with the LUTEC connect App including Timer function. Or basic touch control with light on/off button. Comes with two side-earth sockets. Total power supply up to 3500W.




smart lighting technology




Matt Black

7202201012

CLASS I
IP44
LED 11W
750 Lumen
16A - Max. 3500W
Die Cast Aluminium



touch control



Light on/off

app control



timer function



ARCHITECTURAL

light up
your garden
in style

ARCHITECTURAL

wall



CONROY
5197001118 / P57



CUBA
5193811118 / P59



CUBA
5193801118 / P61



CUBA
5193801012 / P61



CUBA
5193808118 / P61




CUBA
5193803118 / P65



CUBA
5193803012 / P65



CUBA
5193814118 / P65



FELE
5196301118 / P69



EKLIPS
5199001118 / P71



CYRA
5198101118 / P73



CYRA
5198102118 / P73



TRUMPET
5626001118 / P75



TRUMPET
5626101125 / P75



EXPLORER
6609202118 / P77



PANO
5289001118 / P79



NEW
MOON
5206001118 / P81



POLO
5205701118 / P83



POLO
5205702118 / P83



MERIDIAN
5616302118 / P85



GHOST
5188003118 / P87



APOLLO
5188801118 / P89



KIRA
5288902118 / P91



KIRA
5288903118 / P91



QUBO
5195401118 / P93



NEW
QUBO
5195404118 / P93



QUBO
5193001118 / P95



NEW
QUBO
5193013118 / P95



QUBO
5193002118 / P95



DOBLO
5197002125 / P99




DOBLO
5105001125 / P101



DOBLO
5105002125 / P101



DOBLO
5105003125 / P103



DOBLO
5107401125 / P103



ADALYN
5193602118 / P105



BATI
5188601125 / P107



BATI
5188602125 / P107



NEW
HEROS
5288201118 / P111



NEW
HEROS
5288202118 / P111



BOX CUBE
5184601118 / P113




FULTON
5207601012 / P115



CITY
5183601118 / P117



URBAN
5196501118 / P119



LOTUS
5193201118 / P121



NEW
GRIDY
5289401469 / P123



GEMINI BEAMS
5104005118 / P125



GEMINI BEAMS
5104003012 / P125



GEMINI BEAMS
5104003032 / P125



GEMINI BEAMS
5104006012 / P127

ARCHITECTURAL



NEW
RIALTO
5287901012 / P129



GEMINI XF
5104001118 / P131



GEMINI XF
5104002012 / P131



GEMINI XF
5104004001 / P131



GEMINI
5189114118 / P135




GEMINI
5189125012 / P135



NEW
GEMINI
6389101118 / P137



NEW
GEMINI
6389102012 / P137



GEMINI
5189102118 / P139



GEMINI
5189113118 / P139



GEMINI
5189102032 / P139




GEMINI
5189103118 / P139



GEMINI
5189135118 / P139




GEMINI
5189101118 / P141



GEMINI
5189112118 / P141



GEMINI
5189112012 / P141



GEMINI
5189104118 / P143



BONN
6330401118 / P145



BONN
6330402001 / P145



MAYA
5198302001 / P147



MAYA
5198401001 / P147



RAN
5011701461 / P149



VIDAR
5011602461 / P151



LEO
5192701335 / P153



LEO
5192701330 / P153



BRUND
5206701012 / P155



NEW
MARBO
5288001118 / P157



NEW
CYPRES
6604001118 / P159



NEW
CYPRES
6604002118 / P159



NEW
CYPRES
6604003118 / P161



RIDGE
5107101118 / P163



FOCUS
5604021001 / P165



FOCUS
5604011118 / P167



FOCUS
5604101118 / P167



NEW
FOCUS
5604014118 / P169



FOCUS
5604023118 / P171



FOCUS
5604023012 / P171



FOCUS
5604023112 / P171



FOCUS
5605013118 / P175



BULLO
6383001012 / P177



HELENA
6402105012 / P191



HELENA
6402101118 / P191



HELENA
5191605012 / P193



HELENA
5191601118 / P193



HELENA
5191602118 / P193

ARCHITECTURAL

wall & ceiling



FOCUS
6304201118 / P173



ROLA
6382201118 / P179



ROLA
6382201012 / P179



TITAN
6336201118 / P181



NEW
KAYAH
6392202457 / P183



SWEEP
6303401118 / P185



NEW
GOLETA
5205801012 / P187



SEINE
6338201118 / P189



HELENA
5102101118 / P193

spike



EXPLORER
6609201118 / P77

bollard



CONROY
7207001118 / P57



CUBA
7193801118 / P63



CUBA
7193803118 / P63



CUBA
7193802118 / P67



CUBA
7193802012 / P67



CUBA
7193805118 / P67



FELE
7196301118 / P69



PANO
7289001118 / P79



POLO
7105701118 / P83



KIRA
7288902118 / P91



QUBO
7193001118 / P97



QUBO
7193004118 / P97



BATI
7188601125 / P109



NEW
HEROS
7288201118 / P111



FULTON
7207601012 / P115



GEMINI XF
7104001118 / P133



GEMINI XF
7104002012 / P133



NEW
CYPRES
6604004118 / P161



FOCUS
7204803118 / P173



MAINS
9702201012 / P197






MAINS
9702202012 / P197



MAINS
9702203012 / P197



FAST CONNECTION



conroy

wall & bollard

What makes the CONROY wall & bollard light very multifunctional is its rotatable light components. You can shine these up or down and play with the light.



The lamp comes with an integrated LED, which shines warm white light of 3000K.



Dark Grey



5107001118


CLASS I
IP44
LED 17.8W
1300 Lumen
Die Cast Aluminium



7207001118

CLASS I
IP44
LED 17.8W
1300 Lumen
Die Cast Aluminium






cuba

wall



Modern & versatile outdoor wall light with integrated LED module. The light head with double diffuser can be rotated over 90° and is equipped with a motion sensor and powerful lightbeam of more than 1000 lumen.




Dark Grey

5193811118

CLASS I
IP54
LED 14W
1000 Lumen
Die Cast Aluminium





cuba

wall

Modern & versatile wall lights suitable for vertical and horizontal mounting. The 2 light heads can be rotated over 350°, resulting in up – down or side light effects. Available with a warm white and daylight white integrated LED module.



reddot design award
winner 2019




Matt Black
Dark Grey



5193801012
5193801118

5193808118

CLASS I
IP54
LED 12.2Wx2
1000 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 12.2Wx2
1000 Lumen
Die Cast Aluminium





reddot design award
winner 2019



cuba

bollard



This modern outdoor bollard is your best friend and companion. With its 75cm the CUBA bollard leads you along the darkest paths. And that's not all, it's available with a warm white and daylight white integrated LED module. Both versions will create an excellent atmosphere.



Dark Grey


7193801118

CLASS I
IP54
LED 12.2Wx2
900 Lumen
Die Cast Aluminium



7193803118

CLASS I
IP54
LED 12.2Wx2
900 Lumen
Die Cast Aluminium





cuba

wall

CUBA, design award winning LED light, now available in a one head version with warm light or daylight integrated LED module. Resulting in a compact solution providing the same superb lighting effects and orientation flexibility.



Matt Black


5193803012

Dark Grey




5193803118

5193814118

CLASS I
IP54
LED 12.2W
500 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 12.2W
500 Lumen
Die Cast Aluminium





cuba

bollard

Our award-winning bollard version of the CUBA features one orientable head. This model is also available with an integrated side earth socket.



Matt Black

7193802012


Dark Grey

7193802118

7193805118


CLASS I
IP54
LED 12.2W
500 Lumen
Die Cast Aluminium

3000K



CLASS I
IP54
LED 12.2W
500 Lumen
16A - Max. 3500W
Die Cast Aluminium

3000K



**Integrated
Dusk to Dawn
Sensor**






Fele

wall & bollard

Wall & bollard light FELE brings outdoor lighting with an architectural value, including rotatable head. FELE wall light fits perfectly at your front door, the head can give an up or down powerful lightbeam. A combination of technical excellence and tasteful design.




Dark Grey

5196301118

CLASS I
IP54
LED 13.5W
1000 Lumen
Die Cast Aluminium



3000K





7196301118

CLASS I
IP54
LED 13.5W
1000 Lumen
Die Cast Aluminium



3000K






eklips


wall


Multi purpose LED Outdoor wall light with two half-moon shape diffusors. You can turn these two lighthoods over an angle of 90°, creating a combination of an Up & Down light, a wall washer or a frontal light effect.



Dark Grey **5199001118**

CLASS I
IP54
LED 13W
1000 Lumen
Aluminium+Synthetics

 3000K





cyra

wall



Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes also in a motion sensor version.



Dark Grey



5198101118

CLASS I
IP54
LED 16.1W
950 Lumen
Die Cast Aluminium



5198102118

CLASS I
IP54
LED 16.5W
1000 Lumen
Die Cast Aluminium






trumpet

wall



Accentuate your outdoor places with this powerful LED wall light with moveable spotlight. Now also available in small version with a light output of 600 lumen.



Dark Grey



5626001118

CLASS I
IP54
LED 10W
900 Lumen
Die Cast Aluminium



5626101125

CLASS I
IP54
LED 6.7W
600 Lumen
Aluminium+Synthetics





explorer


wall & spike


Elegant and compact spotlight orientable horizontally and vertically, featuring a warm white LED light beam. The separate spot-cap can be used to direct the light beam to avoid any glare. Available in wall version and spike version with wire and plug.




Dark Grey


6609202118

CLASS I
IP54
LED 5.9W
380 Lumen
Die Cast Aluminium

 3000K



6609201118

CLASS I
IP54
LED 5.9W
380 Lumen
Die Cast Aluminium

 3000K





pano

wall & bollard


An elegant LED Outdoor wall & Bollard light with an ultra flat, frameless diffuser. Comes with an integrated adjustable colour switch. You can tune the light colour from warm white to cool white in a very convenient way.



Dark Grey





5289001118

CLASS I
IP54
LED 17.5W
1300 Lumen
Die Cast Aluminium



7289001118

CLASS I
IP54
LED 17.5W
1300 Lumen
Die Cast Aluminium






moon

wall

Elegant LED Outdoor wall light with downlight function. Your frontdoor area or garden wall will light up completely thanks to the powerful light beam. The cylindric white synthetic diffuser creates a nice homogenous daylight or warm white light. Convenient control thanks to the manual switch (3000K/4000K).




FAST CONNECTION




Dark Grey

5206001118

CLASS I
IP44
LED 11.1W
1000 Lumen
Die Cast Aluminium


3000K/4000K





polo

wall & bollard



A touch of modern simplicity and an enchanting light for your garden or patio. The POLO wall light & bollard made of aluminum offers a downward-facing, bright beam of warm-white LED light, making it ideal for lighting your outdoor spaces. The wall light model comes also with motion sensor, perfectly integrated in the luminaire base.



Dark Grey



5205701118

CLASS I
IP54
LED 15W
1100 Lumen
Die Cast Aluminium





5205702118

CLASS I
IP54
LED 16.1W
1100 Lumen
Die Cast Aluminium






7105701118

CLASS I
IP54
LED 15W
1100 Lumen
Die Cast Aluminium



FAST CONNECTION





meridian



wall

Elegant combination of anthracite grey aluminium body and opal white polycarbonate diffuser. Small sized wall light gives a strong diffused light and a design statement in your garden.




Dark Grey

5616302118

CLASS I
IP54
LED 16W
1100 Lumen
Die Cast Aluminium


3000K





ghost

wall



Very sleek oval design which discretely gives an indirect light, resulting in a distinctive beam pattern.



Dark Grey

5188003118

CLASS I
IP54
LED 7.5W
360 Lumen
Die Cast Aluminium





apollo

wall

Wall light with an optimal light combination. The narrow light beam shows a visually striking effect and the front diffuser radiates a homogeneous warm white LED light without any shadow. Ideal companion next to your front door.




Dark Grey

5188801118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium



3000K





kira

wall & bollard


The KIRA outdoor LED wall & bollard light featuring a bended and frameless diffuser, distributes a homogenous white light (4000K) to illuminate walls, pathways and other open spaces around your home.



Dark Grey



5288902118

CLASS I
IP54
LED 17.3W
1100 Lumen
Die Cast Aluminium




5288903118

CLASS I
IP54
LED 18W
1100 Lumen
Die Cast Aluminium



7288902118

CLASS I
IP54
LED 17.3W
1100 Lumen
Die Cast Aluminium



► "Also available in LUTEC connect version" see page 43





qubo

wall



Modern small outdoor wall light creating a stunning atmosphere while making an architectural statement ideal for general lighting in your garden or on your terrace.



Dark Grey



5195401118

CLASS I
IP54
LED 9.5W
650 Lumen
Die Cast Aluminium



5195404118

CLASS I
IP54
LED 9.5W
850 Lumen
Die Cast Aluminium






qubo

wall

Wall light creating a stunning atmosphere while making an architectural statement. Ideal for general lighting around your house, in your garden or on your terrace. Also available with fully adjustable PIR motion sensor.





► "Also available in LUTEC^{connect} version" see page 41



Dark Grey



5193001118

CLASS I
IP54
LED 17.3W
1100 Lumen
Die Cast Aluminium





5193013118

CLASS I
IP54
LED 17.3W
1300 Lumen
Die Cast Aluminium



5193002118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium





qubo

bollard

QUBO dark grey bollard diffuse a stunning homogenous light. Ideal for general lighting in your garden or terrace. This model is now also available with integrated PIR motion sensor




Dark Grey




7193001118

7193004118

CLASS I
IP54
LED 17.3W
1100 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 17W
1000 Lumen
Die Cast Aluminium



► "Also available in LUTEC connect version" see page 41



doblo

wall



This LED wall light in anthracite grey sits in a cubic holder made of durable die cast aluminium. The elegant design catches the eye and radiates powerful rays of warm white light that illuminate the wall.



Dark Grey

5197002125

CLASS I
IP54
LED 14.5W
1100 Lumen
Die Cast Aluminium





doblo

wall



This medium square DOBLO is available with 2 different kelvins, a warm white and a daylight white light. Both are anthracite grey wall lights and sit in a cubic holder made of durable die cast aluminium.



Dark Grey



5105001125

CLASS I
IP54
LED 19.1W
1500 Lumen
Die Cast Aluminium



5105002125

CLASS I
IP54
LED 19.1W
1500 Lumen
Die Cast Aluminium





doblo

wall

The DOBLO flat models, beside the square version, now also available in a long version suitable for horizontal or vertical mounting. The elegant design radiates a powerful cool white light of 2200 lumen.





FAST CONNECTION



Dark Grey


5105003125

CLASS I
IP54
LED 19.1W
1500 Lumen
Die Cast Aluminium



5107401125

CLASS I
IP54
LED 34W
2200 Lumen
Die Cast Aluminium





adalyn

wall



This compact wall light will turn your garden into an intimate place and welcomes you at home. Smooth radiation of warm white LED light.



Dark Grey

5193602118

CLASS I
IP44
LED 10.2W
600 Lumen
Die Cast Aluminium






bati

wall


Modern & stylish wall light with integrated LED light and optional PIR sensor. Ideal for your front door or garden walls.



Dark Grey


5188601125

CLASS I
IP44
LED 13W
1100 Lumen
Die Cast Aluminium



5188602125

CLASS I
IP44
LED 15W
1100 Lumen
Die Cast Aluminium





bati

bollard


Modern and stylish bollard with integrated LED light source. Ideal for your driveway or garden path in a multiple installation .



Dark Grey

7188601125

CLASS I
IP44
LED 13W
1100 Lumen
Die Cast Aluminium





heros

wall & bollard

HEROS the evergreen cylindrical LED Outdoor Light. Robust yet subtle, thanks to the double transparent and white ribbed polycarbonate diffuser. The HEROS family consists of a wall light, a wall light with a perfectly integrated PIR sensor and a bollard with a convenient 360° light beam. Suitable for E27 retrofit bulbs, not included.



Dark Grey

528820118




CLASS I
IP44
E27 LED Max.15W
Die Cast Aluminium

528820218



CLASS I
IP44
E27 LED Max.15W
Die Cast Aluminium

728820118

CLASS I
IP44
E27 LED Max.15W
Die Cast Aluminium





FAST CONNECTION





**FAST
CONNECTION**



box cube

wall


Striking form fits in all your contemporary garden spaces. The opal impact proof diffuser offers the perfect homogeneous light without any shadows. Elegant construction with no screws on the surface. The E27 Edison fitting is suitable for all kind of retrofit bulbs.



Dark Grey

5184601118

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium





Fulton

wall & bollard


An evergreen concept catches the eye. FULTON wall & bollard series with retrofit solution feel right at home in your garden. The robust design with multiple bars attracts the attention in any outdoor space.



Matt Black


5207601012

CLASS I
IP54
E27 Max.40W
Die Cast Aluminium





7207601012

CLASS I
IP54
E27 Max.40W
Die Cast Aluminium



FAST CONNECTION





city

wall


Large size and robust wall light, fit to lighten large areas both in public or private places. The impact proof polycarbonate diffuser in combination with the sturdy die cast aluminum frame will make this fixture destruction proof.



Dark Grey

5183601118

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium





urban

wall


GU10 retrofit LED Outdoor dark grey wall light, suitable for the newest smart bulbs. The invisible lightbulb creates a subtle light effect on your external walls.



Dark Grey

5196501118

CLASS II
IP54
GU10 LED Max.7W
Die Cast Aluminium






lotus

wall


Captivating design with a beautiful up & down light effect. This elegant wall light is the perfect addition to your entry door.




Dark Grey

5193201118

CLASS I
IP54
LED 11W
500 Lumen
Die Cast Aluminium


3000K





gridy

wall


Compact LED Outdoor wall light with grill design. Can be used in horizontal and vertical position. Ideal to create lovely patterns on garden walls in double or triple installation. Comes in the actual colour: mat white





White

5289401469

CLASS I
IP54
LED 14.5W
700 Lumen
Die Cast Aluminium

 3000K





gemini beams



wall

The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diaphragms can be adjusted to 4 different patterns. These will create beautiful light patterns on your exterior walls. Now also available in white.






- Matt Black** **5104003012**
- White** **5104003032** **Dark Grey** **5104005118**

CLASS I
IP54
LED 10W
400 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 10W
400 Lumen
Die Cast Aluminium





gemini beams


wall




The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diaphragms can be adjusted to 4 different patterns. These will create beautiful light patterns on your exterior walls. New in the range is the matt black rounded version.



Matt Black **5104006012**

CLASS I
IP54
LED 10W
400 Lumen
Die Cast Aluminium

 3000K





rialto




wall

RIALTO, LED Outdoor Up & Down light can be seen as the elegant combination of two extra flat square forms. The light up is adjustable to 3 different patterns, thanks to the mechanical built-in ring with diaphragms.






Matt Black 5287901012

CLASS I
IP44
LED 14.8W
850 Lumen
Die Cast Aluminium



FAST CONNECTION





gemini xf


wall

New member of the GEMINI family is the GEMINI XF, this extra Flat downlight version is very convenient for single or multiple installation. A powerful, white LED light of 800 lumens is emitted by this compact and flat wall light. Available in 3 different versions.





Dark Grey **510400118** Matt Black **510400212** S/S **510400401**


CLASS I
IP54
LED 9.5W
750 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 9.5W
750 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 9.5W
750 Lumen
Stainless Steel





gemini xf



bollard

The bollard GEMINI XF is perfect to install along you garden paths as there is no sky pollution thanks to the one direction powerful light beam. XF stands for "EXTRA FLAT"





Dark Grey **7104001118** Matt Black **7104002012**

CLASS I
IP54
LED 9.5W
750 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 9.5W
750 Lumen
Die Cast Aluminium





gemini

wall

A small square version is new in our offer. Inside this mini cube a strong LED light engine (850 lumen) radiates a perfectly symmetrical up & down beam.





Dark Grey

5189114118



Matt Black

5189125012

CLASS I
IP54
LED 9W
850 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 9W
850 Lumen
Die Cast Aluminium





gemini

ceiling

The GEMINI ceiling has a minimalistic design, the elegant brick light radiates a perfect light beam. This small ceiling version is available in 2 different colors and with 2 different kelvins, a warm white and a daylight white light.




Dark Grey

6389101118

Matt Black



6389102012

FAST CONNECTION



CLASS I
IP65
LED 7W
750 Lumen
Die Cast Aluminium
E
4000K

CLASS I
IP65
LED 7W
750 Lumen
Die Cast Aluminium
E
3000K






gemini

wall

Minimalistic design but great light output. This elegant "brick" light in die-cast aluminum radiates a perfect bi-directional beam. Next to the actual finishes: dark grey, white and stainless steel, we introduce now a brand new version in an imitation wood look.





- Wood Look
- Dark Grey
- White
- S/S



- 5189135118**
- 5189102118**
- 5189102032**
- 5189103118**

5189113118

CLASS I
IP54
LED 10.5W
700 Lumen
Die Cast Aluminium




CLASS I
IP54
LED 10.5W
700 Lumen
Die Cast Aluminium





► "Also available in LUTEC connect version" see page 45



gemini

wall

The medium version is very convenient for an installation on larger external wall or entrances. Thanks to the light output of 1230 lumen the light beam will cover the full surface in two directions. Available in warm white (3000K) and in daylight (4000K) execution.




Matt Black

Dark Grey

5189101118



CLASS I
IP54
LED 21W
1230 Lumen
Die Cast Aluminium




5189112012

5189112118

CLASS I
IP54
LED 21W
1230 Lumen
Die Cast Aluminium






gemini

wall



The large version in this family is very convenient for an installation at a certain height for larger external walls or entrances. Thanks to a light output of more than 3000 lumen, the light beam will cover the full surface in two directions.



Dark Grey

5189104118

CLASS I
IP54
LED 46W
3300 Lumen
Die Cast Aluminium







bonn

wall

This elegant anthracite or stainless steel wall light fits in perfectly with your contemporary outdoor surrounding. It creates a perfect bi-directional light effect on your walls. The small vertical window in the front adds to the character. The traditional E27 fitting is suitable for energy saving bulbs but also for the latest LED retro-fit bulbs.



Dark Grey



6330401118

S/S

6330402001

CLASS I
IP54
E27 Max.60W
Die Cast Aluminium

CLASS II
IP44
E27 Max.40W
Stainless Steel





maya

wall



This small Up & Down wall light in Aluminium with stainless steel cover has a timeless design and is slim and efficient. Rectangular version comes with motion sensor.



S/S




5198302001

CLASS I
IP44
LED 14.5W
1000 Lumen
Stainless Steel



5198401001

CLASS I
IP44
LED 18.5W
1200 Lumen
Stainless Steel








ran

wall

RAN is an Extreme Climate Proof wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit 2xGU10 solution, bulbs are not included.



FAST CONNECTION



TREATMENT AGAINST CORROSION


YEAR **15** WARRANTY

www.lutec.com/warranty

Galvanised

5011701461

CLASS II
IP54
GU10 Max.2*35W
Metal








vidar

wall

VIDAR is an Extreme Climate Proof square wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit E27 solution, bulb is not included.




FAST CONNECTION



Galvanised

5011602461

CLASS II
IP54
E27 Max.40W
Metal





leo

wall


Magical wall light. Features a strong light beam up & down and a vertical light-strip in the front. The effect will be amplified in a multiple arrangement.




Matt Black 5192701330

Dark Grey 5192701335

CLASS I
IP54
LED 14.5W
750 Lumen
Die Cast Aluminium



3000K







brund

wall

BRUND is a modern Up & Down wall light. The double asymmetric conic form stands for a tasteful addition to your garden or home. It comes with a double GU10 fitting, bulbs are not included.



FAST CONNECTION



Matt Black

5206701012

CLASS I
IP44
GU10 LED Max.2*15W
Die Cast Aluminium





marbo

wall



Up & Down LED light revisited, MARBO shows an updated and fresh design, combining round and square geometric elements. Suitable for GU10 retrofit spot lights. The ideal solution to create distinctive light patterns around your house.





Dark Grey

5288001118

CLASS I
IP44
GU10 LED Max.2*15W
Die Cast Aluminium



FAST CONNECTION





cypres

wall

CYPRES designs showing updated possibilities for Up & Down LED lighting. Thanks to the adjustable heads, you can create distinctive and perfectly positioned light patterns on the outdoor walls of your house. Suitable for GU10 retrofit spot lights, not included.



Dark Grey

6604001118





CLASS I
IP44
GU10 LED Max.7W
Die Cast Aluminium

6604002118

CLASS I
IP44
GU10 LED Max.2*7W
Die Cast Aluminium



FAST CONNECTION






cypres

wall & bollard

CYPRES designs showing updated possibilities for Down LED lighting. Thanks to the adjustable double heads, the wall and bollard model will create distinctive and perfectly positioned light patterns on the outdoor walls and pathways around your house. Suitable for GU10 retrofit spot lights, not included.



Dark Grey




6604003118


CLASS I
IP44
GU10 LED Max.2*7W
Die Cast Aluminium

6604004118

CLASS I
IP44
GU10 LED Max.2*7W
Die Cast Aluminium

FAST CONNECTION





ridge

wall


The RIDGE is a dark grey wall lamp with Up & Down light made of aluminum. The lamp is finished with opal diffusers which give a nice spread of light. The modern design is a tasteful addition to your garden or home. This lamp has two GU10 fittings.




Dark Grey

5107101118

CLASS I
IP54
GU10 Max.2*25W
Die Cast Aluminium



FAST CONNECTION





Focus

wall


Round shapes in premium stainless steel showing a soft & shiny appearance. The correct position of the GU10 bulb will guarantee the perfect light pattern for this wall washer.



S/S

5604021001

CLASS I
IP44
GU10 Max.2*35W
Stainless Steel





Focus

wall


Heavy duty die-cast aluminum versions available in anthracite color in combination with clear glass diffusers, giving a robust construction and a perfect light radiation both functional as decorative.



Dark Grey


5604011118


CLASS I
IP44
GU10 Max.2*35W
Die Cast Aluminium



5604101118

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium





Focus

wall


Evergreen FOCUS design, Up & Down Outdoor LED wall light, now also available with movement detection. The black and compact PIR sensor is perfectly integrated in the housing. Time and Twilight setting manually adjustable.





Dark Grey

5604014118

CLASS I
IP44
GU10 LED Max.2*7W
Die Cast Aluminium



FAST CONNECTION





Focus

wall

FOCUS, Up & Down wall light, comes now in a Dusk to Dawn execution. The D2D sensor is perfectly integrated in the evergreen and original LUTEC design.




Matt Black 5604023012



Silver Grey 5604023112

Dark Grey 5604023118

CLASS I
IP44
GU10 Max.2*35W
Die Cast Aluminium



**Integrated
Dusk to Dawn
Sensor**





Focus

ceiling & bollard


Cylindrical versions with the very typical single or double horizontal light glow. This range is equipped with a traditional GU10 fitting and are suitable for retrofit LED bulbs.



Dark Grey


630420118

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium



7204803118

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium






Focus

wall


Square execution in die-cast aluminum, with an integrated LED engine comes in a downlight version and in an up & down light version.




Dark Grey

5605013118

CLASS I
IP44
LED 8.3W
500 Lumen
Die Cast Aluminium



4000K





bullo

wall

LED Outdoor aluminium wall & ceiling light, in a modern interpretation of the classic bullseye design. Radiates a homogenous and strong warm white light.




Dark Grey

6383001118

CLASS I
IP54
LED 14.5W
1100 Lumen
Die Cast Aluminium



3000K





rola


wall & ceiling


The round ROLA outdoor wall lamp in dark grey and mat black colour with integrated LED and warm white light has a decorative frame in aluminum. An elegant wall & ceiling decoration that illuminates your outdoor spaces.



Matt Black 6382201012

Dark Grey 6382201118

CLASS I
IP54
LED 13W
800 Lumen
Die Cast Aluminium

3000K





titan

wall & ceiling



Medium sized wall & ceiling light with a decorative aluminium cover creating the desired effect for the location. With traditional Edison fitting, it is suitable for energy saving bulbs, up to 60W. Easy installation with a standard loop in loop out wiring option.



Dark Grey

6336201118

CLASS I
IP54
E27 Max.60W
Die Cast Aluminium





kayah

wall & ceiling

Medium sized wall & ceiling LED light with an robust aluminium ring. The opal impact proof polycarbonate diffuser creates an homogenous yet super powerful warm white light. Perfect for corridors with a higher ceiling.




Dark Grey

6392202457


CLASS I
IP54
LED 16.5W
1250 Lumen
Die Cast Aluminium



3000K



**FAST
CONNECTION**





sweep

wall & ceiling


The SWEEP LED outdoor ceiling light with its powerful LEDs provides absolutely reliable, energy-efficient and glare-free lighting for outdoor applications. With its modern and simple design, it hardly stands out, but provides safe lighting in the evening and at night. Armed with an integrated manual switch to select the desired colour temperature. Warm White or Cool White.




Dark Grey

6303401118

CLASS I
IP54
LED 23.5W
1600 Lumen
Die Cast Aluminium

 3000K/4000K





3000K



4000K



FAST CONNECTION





goleta



wall & ceiling

GOLETA LED Outdoor Ceiling light combines a flat and contemporary design with a number of convenient options. Integrated manual switch to select Warm White or Cool White light. Powerful and homogenous light glow in the front and subtle light glow on the back. Separately controllable with the standard room switch.






Dark Grey **5205801012**

CLASS I
IP44
LED 24.3W
1700 Lumen
Die Cast Aluminium



FAST CONNECTION





seine

wall & ceiling



Robust heavy duty die-cast aluminium fixture. This large model with two traditional E27 fittings, is suitable for different kind of retrofit bulbs offering a very powerful light output. The soft glowing light effect to the back creates a "floating" impression. Ideal for creating a safe atmosphere around your home at night.



Dark Grey

6338201118

CLASS I
IP54
E27 2*20W CFL
Die Cast Aluminium





helena

wall

Small orientation wall light with opal diffuser is very convenient for a built-on installation. Thickness of the luminaire is only 31mm. No more hassle to make a hole in your garden wall. Available in 2 different combinations: matt black /3000K and dark grey/4000K.



Matt Black

6402105012

Dark Grey

6402101118

CLASS I
IP54
LED 4.5W
200 Lumen
Die Cast Aluminium





3000K

CLASS I
IP54
LED 4.5W
200 Lumen
Die Cast Aluminium



4000K





helena

wall & ceiling

The outdoor Helena LED wall and ceiling light sits in a large and elegant die cast aluminum frame. This extra slim design will illuminate your outdoor space and give a strong & homogeneous light output. Can be combined with HELENA rectangular & square wall lights.




Dark Grey

5102101118

CLASS I
IP54
LED 21.5W
1500 Lumen
Die Cast Aluminium



4000K





helena

wall

Orientation wall light with opal diffuser or directed down light. Very convenient built-on installation. Thickness of the luminaire is not more than 30mm. No more hassle to make a hole in your garden walls.



Matt Black



5191605012

Dark Grey



5191601118

5191602118


CLASS I
IP54
LED 11W
450 Lumen
Die Cast Aluminium



CLASS I
IP54
LED 11W
450 Lumen
Die Cast Aluminium




CLASS I
IP54
LED 11W
450 Lumen
Die Cast Aluminium





mains


These dark grey outdoor power supply sockets in die cast aluminium are very easy to install and provide your entire garden with energy, so you can enjoy your outdoor space. Comes with side earth or pin earth version. Total power supply up to 3500W. Small bollard with one socket with side earth



Matt Black

9702201012


CLASS I
IP54
16A - Max.3500W
Die Cast Aluminium



Type F socket

9702202012


CLASS I
IP54
16A - Max.3500W
Die Cast Aluminium



Type E socket

9702203012

CLASS I
IP54
16A - Max.3500W
Die Cast Aluminium



Type F socket

TRADITION

there's a
new tradition

TRADITION

wall



SHIVA
5206501012 / P203



ZAGO
5294502012 / P205



FIA
5290903012 / P207



WEST
5207901012 / P209



PINE
5296602012 / P211



FLAIR
5288801012 / P213



FLAIR
5288802012 / P213



FLAIR
5288814012 / P215



FLAIR
5288803012 / P215



FLAIR
5288804012 / P215



KELSEY
5273701012 / P219



KELSEY
5273702012 / P219



KELSEY
5273601012 / P219



KELSEY
5273603012 / P219



CATE
5264201213 / P225

bollard



FIA
7290901012 / P207



PINE
7196601012 / P211



KELSEY
7273604012 / P221



FLAIR
7288801012 / P217



KELSEY
7273605012 / P223



CATE
7264210213 / P225



FIA
7290903012 / P207



PINE
7196603012 / P211



KELSEY
7273606012 / P223



CATE
7264230213 / P225

portable



FLAIR
6588801012 / P217

pendant



KELSEY
6273601012 / P221



shiva

wall

Elegant, stylish and yet contemporary. SHIVA is a wall light for outdoor spaces. Its rustic form with reference to the classical lantern goes hand in hand with a modern finish and a characteristic artisanal touch. Clear transparent glass.



suitable for smartbulb



Matt Black

5206501012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





zago

wall

Inspired by the old-fashioned carriage lamp model, this ZAGO outdoor lamp will create a warm and atmospheric atmosphere in your garden. Thanks to the black coating of the frame, it can handle any weather. Clear transparent glass.

suitable for smartbulb



Matt Black



5294502012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



9705516000
9705517000

**FAST
CONNECTION**





Fia

wall & bollard

This classic lamp with a rustic shape and clear glass gives a refined touch to your outdoor spaces. Ideal in combination with newest "filament" retrofit E27 LED bulbs. The new small bollard and big 3-light lantern post makes the FIA family complete.


suitable for smartbulb



Matt Black


5290903012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium




7290901012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7290903012

CLASS I
IP44
3*E27 Max.40W
Die Cast Aluminium





west

wall

WEST is a wall down lantern, perfectly matching with your front door or garden shed. Elegant combination of the matt black open frame and the clear cylindrical glass. You can apply the newest E27 filament LED bulbs, now available in all forms & shades. (bulb not included)

suitable for smartbulb





Matt Black

5207901012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



FAST CONNECTION





pine

wall & bollard

The stylish outdoor light PINE, combines a rustic touch with contemporary shapes. This family for outdoor is pure elegance thanks to a mix of high-end aluminium with sleek lines and the shapes of the clear glass that protects the light bulb. This medium size lantern sits perfectly at your front door, alongside your terrace or can accentuate a façade.

suitable for smartbulb



Matt Black

5296602012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7196601012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium







7196603012

CLASS I
IP44
3*E27 Max.40W
Die Cast Aluminium



FAST CONNECTION





Flair

wall

The FLAIR lantern family in cottage style gives you the possibility to create a diverse lighting design in your garden & around your house in the same style. In combination with LED filament retrofit bulbs you will create a perfect cosy & safe atmosphere.


suitable for smartbulb



Matt Black



5288801012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



5288802012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium






Flair

small wall & double wall

These two wall lanterns will create extra possibilities to work out the desired luminaires design around your home and beside your entry doors. Comes also with E27 fitting suitable for the newest filament LED bulbs.

suitable for smartbulb



Wood Look
Matt Black

5288814012
5288803012

5288804012



CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



spare glass
9788801000



spare glass
9788802000





Flair

portable & bollard

The portable version, with an 1.5 meter outdoor wire and plug, will create a cosy atmosphere on your garden tables & terraces. The bollard makes the FLAIR family complete. Also these two executions are suitable for E27 filament LED retrofit bulbs.


suitable for smartbulb



Matt Black


6588801012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7288801012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





kelsey

wall

Give your outdoor spaces an intimate look and feel with this complete outdoor light family. While using the newest "filament" retrofit LED bulbs with your KELSEY wall lights, you will create a charming atmosphere on your outside walls. Available with 2 different types of glass, water glass and clear glass diffuser.

suitable for smartbulb




Matt Black
Water Glass
Matt Black
Clear Glass

5273701012

5273702012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

9705501000
9705502000
9705506000
9705508000
spare glass




5273601012

5273603012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium

9705503000
9705508000
spare glass






kelsey

bollard & Pendant

KELSEY pedestal and the new introduced pendant can be applied to complete your light plans and create a charming and warm atmosphere on your terrace or patio.

suitable for smartbulb



Matt Black
Clear Glass



7273604012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



6273601012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





kelsey

bollard

While using the newest "filament" retrofit LED bulbs with your KELSEY bollards, you will create a charming atmosphere along your garden paths. Available with 2 different types of glass, water glass and clear glass diffuser.


suitable for smartbulb



Matt Black
Clear Glass


7273605012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7273606012

CLASS I
IP44
3*E27 Max.40W
Die Cast Aluminium





cate

wall & bollard

This complete family with an authentic feel will turn your garden into a cozy & warm atmosphere, while using the newest "filament" LED bulbs.


suitable for smartbulb



Matt Black


5264201213

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium




7264210213

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium



7264230213

CLASS I
IP44
3*E27 Max.60W
Die Cast Aluminium



A close-up photograph showing a black, textured surface on the left and a white plastic component with several circular holes on the right. The lighting is bright, creating a strong contrast between the dark and light areas.

SOLAR

enjoy the solar
side of light

SOLAR

smart solar



TUDA
6935501330 / P235



TUDA
6935502330 / P237



FRAN
6941502330 / P241



FADI
6939501330 / P243



GINBO
6938405330 / P239



KARLO
6935802012 / P245



DIAS
6996601012 / P247



portable



POPS
6910901012 / P251



POPPY
6910802335 / P253



DIVA
6938602330 / P255



KOZY
6933701330 / P257



TABLE CUBE
6908001337 / P259



TABLE CUBE
6908001331 / P259



DRAGONFLY
6904101337 / P261



DRAGONFLY
6904101331 / P261

wall integrated panel



MOZE
6943101012 / P263



TRY
6939101330 / P265



ARROW
6910601335 / P267



BRICK
6908501308 / P269



BUBBLE
6908701001 / P271



DISO
6906702335 / P273



MOON
6906001118 / P275



DOBLO
6940101125 / P277



DOBLO
6943701125 / P279



DOBLO
6943801125 / P281



CURTIS
6934601118 / P283



FIA
6990901012 / P285



FLAIR
6988804012 / P287



GHOST SOLAR
6901401337 / P289



TILLY
6901201000 / P291

bollard integrated panel



DISO
6906703335 / P273



FLAIR
6988802012 / P287



LONDON
6951301189 / P293

flood independent panel



SUNSHINE
6925701345 / P295



SUNSHINE
6925604345 / P295



SUNSHINE
6925601345 / P297

LUTEC SOLAR



finally solar lighting
becoming smart!



solar



connected

- ☑ Energy Saving
- ☑ Easy installation no wires needed
- ☑ Higher lumen output
- ☑ Long life solar battery

- ☑ Easy to install, connect and control
- ☑ Fast & Stable bluetooth connection
- ☑ Lights are connected to each other via Bluetooth Mesh
- ☑ Range up to 50m
- ☑ Adjustable light settings
- ☑ Control by smart phone or motion sensor



Control and adjust your SOLAR lights

Switch your lights on or off, dim your lights, change the temperature or the color according to your mood.



High tech Low energy

Easy to control solar lights for better efficiency and comfort.



Create Groups for more convenience

Control all your lights at once! Easy and fast set up, you can add or delete any light from the group.



Manage the battery life


Check the battery level at any time. At low battery levels, switch easily from ON to PIR or OFF mode.



Control and adjust your SOLAR lights

With the LUTEC connect App you can switch your lights On/Off, dim or change the color temperature easily.

The led color feature available in either the bollard or spike, allows you to create your own personalised garden atmosphere, designing your outdoor space in style with colors or dedicated scenes.




Create Groups for more convenience

From first detection at your driveway or path create a group which allows all lights to illuminate

Create a group with the Solar connect light through the APP.

Thanks to Bluetooth MESH the lights can be easily linked and work simultaneously.



High tech Low energy



Within the application you can select OFF-AUTO-ON mode. Selecting AUTO mode activates the movement sensor, which enables the light to come on only when someone is passing and increases battery life from a single charge.

From the sensor menu you can :




- Activate the detection from near to the sensor to further away
- Set Twilight mode from dusk to dawn
- Choose light reaction time from 10 seconds to 3 minutes
- Constant light : Additional option to set your light output at 20% and also duration from 2 to 8 hours.

Manage the battery life



This feature enables you to quickly check the battery level.

You can decide to increase or decrease the brightness or switch to AUTO mode or even Off, allowing full user control.



Visit our dedicated website which supports and inspires our consumers with their experience

www.lutec-connect.world

Powered by **tuya** Intelligence Inside

Download on the **App Store**

GET IT ON **Google Play**





tuda

integrated panel


TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person.





Matt Black


6935501330

CLASS III
IP44
LED 8.5W
2*2200mAh 3.7V Li-ion battery
1000 Lumen
Synthetics

 Battery
Item nr:9759804000




* **Dimming*** 



* **Instant full light**
* Dimmable via the app and voice control





* **Dimming*** 




* **Instant full light**
* Dimmable via the app and voice control




Matt Black

6935502330

CLASS III
IP44
LED 13W
2*2200mAh 3.7V Li-ion battery
1500 Lumen
Synthetics

 Battery
Item nr:9759804000




tuda

integrated panel

TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person. Available with three adjustable heads.






*** Instant full light**
* Dimmable via the app or voice control

ginbo

wall & spike

The GINBO Solar lamp is good for the environment. This lamp works on solar energy! In addition, it has a modern look and fit every garden or balcony. Furthermore, it also gives exactly the light you want. Thanks to the free app you can adjust color and intensity and even save scenes.





Matt Black

6938405330

CLASS III
IP44
LED 7W
2200mAh 3.7V Li-ion battery
500 Lumen
Synthetics

Battery
Item nr:9759804000





Fran

integrated panel


FRAN is a cordless, solar wall light in a modern and minimalist design. It is charged by sunlight during the day, and turns on automatically when detecting motion. The light is perfect for illuminating your main entrance, driveway or other areas with a lot of traffic. Easy installation with no cables needed. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app.




Matt Black


6941502330

CLASS III
IP44
LED 9.7W
2200mAh 3.7V Li-ion battery
800 Lumen
Synthetics

 Battery
Item nr:9759804000



* **Dimming*** 

Adjustable whites
2700 K  6500 K

* **Instant full light**
* Dimmable via the app and voice control





Fadi

integrated panel


Solar connected wall light FADI has a sleek and modern look. The wall lamp has a convenient sensor which will automatically turn on when it gets dark. Can be used as fence lighting or facade lighting. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app. During the day the lamp will charge itself by means of the solar panel, so that in the evening and at night you can enjoy the cozy warm white light in your garden.






Matt Black

6939501330


CLASS III
IP54
LED 5W
2200mAh 3.7V Li-ion battery
800 Lumen
Synthetics

 Battery
Item nr:9759804000



 **Dimming***
* Dimmable via the app and voice control





karlo

bollard & spike

The modern garden pathway light KARLO is a beautiful solar lamp that can be used wirelessly anywhere outdoors. The garden path light gets its energy from the solar panel at the head of the fixture. The integrated LEDs shine and reliably illuminate the path. Thanks to the integrated motion detector, light is always available when a person approaches the luminaire. In this way, dark paths from the garage to the house can be illuminated effectively and safely.




Matt Black

6935802012

CLASS III
IP44
LED 6.8W
2200mAh 3.7V Li-ion battery
500 Lumen
Synthetics


Battery
Item nr:9759804000

Ø130



* Instant full light
* Dimmable via the app or voice control





* Instant full light
 * Dimmable via the app or voice control



dias

bollard & spike

DIAS bollard LED Solar light with spike is a nice extension in the LUTEC connect Solar range. The perfect model to create and program the desired atmosphere for every occasion in your garden or on your terrace. Enhanced by LUTEC connect dynamic CCT & RGB colour technology.




Matt Black

6996601012










CLASS III
 IP44
 LED 8.4W
 2200mAh 3.7VDC Li-ion battery
 900 Lumen
 Die Cast Aluminium

Battery
 Item nr:9759804000

122_122





complete lighting solution: green & convenient


 Solar Energy, no electricity consumption	 Full comfort Autonomy all night long	 Portable
 No electrical wiring, no connection to the mains	 Clever & multiple control options	 Integrated solar panel
 Powerful LED Light	 Easy and fast installation	 Separate Solar panel




nice to know





Longer light or more powerful light




 High efficiency monocrystalline or polycrystalline solarpanel

 Integrated dusk to dawn sensor, automatic switch to light-on during night


 LED module with strong light output: 100 lumen up to 500 lumen


 Weatherproof materials and finishing


 Li-ion rechargeable battery included

how to choose


 **solar panel**
Integrated
 Compact, no extra wiring


 **Separate**
 Higher solar energy capacity


 **orientation of solar panel**
Fixed
 The luminaire should be placed in the most optimal position; south orientation


 **Adjustable**
 The panel can be oriented in the most efficient position; south orientation (tilt angle 35° in summer - 65° in winter)

 **orientation of LED light**
Fixed
 Diffuse light - Up & down light

 **Adjustable**
 Directional spotlight

 **clever control**
PIR motion sensor
 Smart use of the available solar energy
 Always light when somebody is passing

 **High-Medium-Low switch**
 Personalized choice to come to ideal combination of light output and autonomy

 **DIM**
 The Light stays in low brightness all night and turns to high brightness when it detects motion.



pops

portable post

POPS LED Solar portable post. Straightforward design with dividable post and elegant white donut shaped diffusor. The big solar panel guarantees a powerful light during the night. Executed with a High-Medium-Low push switch giving you you the possibility to extend the autonomy. The extra USB connection can be used for extra charging of the batteries.



1	480lm	7h
2	240lm	21.5h
3	48lm	34h
4		oPF




Matt Black

6910901012

CLASS III
IP54
LED 5.1W
1*4400mAh 3.7VDC
Li-ion battery
480 Lumen
Synthetics

3000K

Battery
Item nr:9759805000





poppy

portable post

All in one Solar lighting solution. Trendy & convenient design. Listen to your favourite music on your terrace or in your garden during a lovely summer night.



1	300lm	6h
2	150lm	11h
3	50lm	32h
4		oFF


Dark Grey

6910802335

CLASS III
IP54
LED 8W
1*4400mAh 3.7V
Li-ion battery
300 Lumen
Synthetics

3000K

Battery
Item nr:9759805000





diva

portable

DIVA LED Solar table lights create a gentle and unique light pattern, thanks to the faceted transparent diffusor. Excellent to transfer your garden table in a magical surrounding. All night long!



2-Pack



1	13lm	10h
2		oFF

Matt Black

6938602330

CLASS III
IP44
LED 0.11W
1*900mAh 1.2VDC Ni-MH battery
13 Lumen
Synthetics

4000K





kozy

portable

KOZY LED Solar table light creates a gentle and unique ray of lights . Excellent to convert your garden table or terrace in a cosy family place. All night long!



1	300lm	2.5h
2	150lm	5h
3	30lm	25h
4		oFF

Matt Black

6933701330

CLASS III
 IP44
 LED 2.8W
 1*1500mAh 3.7VDC Li-ion battery
 300 Lumen
 Synthetics

4000K

Battery
 Item nr:9759808000





table cube

portable

Handy & movable outdoor solar table light. The 3 step dimmer will always give you the right atmosphere in combination with a sufficient autonomy. With the touch dimmer you can dim the white light.



1	100lm	4h
2	40lm	10h
3	10lm	40h
4		oFF



- Silver
- White

6908001337
6908001331

CLASS III
 IP44
 LED 1W
 1*1200mAh 3.7V Li-ion battery
 100 Lumen
 Synthetics

3000K

Battery
 Item nr:9759806000





dragonfly

portable

In the "open" position this portable solar lamp will accumulate sufficient solar energy during the daytime or alternatively be charged through a built-in USB connector and included cable. In closed position it will give an inviting light when it is dark. Comes with 3 step dimmer. Available in white and silver colours.



1	120lm	4h
2	50lm	10h
3	10lm	40h
4		oFF




- Silver
- White

6904101337
6904101331

CLASS III
IP54
LED 1.2W
1*2200mAh 3.7V Li-ion battery
120 Lumen
Synthetics



Battery
Item nr:9759804000





moze

integrated panel

A sleek design, the MOZE outdoor solar wall lighting is not only functional, but also a treat for the eye - during the day and in the evening. The built-in motion sensor assures you a welcoming light. The integrated LED makes it ideal for illuminating a path, but also to create the right mood on your terrace.




1	75times	AUTO
2	75times	DIM
3	10H	on
4		oFF


Matt Black

6943101012

CLASS III
IP44
LED 8W
1*1500mAh 3.7V Li-ion battery
1000 Lumen
Synthetics



Battery
Item nr:9759808000






try

integrated panel

This outdoor SOLAR with integrated solar panels combines a simple functional design with a high user-friendliness. This Try wall light works without a power connection: you can easily install it in your garden or as mood lighting next to your front door. Thanks to the built-in motion sensor, it lights up automatically. An extra feature of this new design is the dim switch.




1	100times	AUTO
2	100times	DIM
3	10H	on
4		oFF




Matt Black

6939101330

CLASS III
IP54
LED 8W
1*1500mAh 3.7V Li-ion battery
500 Lumen
Synthetics



Battery
Item nr:9759808000





arrow

integrated panel

Very compact Solar wall light. The small size and light weight assures an easy mounting on the smallest surfaces. Sensor-switched and executed with an inclined solar panel for a better sunlight capture.




1	160times	on
2		oFF


Dark Grey

6910601335

CLASS III
IP44
LED 2.3W
1*1200mAh 3.7V Li-ion battery
180 Lumen
Synthetics



Battery
Item nr:9759806000





brick

integrated panel

Minimalistic design, easy installation on all different surfaces. Elegant built-in motion sensor with wide angle and large reach will capture every movement. Time & Light sensitivity regulation possible with levers at the inside.




1	120times	AUTO
2	2h	on
3		oFF





S/S

6908501308

CLASS III
IP44
LED 2W
1*2200mAh 3.7V Li-ion battery
150 Lumen
Synthetics



Battery
Item nr:9759804000





bubble

integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.





1	190times	AUTO
2	3h	on
3		oFF


S/S

6908701001

CLASS III
IP44
LED 2.3W
1*2200mAh 3.7V Li-ion battery
200 Lumen
Synthetics



 Battery
Item nr:9759804000





diso

integrated panel

Solar panel is perfectly integrated in the ingenious design. Ready to capture the full sunlight. Moveable head will orientate the light beam to the desired spot. The wall version comes with a PIR motion sensor which assures you a power full light any time someone is passing. Bollard version mountable with screws or with included ground spike.



1	130times	AUTO
2	2h	on
3		oPF


1	200lm	2h
2	100lm	5h
3		oPF




Dark Grey

6906702335

CLASS III
IP44
LED 2W
1*2200mAh 3.7V
Li-ion battery
200 Lumen
Synthetics




Battery
Item nr:9759804000




6906703335

CLASS III
IP44
LED 2W
1*2200mAh 3.7V
Li-ion battery
200 Lumen
Synthetics



Battery
Item nr:9759804000





moon

integrated panel

Elegant LED Outdoor Solar wall light with downlight function. Your frontdoor area or garden wall will light up completely thanks to the powerful light beam. The cylindrical white synthetic diffuser creates a nice homogenous cool white light. Integrated switch with AUTO (with motion sensor) - DIMming - ON (permanent light) - OFF function.



1	100times	AUTO
2	100times	DIM
3	15H	on
4		oFF




Dark Grey

6906001118

CLASS III
IP44
LED 9.5W
1*2200mAh 3.7VDC Li-ion battery
1000 Lumen
Synthetics



Battery
Item nr:9759804000





doblo

integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.




1	100times	AUTO
2	100times	DIM
3	10H	on
4		oFF





Dark Grey

6940101125

CLASS III
IP54
LED 7.5W
1*1500mAh 3.7V Li-ion battery
500 Lumen
Die Cast Aluminium

 4000K

 Battery
Item nr:9759808000





doblo

integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The modern design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch. Available in two different sizes.




1	100times	AUTO
2	100times	DIM
3	10H	on
4		oFF






Dark Grey

6943701125

CLASS III
IP44
LED 12W
1*1500mAh 3.7V Li-ion battery
1000 Lumen
Die Cast Aluminium

 4000K

 Battery
Item nr:9759808000





doblo

integrated panel

Despite its modest shape, the LED outdoor wall light DOBLO appears to be extremely practical. A solar panel on the luminaire generates electricity from sunlight, which is stored in a rechargeable battery. You can choose between four settings. The LEDs are installed behind the rectangular diffuser and emit universal white light in all directions.





1	60times	AUTO
2	60times	DIM
3	10H	on
4		oFF



Dark Grey

6943801125

CLASS III
IP54
LED 16.5W
2*1500mAh 3.7V Li-ion battery
1800 Lumen
Die Cast Aluminium

 4000K

 Battery
Item nr:9759808000





curtis

integrated panel

LED Solar wall light, with an opal diffuser and square aluminium frame.

The integrated PIR motion sensor will capture all movement and assures a powerful warm white light when somebody is passing throughout the night.





1	140times	AUTO
2	5.5h	on
3		oPF

Dark Grey

6934601118

CLASS III
IP54
LED 3W
1*1200mAh 3.7V Li-ion battery
300 Lumen
Synthetics
3000K

Battery
Item nr:9759806000





Fia

integrated panel

The FIA solar LED wall light is the perfect companion of the FIA traditional electrified range. Now, you've the option to mount this model on places without an electricity network. Integrated switch with triple function mode: DIM-AUTO-ON. The filament low voltage bulb is included.





1	10H	on
2		oFF



Matt Black

6990901012

CLASS III
 IP44
 E27 LED 2W
 1*1500mAh 3.7VDC Li-ion battery
 200 Lumen
 Die Cast Aluminium

 2700K



Battery
 Item nr:9759808000

Bulb
 Item nr:8711802311
 LED 2W
 200 Lumen





Flair

independent panel

FLAIR bollard LED Solar light is perfectly fit for lighting of gardenpaths or the driveway of a cottage style house. Full installation freedom, no cables needed. Turns on automatically when it gets dark in the evening. The filament low voltage bulb is included.



1	100times	AUTO
2	100times	DIM
3	15H	on
4		oFF

1	200lm	2.5H
2	100lm	5H
3	20lm	25H
4		oFF

Matt Black 6988804012

CLASS III
IP44
E27 LED 2W
1*1500mAh 3.7VDC Li-ion battery
200 Lumen
Die Cast Aluminium

2700K




6988802012

CLASS III
IP44
E27 LED 2W
1*1500mAh 3.7VDC Li-ion battery
200 Lumen
Die Cast Aluminium

2700K

Battery
Item nr:9759808000

Bulb
Item nr:8711802311
LED 2W
200 Lumen





ghost solar

integrated panel

Sleek and elegant design.
This wall washer with integrated solar panel and wide angle PIR motion sensor offers you a strong light when needed.




1	80times	AUTO
2	2h	on
3		oPF





Silver

6901401337

CLASS III
IP44
LED 2.4W
1*2200mAh 3.7V Li-ion battery
260 Lumen
Synthetics



Battery
Item nr:9759804000





tilly

integrated panel

A slim, futuristic design. The sleek adjustable spot heads can be orientated under the solar panel surface, giving multiple directions and powerful light beams. In combination with the subtle and centrally positioned PIR sensor, it will detect any movement throughout the night and will illuminate any foreseen or unforeseen guest.



- 1 120times AUTO
- 2 2h on
- 3 oPF


Silver

6901201000

CLASS III
 IP44
 LED 4W
 1*2200mAh 7.4V Li-ion battery
 420 Lumen
 Die Cast Aluminium



Battery
 Item nr:9759802000






london

integrated panel

Classic 6 side lantern powered with Solar energy. The almost invisible Solar panel at the roof of the lantern has a large capacity, with an autonomy of more than 10 hours during night time. Comes with 3 retrofit filament bulbs, creating a warm & gentle light. The die-cast aluminium post can be mounted on a paved surface thanks to the included metal mounting bracket. For unpaved surfaces, you can use the special spike, available as an accessory.



Estimated Light Run Time for Different Seasons

	Winter	Spring	Summer
300 lumen	(101W/m ²) 03h40	(332W/m ²) 08h00	(603W/m ²) 10h00

Actual run time may vary depending on your specific location



Matt Black


6951301189

CLASS III
IP44
LED 6W E14/incl.
1*2200mAh 7.4V
Li-ion battery
300 Lumen
Die Cast Aluminium
3000K

Battery
Item nr:9759801000


9700359330

Synthetics



9700357000

LED 2W
250 Lumen






Wiring system



sunshine

independent panel

This SUNSHINE wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long. Comes with an PIR motion sensor. The movable spot head gives a very powerful lightbeam.




1	max 100times	AUTO
2	10h	on
3		oFF

1	max 75times	AUTO
2	10h	on
3		oFF



Dark Grey

6925701345

CLASS III
IP54
LED 7W
1*1500mAh 3.7V Li-ion battery
500 Lumen
Synthetics




Battery
Item nr:9759808000




6925604345

CLASS III
IP54
LED 11W
1*1500mAh 3.7V Li-ion battery
800 Lumen
Synthetics




Battery
Item nr:9759808000






Wiring system



sunshine

independent panel

Elegant & powerful flood light offers a complete solution wherever there's no electrical power connection available. Ideal for illuminating your courtyards & driveways. The separate moveable solar panel comes with a 5 meter connection cable and can be positioned on the best spot to capture sunlight. Featuring an adjustable (time & distance) PIR motion sensor.




1 240times 30S




Dark Grey

6925601345

CLASS III
IP44
LED 7.5W
1*2200mAh 3.7V Li-ion battery
500 Lumen
Synthetics



Battery
Item nr:9759804000



SECURITY

security for
your comfort

SECURITY

connected camera



FLAIR
5288811012 / P309



CUBA
5193812118 / P311



POLLUX
5196004118 / P313



ELARA
5267106001 / P315



ELARA
5267106118 / P315



DRACO
7622220012 / P317



LIBRA
7632406053 / P319



wall



MAYA
5198401001 / P325



QUBO
5193002118 / P327



LEDA
5267103001 / P329



CYRA
5198102118 / P331

flood



SUNSHINE
7625601345 / P333



SUNSHINE
7625701345 / P333



ARTICA
7635605331 / P335



ARC
7632201053 / P337



SHRIMP
7622221012 / P339



SHRIMP
7622222012 / P339



SHRIMP
7622104330 / P339

sensor



SPHERE
9701601330 / P341



TORUS
9701501330 / P343

LUTEC

SECURITY

always
connected
with your home

As market initiator LUTEC is proud to present the 3th generation of the connected camera light range, replacing in full the first 2 generations.

This new range has been developed based on learnings and consumer insights and by applying the gains and innovations of the fast evolving connected camera technology.


This has resulted in a versatile range of decorative and functional camera light fixtures, ready to install or to make a swift replacement of your actual outdoor luminaires.



LUTEC SECURITY



LUTEC outdoor camera light everything is under control



- ✔ Powered for lighting
- ✔ High definition camera
- ✔ Adjustable motion Sensor
- ✔ See, talk and dialogue

- ✔ Easy to install, connect and control
- ✔ Create groups with other lights
- ✔ Voice control ready
- ✔ Recieve notifications




Recieve an alert when someone approaches your home




Get live notifications via your smartphone when someone approaches your door

Keep an eye on your house anytime, anywhere



Enable you to take a picture or record a video from wherever you are.


Listen and talk live with your visitors




Talk with your delivery person, you will never miss your expected parcel

Thanks to Bluetooth MESH

- Quick and easy to find the device and start the configuration process immediately
- Actively send feedback of a problem during the network configuration
- Create groups with your camera light and trigger other LUTEC connect lights on



EASY TO CONNECT



Thanks to Wifi



Be notified and exchange with people away from home.


Keep in touch with home, images are accessible 24 hours a day from your smartphone, including

Voice control ready
Works with LUTEC access box sold separately.



Powered for lighting

- Switch your lights on or off
- Dim your lights
- Change the color temperature



Camera high definition

- High-definition video recording at night
- H265-video file size is halved
- Video playback and transmission speed are doubled
- Alert sensitivity: High, Medium, Low

HD CAMERA



Adjustable motion Sensor

- Detection reach from near to far distance
- Twilight settings from dark to dusk
- Light time reaction from 10 seconds till 3 minutes
- Constant light: Set your light output at 20% during all night



Secure storage

- SD card Already installed in the product
- Ready to use
- Storage capacity 16 GB

SECURE STORAGE




See, talk and dialogue

Listen and speak to visitors from wherever you are.

Trigger the siren straight from your app when there is an intruder.

Start continuous recording to get view of the whole event

DIALOGUE



LUTEC connect



Powered by




Visit our dedicated website which supports and inspires our consumers with their experience



www.lutec-connect.world





Flair

wall


Member of the FLAIR traditional lantern series, this smart security camera light will keep an eye on your home. Features an integrated camera, speaker, micro and motion sensor all controllable in one App. Suitable for LED filament bulbs, not included.





Matt Black

5288811012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium





* Instant full light
 * Dimmable via the app and voice control

cuba


wall


Extension of the design award winning CUBA series, this smart security camera light will keep an eye on your home. Features an integrated camera, speaker, micro and motion sensor all controllable in one App. Multiple orientation possibilities of the light-head, camera and motion sensor.





Dark Grey

5193812118

CLASS I
 IP44
 LED 17.3W
 1000 Lumen
 Die Cast Aluminium






* **Instant full light**
 * Dimmable via the app and voice control

pollux

wall


Compact and elegant aluminium wall light. The tubular design makes a good fit at your front or back door. Features an integrated camera, speaker, micro and motion sensor all controllable in one App.




Dark Grey

5196004118

CLASS I
 IP44
 LED 18.8W
 1200 Lumen
 Die Cast Aluminium





* **Dimming*** 



Adjustable whites

2700 K 6500 K

* **Instant full light**

* Dimmable via the app and voice control




elara

wall

Tubular stainless steel wall light with a familiar design for entry-door application. This lamp has a perfect finish and appropriate combination of the used materials. The integrated LED connected module will give you all the freedom to control your light on your smart devices. Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture. Also available in dark grey.



CONTROL & ADJUST



S/S


5267106001


Dark Grey

5267106118

CLASS II
IP44
LED 17.5W
1300 Lumen
Stainless Steel

CLASS II
IP44
LED 17.5W
1300 Lumen
Die Cast Aluminium





draco

wall



Double head projector with integrated connected LED module & multiple orientation possibilities. It gives you full flexibility to cover the desired area. Comes with light, audio, video and detection all controllable in one App.




Matt Black

7622220012

CLASS I
IP44
LED 19W
1200 Lumen
Die Cast Aluminium





libra

wall & ceiling


Double head projector in the LUTEC connected camera range. The two "wings" feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The automatic plug-in connection allows a simple & easy installation. The multiple orientation possibilities will give you full flexibility to cover the desired area.



White

7632406053

CLASS I
IP44
LED 36W
3400 Lumen
Synthetics



* **Dimming***



Adjustable whites


2700 K 6500 K

* **Instant full light**

* Dimmable via the app and voice control



FAST CONNECTION





InMotion

Security Sensor Light

security for your **comfort**

LUTEC presents the InMotion concept offering a complete range of Security Sensor Lights.


The range is featuring, besides the powerful flood lights with one or two heads, a number of very elegant designs which make a perfect match with the architecture of your house. The 2 stand-alone PIR sensors with multiple controls make the range complete.

Passive infrared (PIR) motion sensor

How does it work?

A PIR sensor detects changes in the amount of infrared radiation and converts this changes into a switch-on signal.

When a person makes a movement within the detection reach, the sensor will detect a difference in infrared radiation in between the person's body and the environment.




Comfortable detection area

The detection area is a combination of the reach in distance and angle. An adjustable sensor can be tilted and/or turned and gives you full freedom.

Your personal settings

Time setting

As from the moment the sensor detects a movement the light stay on from 10 seconds upon 8 minutes according your preference.



Twilight setting

The environment brightness can be adjusted according your selection from night (10 lux) to daylight. In this way the light will switch into the "ON" position according the selected outside light level and not during the day.



Distance setting

You can limit the detection distance in accordance with the desired detection area. In this way you can avoid a movement detection outside your private grounds.



For your convenience

Dusk to dawn

Automatic light on switching as soon it's dark outside



Ambient Light

Light stays on all night long in a gentle ambient light, after movement detection the light switches on a powerful light beam.

Double sensor

Assures you a full detection not only frontal but also underneath the luminaire close to the wall.

Test mode

You can define the perfect detection area during installation in daylight situation




How to choose?

Check in a few steps which InMotion Security Sensor Light suits the best for your home situation.



BASED ON SENSOR DETECTION REACH



BASED ON LUMINAIRE CHARACTERISTICS





maya

wall




This compact Up & Down wall light with wide beam in aluminium with stainless steel cover has a timeless design. Discrete position of the black adjustable PIR motion sensor, makes it almost invisible.



S/S

5198401001

CLASS I
IP44
LED 18.5W
1200 Lumen
Stainless Steel





qubo

wall


With this wall light it is always pleasant to come home. Thanks to the performant integrated motion sensor, the visitors to your home will be detected from a distance and light will automatically switch on.




Dark Grey

5193002118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminum

 3000K





leda

wall

Tubular stainless steel wall light in the InMotion range contains a horizontal and vertically adjustable motion sensor. Thanks to the integrated sensor the light will automatically illuminate as soon as you get closer.




S/S

5267103001

CLASS II
IP44
LED 15.5W
1400 Lumen
Stainless Steel



3000K





cyra




wall

Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes with a black, almost invisible motion sensor.



Dark Grey **5198102118**

CLASS I
IP54
LED 16.5W
1000 Lumen
Die Cast Aluminum





sunshine

wall




Elegant & powerful flood light, ideal for illuminating larger areas as your courtyards & driveways. The rectangular head can be directed over 2 axes. Comes with a high quality and fully adjustable PIR motion sensor with a detection reach up to 18 meter. Now also available in compact version - 800 lumen.



Dark Grey




7625601345

CLASS II
IP54
LED 15.4W
1100 Lumen
Synthetics



7625701345

CLASS II
IP44
LED 12.5W
800 Lumen
Synthetics





* **Dimming*** 



Adjustable whites

2700 K 6500 K

* **Instant full light**

* Dimmable via the app and voice control



artica

wall


Modern sensor 2 heads floodlight with high-quality design, ideal for illuminating large areas around buildings thanks to its high light output. An IR sensor with 180° registration angle and a range of up to 18m are fully integrated. Pleasant and powerful light thanks to the high-quality LED panel. The integrated LED connected module will give you all the freedom to control your light on your smart devices.




White


7635605331

CLASS II
IP44
LED 14.5W
1200 Lumen
Synthetics





Quick install



arc

wall & ceiling

Elegant double head projector with fully adjustable motion sensor. The two "wings", feature a diffuser surface without edges, resulting in a perfectly homogeneous light beam. The multiple orientation possibility gives you full flexibility to cover the desired area.





White

7632201053

CLASS I
IP54
LED 13W
1200 Lumen
Synthetics



5000K





shrimp



wall & ceiling

Elegant yet powerful security floodlight with typical "bike lamp" design. This new upgraded versions, with and without adjustable motion sensor, feature an increased light-output up to 1700 lumen. The SHRIMP II is a double insulated, electrical appliance.





Matt Black 7622221012

CLASS I
IP54
LED 23.5W
1700 Lumen
Die Cast Aluminum






7622222012

CLASS I
IP54
LED 23.5W
1700 Lumen
Die Cast Aluminum



7622104330

CLASS II
IP54
LED 12W
1250 Lumen
Synthetics





sphere


sensor

Stand alone passive infrared motion sensor.
Compact orientable version with detection
range up to 12 meter and detection
angle of 180°.



Matt Black 9701601330

CLASS II
IP44
MAX 1100W
Synthetics





torus

sensor



Stand alone double and adjustable motion sensor. The frontal sensor has a detection range of up to 21 metres & 270°. The second sensor covering the area underneath detects any movement close to the wall.



Matt Black

9701501330

CLASS I
IP44
MAX 1000W
Synthetics





FUNCTIONAL

where function
meets form

FUNCTIONAL

recessed
ground



BERLIN
7700511012 / P349



CYDOPS
7704216012 / P351



CYDOPS
7704223012 / P351




ARCTIC
7701301012 / P353



berlin


recessed ground

Round stainless recessed ground spots creating a nice effect to guide you along your driveway, pathway or terrace. Compact in size yet solid in construction, you can drive over it with a car.



7700511012

CLASS I
IP67 & IP65
GU10 35W
Stainless Steel






cydops



recessed ground

This outdoor CYDOPS spotlight is both a practical and decorative addition to your garden, driveway or patio. The lamp is made of aluminium and has an IP67 protection rating, making it suitable for outdoor use. This garden spotlight has low power consumption. Available in different versions.




7704216012

CLASS I
IP67 & IP65
LED 6.8W
580 Lumen
Stainless Steel



7704223012

CLASS I
IP67 & IP65
LED 6.8W
580 Lumen
Stainless Steel





arctic

recessed ground

Robust, powerful yet compact recessed LED ground spot with a limited build-in depth. This spot can be inclined up to an angle of 40°. Pick out ornaments, trees and bushes in your garden with a stunning light effect.




7701301012

CLASS I
IP67 & IP65
LED 13.7W
550 Lumen
Die Cast Aluminum



4000K



ACCESSORY



control
at the tip of
your fingers

ACCESSORY

LUTEC connect



REMOTE CONTROL
9702315361/ P359



ACCESS BOX
9704401361/ P360



SMART SWITCH
9706201361/ P361



DAWNY
9760002330/ P363



LUTEC solar



BATTERY PACK
9759801000/ P364



BATTERY PACK
9759803000/ P364



BATTERY PACK
9759804000/ P364



BATTERY PACK
9759802000/ P365



BATTERY PACK
9759805000/ P365



BATTERY PACK
9759806000/ P365



BATTERY PACK
9759808000/ P365



Point & Play
in the room
Infra Red individual control



- ON/OFF
- Tunable White
- Dimming
- Colors
- Scenes
- Night Light
- Work light
- Party
- Fire
- Forest
- Ocean
- Romantic




Control every light
Inside or outside the house
Bluetooth Group control



You can add as many smart lighting devices as you want to one of the 3 groups (A-B-C).

I/O push button switches on-off all the lights of the same group.



remote

accessories

A 2-in-1 remote control that allows you to switch the power off from the top half by pointing to change the intensity of the light, the color changing temperature, and access the colors or even multiple varied scenes. From its lower part, you can turn a group of lamps on or off from anywhere in the house.




smart lighting technology



White **9702315361**

Infra Red individual control
Plastic



expand the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system. Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home.


The complete LUTEC Connect lighting portfolio is Voice Control Compatible



Hey Google, turn on the light!



Alexa, change the light in blue!



Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.



access box

accessories

Small in size, it can be easily installed. Even if this accessory is not essential for the proper functioning of the complete system, it is however necessary to access certain functionalities such as voice control but also the programming of one or more lamps over time or according to a particular condition such as the weather.




smart lighting technology



White

9704401361

Smart switch
Plastic



Click to turn on/off the light



Rotate to change the brightness




Press and rotate to change the color temperature



Long press to change the mode
warm white
cold white
night light
party

Function Buttons A/B/C



1. Long press to add the device to the group
2. Short press to activate and control group devices
3. Long press knob and button A to reset the device



smart switch

accessories

Very ingenious, this accessory can be easily attached thanks to its 3M self-adhesive system. No need to connect to the electrical network, it allows you to switch on and off with a single click or to vary the intensity and temperature of the lamps in a room or in a zone defined in the application. 3 zones are possible A, B, C allowing a wide coverage, for example the lamps of the room where the switch is installed, the exterior lighting or a complete zone such as a ground or a complete floor.




smart lighting technology



White

9706201361

Smart switch
Plastic







Easy & fast pairing with LUTEC connect app



Adjust in the LUTEC connect app, Time, Twilight and Distance settings



Works with all the LUTEC connect devices except Solar connect range



dawny

accessories

Automatically control your outdoor lights with DAWNY outdoor & indoor motion sensor. Place the wireless, battery-powered detector anywhere and trigger your lights at any movement. Versatile mounting options: Ceiling, Wall and Corner.



smart lighting technology



Matt Black



9760002330

CLASS III
IP44
2 x 1.5 V 1300mAh NiMH AA battery
Sensor
Plastic



Ø85






LUTEC RECHARGEABLE BATTERIES

9759801000			6951301189 LONDON	
Type	Li-ion rechargeable			
Voltage	7.4V			
Capacity	2200mAh			
Connection	1mm round			












9759802000			6901201000 TILLY	
Type	Li-ion rechargeable			
Voltage	7.4V			
Capacity	2200mAh			
Connection	SM flat			

9759803000			6901601000 SUNSHINE	
Type	Li-ion rechargeable			
Voltage	3.7V			
Capacity	2200mAh			
Connection	1mm round			


9759805000			6910802335 POPPY	
Type	Li-ion rechargeable			
Voltage	3.7V			
Capacity	4400mAh			
Connection	SM flat			
			6910901012 POPS	

9759804000			6935501330 TUDA	
Type	Li-ion rechargeable		6935502330 TUDA	
Voltage	3.7V		6938405330 GINBO	
Capacity	2200mAh		6941502330 FRAN	
Connection	NA		6939501330 FADI	
			6935802012 KARLO	
			6904101337 DRAGONFLY	
			6904101331 DRAGONFLY	
			6914401000 MINI LEDSPOT	
			6908501308 BRICK	
			6901501000 BREAD	
			6908701001 BUBBLE	
			6906702335 DISO	
			6906703335 DISO	
		6901401337 GHOST SOLAR		
		6925601345 SUNSHINE		
		6906001118 MOON		
		6996601012 DIAS		


9759806000			6908001337 TABLE CUBE	
Type	Li-ion rechargeable		6908001331 TABLE CUBE	
Voltage	3.7V		6910601335 ARROW	
Capacity	1200mAh		6934601118 CURTIS	
Connection	NA		6933701330 KOZY	

9759808000			6943101012 MOZE	
Type	Li-ion rechargeable		6939101330 TRY	
Voltage	3.7V		6940101125 DOBLO	
Capacity	1500mAh		6943701125 DOBLO	
Connection	NA		6943801125 DOBLO	
			6988804012 FLAIR	
			6925701345 SUNSHINE	
			6925604345 SUNSHINE	
			6990901012 FIA	
			6988802012 FLAIR	


LUTEC Icons




LUTEC Icons - PIR motion sensor



LUTEC Icons - Solar



LUTEC Icons - Connected Light



introducing our company

50 years of experience

The origins of a lighting company.

Originally set up as a national aluminum die-cast factory, we gained our first experience of outdoor lighting by producing bulkhead lights & classical garden lanterns. The first export shipment was made in 1996. The new factory in Yuyao became operational in 2001, concentrating on modern garden and professional lighting.

The LUTEC brand was launched in 2010, focusing on architectural LED lighting and the introduction of solar energy products. The success of the company resulted in the opening of a second production facility in 2012, fully devoted to future developments in design and new technologies.



Nowadays, Lighting is both essential and magic.

The challenge of the lighting market is to create products which are a balance between the shape, impact and attractiveness. The LED revolution has completely changed the game, giving many new opportunities. Added to this we must not only continue to offer the latest technical innovations but also anticipate and provoke them, especially with solar energy and smart lighting controls.

We have expanded our international network and organisation: with new central warehouses in Belgium and China, establishing partners in many new countries allowing us to continue building our corporate identity and providing our partners with unique product support and marketing tools.

welcome to the lutec center

connected by lighting

The Future is always here.

Today we are all surrounded by the interactive and connected world. For many reasons it is evident that the lighting market must also embrace this new internet age. The need of control has become a must have feature.

Temperature, colour, dimming, activity sensors and timing controls are the norm. Programmable solutions for energy saving, interactivity between multiple light points or installations are becoming standard. Security options with camera visions, live video, and recording are no longer a futuristic dream as LUTEC products can perform all of the above.



WELCOME TO THE LUTEC CENTER

This is where the magic is born.



The LUTEC centre located our HQ in Yuyao is an international meeting venue where new concepts, innovation & strategies are studied, created and shared with our partners. Recently the virtual showroom can be accessed from anywhere on the globe.

We provide an expert platform in design, sales and services. Staying close to our customers, allows the right design solutions to be found for their consumers.


Our team is trained to be proactive and reactive. The key to realise a win-win product, is to explore all the possibilities, look outside the box to find the best solution.

design & engineering

design, engineering & manufacturing,
all interactive.

One of the main decisions we have taken in the LUTEC organisation is to break down the walls between of each department to improve product strategy.

This brings a culture of flowing communication between the services where everybody has a positive role to play in all projects.



We all know development is complex with many obstacles to overcome however by working together helps our team to aim for the perfect solution as smoothly as possible.

Knowledge is shared at all levels. Creativity, marketing, engineering, production, and sales are seen as one.



warehousing & transport

global logistic footprint assuring
availability & proximity.



Unlike many other manufacturers in this sector, LUTEC keeps significant levels of finished goods in the central warehouses in Europe and China. Our aim is to reduce the lead time wherever possible.



The European Central Warehouse is now fully operational for more than 5 years, resulting in a proven logistic performance with a service level well over 90%. Overtime the ECW portfolio has increased up to 350 sku's with permanent availability.



Thanks to this warehouse located in Belgium, centrally situated in Europe, with an average lead time for most shipments is less than 7 days, the LUTEC products are always within reach.



We offer different transport options: direct shipment, cross docking, drop shipment or pick-up. this in close co-operation with each local LUTEC partner.



Recently we've arranged an appropriate set-up to assure different value adding trade marketing services in the ECW.

CCW

China Central
Warehouse
Yuyao - China

ECW

European Central
Warehouse
Bornem - Belgium



LUTEC quality



As a global supplier, our products are fully compliant with all relevant technical & quality requirements of the different regions in the world.



All LUTEC LED products benefit from a 5-years functional warranty. For the SOLAR range we apply a standard 2-years operational warranty.

LUTEC Warranty Conditions, please check on www.lutec.com/warranty



Integrated LED Light-engines

The LUTEC in-house engineering/production departments only use primary component suppliers, constantly improving the performance of the total LED product, resulting in a higher lumen/watt ratio.

Low Energy Cost: LUTEC products offer at least an 80% saving compared to traditional sources

Long Lifetime: up to 20.000 hours

LUTEC LED-light engines featuring the most appropriate characteristics in order to give the best result for all your outdoor applications.

- Lumen Maintenance: 100% LM-80 test report
- Color deviation: 100% under 5-step MacAdam ellipse


The LED driver is the heart of the LED module and is the main influencer of the life-time. LUTEC develops these drivers to the specification of the product for best performance. The production of the SMD's used in the LUTEC-drivers is done in-house in our approved SMT assembly lines. All drivers are compliant to all relevant standard and regulations.



new ERP regulations 2021

New EU regulation

The new EU regulation concerning Energy Efficiency for Lighting products involves New Energy Labelling regulations (EU) 2019/2015 and New Ecodesign requirements for lightsources. (EU) 2019/2020. Overall objective of this updated regulation is to protect environment, improve durability of lighting products and strengthen consumer protection.





LUTEC Outdoor Portfolio

All LUTEC outdoor luminaires within the scope of the new EU-regulation are fully compliant to the new regulations. This has resulted to the attribution of a new classification with Energy Efficiency Classes in between A & G.

“Containing Products” Classification

The complete range of LUTEC luminaires has been classified as Containing Products with a removable and (non) replaceable LED-module. As a result the new Energy Efficiency Class is related to the LED-Module and not to the complete luminaire as such.



LED Module - Energy Efficiency Class

In order to make it clear that the test results are related to the LED Module, a specific EEL label was created with a “M” (Module) indication behind the item nr.

This EEL label can't be shown on the packaging of the complete Outdoor Luminaire. In the Instruction Manual we indicated the Energy Class of the concerned light Source (= LED Module)

EPREL Database

Consumers can access the database by scanning the QR code featured on the new energy labels. The EPREL database offers detailed information of all registered LUTEC products.

Available information on www.lutec.com

On our LUTEC website all related information is available for consultation and easy download of specific documents:

- Energy Label
- Instruction Manual
- Product Information sheet (with test results)
- Light Source Remove instructions





We believe outdoor lighting is a unique category with a vast number of specific requirements and challenges. Our aim is to provide creative solutions, innovative designs using quality materials and products. Our categories include architectural designs with creative forms of illumination. Functional products, combining tough materials with stylish appeal, decorative products ranging from classic to ultra-modern shapes. Solar lighting that incorporates the latest trends alongside unique technologies. All this to support the ever changing climates around the world.

Our commitments to everyday actions




Durable Products

LUTEC outdoor luminaires are made from durable materials such as high density die-cast aluminium and synthetic glass, fully weatherproof, to **last for many years.**



Zero-Plastic Packaging

LUTEC has started the complete **ban of plastic bags** in their consumer packaging as from mid 2021.



Responsible Production & Operations

The roofs of LUTEC production facilities are equipped with high efficiency solar panels (10 000m²) resulting in a green energy saving : **50% of our annual energy consumption.**

Sustainable Functions & Features

LED Lights : 80% less energy vs traditional light sources
SENSOR Lights : consume energy only when you need light
CONNECTED Lights : smart control of the lights can save up to 90%



SOLAR Lights : 100 % green energy

Focus on development of efficient and smart Solar luminaires made with panels :
 • Without any rare earth element
 • Can be recycled and reused up to 4 times Last year, more than 400 000 homes were equipped with a new LUTEC Solar light.



materials & finishes

LUTEC exterior luminaires are produced using high quality materials and finishes with excellent weather protection properties as well as mechanical strength to ensure a long lifetime.



Heavy duty die-cast Aluminum (ADC 12) with a thickness of 2mm, is in most cases the preferred material. The LUTEC in-house fully automatic powder-coating & water painting installation provides excellent protection against corrosion.

Different kind of durable synthetics, depending on the application and form factors. For the fixtures: ABS, a strong and light-weighted material, can be used under low and high outdoor temperatures. For the opal or transparent diffusers: the impact proof and very resistant PC (polycarbonate) is used. Also clear glass, tempered glass and opal or clear PMMA (plexi-glass) are common in our designs.

LUTEC benefits from an in-house tooling workshop for both aluminum and synthetic components.

IP rating table

The LUTEC Outdoor fixture comply to the International standards concerning Ingress Protection. All articles have a minimum IP44 rate. For some specific applications (Ex. in ground recessed spots) the protection rate goes up to IP67.

	Protection against solids		Protection against liquids
0	Not Protected	0	Not Protected
1	Protected against Solid Objects greater than 50mm	1	Protected against Dripping Water
2	Protected against Solid Objects greater than 12mm	2	Protected against Dripping Water when tilted to 15°
3	Protected against Solid Objects greater than 2.5mm	3	Protected against Spraying Water
4	Protected against Solid Objects greater than 1mm	4	Protected against Splashing Water
5	Dust Protected	5	Protected against Water Jets
6	Dust Tight	6	Protected against Heavy Seas
		7	Protected against the effects of Immersion
		8	Protected against Submersion

Color Indication

- Dark Grey
- Matt Black
- Silver Grey
- Bronze
- S/S
- Chrome
- Galvanised
- Wood Look
- White
- Matt Rust




mounting, installation & maintenance



Instruction Manual

LUTEC pays a lot of attention to a user friendly and effective yet simple instructions, we strive to find time saving methods of installation using uniquely designed interfaces where possible. Every LUTEC Outdoor fixture has a clear instruction manual in the unit box and this manual can also be downloaded from our website. Clear explanations in 8 European languages.



Service network

Our service network is available on global level through our LUTEC Partners. Contact details: www.lutec.com/services/global-network



LUTEC brand identity packaging

The LUTEC corporate identity has been invigorated in line with our evolving brand values. New trade support tools and POSs have been created to support our products and our customers providing an integrated selling solution, all of which adds value and distinguishes the LUTEC offer from our competitors.






LUTEC brand identity rich content

We're constantly creating new communication materials to support and improve the presentation of LUTEC products, facilitating an easy consumer selection of one of the LUTEC products. All support materials are accessible through our refreshed website www.lutec.com. Where you can find the LUTEC database with all kind of "rich content": Product photos, Lifestyle photo's, Tutorials, Inspirational video's, Flash-Intro video's, Unpacking experiences, and many more.



Recently we introduced the fully refreshed packaging, being applied to our complete portfolio. We believe the new look of the new packaging is fresh, vivid and in tune with our style of products. The product is always the hero with an inspiring photography. The refreshed LUTEC logo is visible from all sides of the packaging, together with the emblematic green banner this will further improve the brand recognition.

The LUTEC SOLAR and LUTEC SECURITY unit-box graphics are launched in the market for the newly introduced LUTEC connect Solar and LUTEC connect Camera ranges. By means of a distinctive colour indication, Orange for Solar & Red for Security, the consumers will easily recognize the difference with the standard LUTEC outdoor ranges.



Index : as per ITEM NO.

NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE
5000501118	DROPA	39	5189113118	GEMINI	139	5197002125	DOBLO	99	5288804012	FLAIR	215
5010901118	DROPSI	37	5189114118	GEMINI	135	5198101118	CYRA	73	5288811012	FLAIR	309
5011602461	VIDAR	151	5189120118	GEMINI	45	5198102118	CYRA	73	5288814012	FLAIR	215
5011701461	RAN	149	5189125012	GEMINI	135	5198102118	CYRA	331	5288902118	KIRA	91
5102101118	HELENA	193	5189135118	GEMINI	139	5198302001	MAYA	147	5288903118	KIRA	91
5104001118	GEMINI XF	131	5191601118	HELENA	195	5198401001	MAYA	147	5288909118	KIRA	43
5104002012	GEMINI XF	131	5191602118	HELENA	195	5198401001	MAYA	325	5289001118	PANO	79
5104003012	GEMINI BEAMS	125	5191605012	HELENA	195	5199001118	EKLIPS	71	5289401469	GRIDY	123
5104003032	GEMINI BEAMS	125	5192701330	LEO	153	5205701118	POLO	83	5290903012	FIA	207
5104004001	GEMINI XF	131	5192701335	LEO	153	5205702118	POLO	83	5294502012	ZAGO	205
5104005118	GEMINI BEAMS	125	5193001118	QUBO	95	5205801012	GOLETA	187	5296602012	PINE	211
5104006012	GEMINI BEAMS	127	5193002118	QUBO	95	5206001118	MOON	81	5604011118	FOCUS	167
5105001125	DOBLO	101	5193002118	QUBO	327	5206501012	SHIVA	203	5604014118	FOCUS	169
5105002125	DOBLO	101	5193004118	QUBO	41	5206701012	BRUND	155	5604021001	FOCUS	165
5105003125	DOBLO	103	5193013118	QUBO	95	5207601012	FULTON	115	5604023012	FOCUS	171
5107001118	CONROY	57	5193201118	LOTUS	121	5207901012	WEST	209	5604023112	FOCUS	171
5107101118	RIDGE	163	5193602118	ADALYN	105	5264201213	CATE	225	5604023118	FOCUS	171
5107401125	DOBLO	103	5193801012	CUBA	61	5267103001	LEDA	329	5604101118	FOCUS	167
5183601118	CITY	117	5193801118	CUBA	61	5267106001	ELARA	315	5605013118	FOCUS	175
5184601118	BOX CUBE	113	5193803012	CUBA	65	5267106118	ELARA	315	5616302118	MERIDIAN	85
5188003118	GHOST	87	5193803118	CUBA	65	5273601012	KELSEY	219	5626001118	TRUMPET	75
5188601125	BATI	107	5193808118	CUBA	61	5273603012	KELSEY	219	5626101125	TRUMPET	75
5188602125	BATI	107	5193810118	CUBA	35	5273701012	KELSEY	219	6273601012	KELSEY	221
5188801118	APOLLO	89	5193811118	CUBA	59	5273702012	KELSEY	219	6303401118	SWEEP	185
5189101118	GEMINI	141	5193812118	CUBA	311	5287901012	RIALTO	129	6304201118	FOCUS	173
5189102032	GEMINI	139	5193814118	CUBA	65	5288001118	MARBO	157	6330401118	BONN	145
5189102118	GEMINI	139	5195401118	QUBO	93	5288201118	HEROS	111	6330402001	BONN	145
5189103118	GEMINI	139	5195404118	QUBO	93	5288202118	HEROS	111	6336201118	TITAN	181
5189104118	GEMINI	143	5196004118	POLLUX	313	5288801012	FLAIR	213	6338201118	SEINE	189
5189112012	GEMINI	141	5196301118	FELE	69	5288802012	FLAIR	213	6382201012	ROLA	179
5189112118	GEMINI	141	5196501118	URBAN	119	5288803012	FLAIR	215	6382201118	ROLA	179

Index : as per ITEM NO.

NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE
6383001118	BULLO	177	6925701345	SUNSHINE	295	7193805118	CUBA	67	7701301012	ARCTIC	353
6389101118	GEMINI	137	6933701330	KOZY	257	7196301118	FELE	69	7704216012	CYDOPS	351
6389102012	GEMINI	137	6934601118	CURTIS	283	7196601012	PINE	211	7704223012	CYDOPS	351
6392202457	KAYAH	183	6935501330	TUDA	235	7196603012	PINE	211	8500102331	PEPPER	29
6402101118	HELENA	191	6935502330	TUDA	237	7200501118	DROPA	39	8506201331	NOMA	27
6402105012	HELENA	191	6935802012	KARLO	245	7202201012	MAINS	47	8506204331	NOMA	27
6501702330	CARDI	31	6938405330	GINBO	239	7204803118	FOCUS	173	9700357000	LONDON	293
6588801012	FLAIR	217	6938602330	DIVA	255	7207001118	CONROY	57	9700359330	LONDON	293
6602903424	MINI LETO	33	6939101330	TRY	265	7207601012	FULTON	115	9701501330	TORUS	343
6604001118	CYPRES	159	6939501330	FADI	243	7264210213	CATE	225	9701601330	SPHERE	341
6604002118	CYPRES	159	6940101125	DOBLO	277	7264230213	CATE	225	9702201012	MAINS	197
6604003118	CYPRES	161	6941502330	FRAN	241	7273604012	KELSEY	221	9702202012	MAINS	197
6604004118	CYPRES	161	6943101012	MOZE	263	7273605012	KELSEY	223	9702203012	MAINS	197
6609201118	EXPLORER	77	6943701125	DOBLO	279	7273606012	KELSEY	223	9702315361	REMOTE CONTROL	359
6609202118	EXPLORER	77	6943801125	DOBLO	281	7288201118	HEROS	111	9704401361	ACCESS BOX	360
6901201000	TILLY	291	6951301189	LONDON	293	7288801012	FLAIR	217	9706201361	SMART SWITH	361
6901401337	GHOST SOLAR	289	6988802012	FLAIR	287	7288902118	KIRA	91	9759801000	BATTERY PACK	364
6904101331	DRAGONFLY	261	6988804012	FLAIR	287	7288906118	KIRA	43	9759802000	BATTERY PACK	365
6904101337	DRAGONFLY	261	6990901012	FIA	285	7289001118	PANO	79	9759803000	BATTERY PACK	364
6906001118	MOON	275	6996601012	DIAS	247	7290901012	FIA	207	9759804000	BATTERY PACK	364
6906702335	DISO	273	7104001118	GEMINI XF	133	7290903012	FIA	207	9759805000	BATTERY PACK	365
6906703335	DISO	273	7104002012	GEMINI XF	133	7622104330	SHRIMP II	339	9759806000	BATTERY PACK	365
6908001331	TABLE CUBE	259	7105701118	POLO	83	7622220012	DRACO	317	9759808000	BATTERY PACK	365
6908001337	TABLE CUBE	259	7188601125	BATI	109	7622221012	SHRIMP	339	9760002330	DAWNY	363
6908501308	BRICK	269	7193001118	QUBO	97	7622222012	SHRIMP	339			
6908701001	BUBBLE	271	7193003118	QUBO	41	7625601345	SUNSHINE	333			
6910601335	ARROW	267	7193004118	QUBO	97	7625701345	SUNSHINE	333			
6910802335	POPPY	253	7193801118	CUBA	63	7632201053	ARC	337			
6910901012	POPS	251	7193802012	CUBA	67	7632406053	LIBRA	319			
6925601345	SUNSHINE	297	7193802118	CUBA	67	7635605331	ARTICA	335			
6925604345	SUNSHINE	295	7193803118	CUBA	63	7700511012	BERLIN	349			

Index : as per SERIES NAME

<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>
ACCESS BOX	9704401361	360	CONROY	7207001118	57	DOBLO	5105001125	101	FLAIR	6588801012	217
ADALYN	5193602118	105	CUBA	5193810118	35	DOBLO	5105002125	101	FLAIR	5288811012	309
APOLLO	5188801118	89	CUBA	5193811118	59	DOBLO	5105003125	103	FLAIR	6988804012	287
ARC	7632201053	337	CUBA	5193801118	61	DOBLO	5107401125	103	FLAIR	6988802012	287
ARCTIC	7701301012	353	CUBA	5193808118	61	DOBLO	6940101125	277	FOCUS	5604021001	165
ARROW	6910601335	267	CUBA	5193801012	61	DOBLO	6943701125	279	FOCUS	5604011118	167
ARTICA	7635605331	335	CUBA	7193801118	63	DOBLO	6943801125	281	FOCUS	5604101118	167
BATI	5188601125	107	CUBA	7193803118	63	DRACO	7622220012	317	FOCUS	5604014118	169
BATI	5188602125	107	CUBA	5193803118	65	DRAGONFLY	6904101337	261	FOCUS	5604023118	171
BATI	7188601125	109	CUBA	5193814118	65	DRAGONFLY	6904101331	261	FOCUS	5604023012	171
BATTERY PACK	9759801000	364	CUBA	5193803012	65	DROPA	5000501118	39	FOCUS	5604023112	171
BATTERY PACK	9759802000	365	CUBA	7193802118	67	DROPA	7200501118	39	FOCUS	6304201118	173
BATTERY PACK	9759803000	364	CUBA	7193802012	67	DROPSI	5010901118	37	FOCUS	7204803118	173
BATTERY PACK	9759804000	364	CUBA	7193805118	67	EKLIPS	5199001118	71	FOCUS	5605013118	175
BATTERY PACK	9759805000	365	CUBA	5193812118	311	ELARA	5267106001	315	FRAN	6941502330	241
BATTERY PACK	9759806000	365	CURTIS	6934601118	283	ELARA	5267106118	315	FULTON	5207601012	115
BATTERY PACK	9759808000	365	CYDOPS	7704216012	351	EXPLORER	6609202118	77	FULTON	7207601012	115
BERLIN	7700511012	349	CYDOPS	7704223012	351	EXPLORER	6609201118	77	GEMINI	5189114118	135
BONN	6330402001	145	CYPRES	6604001118	159	FADI	6939501330	243	GEMINI	5189125012	135
BONN	6330401118	145	CYPRES	6604002118	159	FELE	5196301118	69	GEMINI	6389101118	137
BOX CUBE	5184601118	113	CYPRES	6604003118	161	FELE	7196301118	69	GEMINI	6389102012	137
BRICK	6908501308	269	CYPRES	6604004118	161	FIA	5290903012	207	GEMINI	5189102118	139
BRUND	5206701012	155	CYRA	5198101118	73	FIA	7290901012	207	GEMINI	5189113118	139
BUBBLE	6908701001	271	CYRA	5198102118	73	FIA	7290903012	207	GEMINI	5189102032	139
BULLO	6383001118	177	CYRA	5198102118	331	FIA	6990901012	285	GEMINI	5189103118	139
CARDI	6501702330	31	DAWNY	9760002330	363	FLAIR	5288801012	213	GEMINI	5189135118	139
CATE	5264201213	225	DIAS	6996601012	247	FLAIR	5288802012	213	GEMINI	5189101118	141
CATE	7264210213	225	DISO	6906702335	273	FLAIR	5288814012	215	GEMINI	5189112118	141
CATE	7264230213	225	DISO	6906703335	273	FLAIR	5288803012	215	GEMINI	5189112012	141
CITY	5183601118	117	DIVA	6938602330	255	FLAIR	5288804012	215	GEMINI	5189104118	143
CONROY	5107001118	57	DOBLO	5197002125	99	FLAIR	7288801012	217	GEMINI	5189120118	45

Index : as per SERIES NAME

<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>
GEMINI XF	5104001118	131	KELSEY	7273605012	223	PANO	5289001118	79	SHRIMP	7622222012	339
GEMINI XF	5104002012	131	KELSEY	7273606012	223	PANO	7289001118	79	SHRIMP II	7622104330	339
GEMINI XF	5104004001	131	KIRA	5288909118	43	PEPPER	8500102331	29	SMART SWITH	9706201361	361
GEMINI XF	7104001118	133	KIRA	7288906118	43	PINE	5296602012	211	SPHERE	9701601330	341
GEMINI XF	7104002012	133	KIRA	5288902118	91	PINE	7196601012	211	SUNSHINE	6925701345	295
GEMINI BEAMS	5104005118	125	KIRA	5288903118	91	PINE	7196603012	211	SUNSHINE	6925604345	295
GEMINI BEAMS	5104003012	125	KIRA	7288902118	91	POLLUX	5196004118	313	SUNSHINE	7625701345	333
GEMINI BEAMS	5104003032	125	KOZY	6933701330	257	POLO	5205701118	83	SUNSHINE	7625601345	333
GEMINI BEAMS	5104006012	127	LEDA	5267103001	329	POLO	5205702118	83	SUNSHINE	6925601345	297
GHOST	5188003118	87	LEO	5192701335	153	POLO	7105701118	83	SWEEP	6303401118	185
GHOST SOLAR	6901401337	289	LEO	5192701330	153	POPPY	6910802335	253	TABLE CUBE	6908001337	259
GINBO	6938405330	239	LIBRA	7632406053	319	POPS	6910901012	251	TABLE CUBE	6908001331	259
GOLETA	5205801012	187	LONDON	6951301189	293	QUBO	5193004118	41	TILLY	6901201000	291
GRIDY	5289401469	123	LONDON	9700359330	293	QUBO	7193003118	41	TITAN	6336201118	181
HELENA	6402105012	191	LONDON	9700357000	293	QUBO	5195401118	93	TORUS	9701501330	343
HELENA	6402101118	191	LOTUS	5193201118	121	QUBO	5193001118	95	TRUMPET	5626001118	75
HELENA	5102101118	193	MAINS	7202201012	47	QUBO	5193002118	95	TRUMPET	5626101125	75
HELENA	5191605012	195	MAINS	9702201012	197	QUBO	7193001118	97	TRY	6939101330	265
HELENA	5191601118	195	MAINS	9702202012	197	QUBO	7193004118	97	TUDA	6935501330	235
HELENA	5191602118	195	MAINS	9702203012	197	QUBO	5193002118	327	TUDA	6935502330	237
HEROS	5288201118	111	MARBO	5288001118	157	QUBO	5193013118	95	URBAN	5196501118	119
HEROS	5288202118	111	MAYA	5198302001	147	QUBO	5195404118	93	VIDAR	5011602461	151
HEROS	7288201118	111	MAYA	5198401001	147	RAN	5011701461	149	WEST	5207901012	209
KARLO	6935802012	245	MAYA	5198401001	325	REMOTE CONTROL	9702315361	359	ZAGO	5294502012	205
KAYAH	6392202457	183	MERIDIAN	5616302118	85	RIALTO	5287901012	129			
KELSEY	5273701012	219	MINI LETO	6602903424	33	RIDGE	5107101118	163			
KELSEY	5273702012	219	MOON	5206001118	81	ROLA	6382201118	179			
KELSEY	5273601012	219	MOON	6906001118	275	ROLA	6382201012	179			
KELSEY	5273603012	219	MOZE	6943101012	263	SEINE	6338201118	189			
KELSEY	7273604012	221	NOMA	8506201331	27	SHIVA	5206501012	203			
KELSEY	6273601012	221	NOMA	8506204331	27	SHRIMP	7622221012	339			

