

DECORATIVE LIGHTING


BOOK 02



Zambelis
LIGHTS

Connect to our B2B platform through our website and access everything you need, anytime - 24/7

-  B2B Online Order/Open Orders
-  Product Availability & Arrival Dates
-  Extensive Range of Products
-  HD Photos
-  Product Data Sheets
-  Installation Manuals
-  Flexibility & Customized Products
-  Manufacturing Products
-  Photometric Files
-  CE Certificates
-  COC Certificates
-  3D Models / 3D Viewer on Website



Trusted by professionals
in over 63 countries globally.

SUSTAINABILITY

Lighting the Future Responsibly.

We design lighting solutions that combine efficiency, durability and innovation - with minimal footprint and maximum purpose.
For us, green isn't just a color.
It's a mindset shaping everything we create.



Scan to learn how we go green.



TABLE OF CONTENTS

- 01. CEILING | p.012-079
- 02. WALL | p.080-159
- 03. FLOOR & TABLE | p.160-213
- 04. BAMBOO & RATTAN | p.214-267
- 05. FANS | p.268-305
- 06. HOTEL | p.306-353
- 07. MIRRORS | p.354-379
- 08. BATHROOM | p.380-397

WE MAKE IT EASY

Virtual Light - ZambelisLights App



4 simple steps to light up your place

Download the
Virtual Light App
Scan QR

Find the ideal light
by browsing our
categories

View in your space
through your mobile
camera

Enjoy your
new atmosphere!

NEW



2564 p.16

NEW



2562 p.16

NEW



2566 p.18

NEW



25410 p.20

NEW



25160 p.22

NEW



25165 p.24

NEW



25163 p.22

NEW



25185 p.26

NEW



25189 p.28

NEW



25190 p.28

NEW



25197 p.30

NEW



25200 p.30

NEW



23207 p.37

NEW



23211 p.37



23093 p.39



23090 p.43



23091 p.43



2042 p.44



2056 p.44



23025 p.46



23026 p.48



23097 p.51



23257 p.52



23260 p.52

NEW



25278 p.54

NEW



25269 p.57

NEW



2571 p.59



22127 p.60

NEW



25377 p.63



2075 p.64



2076 p.64



2065 p.66



23042 p.68



22020 p.70



2020 p.73



2024 p.75



2026 p.77



2031 p.78

NEW



25414 p.83

NEW



2579 p.87

NEW



25144 p.89



22047 p.91

NEW



25217 p.94

NEW



25219 p.94

NEW



25408 p.97

NEW



25409 p.97

NEW



25319 p.98

NEW



25266 p.100

NEW



25152 p.102



23106 p.104



23103 p.107



1936 p.108




23104 p.110

NEW



25148 p.113

NEW



25318 p.115

NEW



25321 p.116



20116 p.118



20115 p.118

NEW



25147 p.120

NEW



2582 p.122



1945 p.124



19117 p.126



1910 p.127



19218 p.128



22054 p.129



20137 p.130



22061 p.132



23137 p.133



2003 p.134



20349 p.136



23041 p.138



23016 p.139

NEW



25343 p.140



22204 p.142



16155 p.144



20219 p.145



20272 p.146

NEW



25384 p.148

NEW



25383 p.148



180021 p.150



180020 p.150



180022 p.151



180023 p.151

NEW



25381 p.152



25380 p.154 25382 p.156 25379 p.157 180026 p.158 180027 p.158 180028 p.159 180025 p.159



2590 p.163 2594 p.165 25428 p.166 25427 p.166 23006 p.168 23054 p.170 23085 p.173



20109 p.174 25344 p.176 25194 p.179 25193 p.180 20210 p.183 20252 p.184 20253 p.187



23064 p.189 23060 p.190 22053 p.193 22136 p.194 20134 p.196 20135 p.196 23037 p.198



22032 p.200 20118 p.202 22065 p.205 20216 p.206 20235 p.209 20220 p.210 20222 p.210



20251 p.212 20250 p.213 25334 p.218 23197 p.220 25443 p.223 23195 p.224 25440 p.226



25429 p.226 20237 p.228 23196 p.230 25442 p.233 25441 p.235 22172 p.236 22166 p.238



22167 p.238 22168 p.238 22173 p.242 22174 p.243 25332 p.246 2545 p.247 19250 p.248



19252 p.248 19105 p.250 19106 p.252 19103 p.254 20154 p.256 20236 p.257 20354 p.258



23071 p.261 23070 p.262 18181 p.264 17129 p.266 25396 p.272 25395 p.272 25398 p.273



20257 p.276 25329 p.278 23004 p.280 20258 p.282 23001 p.284 25328 p.287 19139 p.288



23002 p.290 19142 p.292 19140 p.294 19137 p.296 19136-B p.298 20259 p.300 19144 p.302



20256 p.304 25184 p.309 25326 p.310 25303 p.312 25281 p.314 25282 p.316 25283 p.319



25391 p.374 22067 p.377 22069 p.379 25456 p.382 22124 p.387 20146 p.388 180041 p.390



25182 p.320 H63 p.321 25149 p.322 H48-G p.324 23038 p.325 H68 p.327 H65 p.328



22088 p.392 20149 p.394 20150 p.395 22087 p.396 22085 p.397



H73 p.330 H64-B p.331 23040 p.332 25284 p.334 H52 p.337 H35 p.338 H75 p.339



22050 p.340 H80 p.341 H58 p.342 20167 p.342 H43 p.344 H41 p.345 H69 p.346




25151 p.347 H72 p.348 H57 p.350 H59 p.350 20355 p.352 25389 p.357 25387 p.358







25388 p.360 25386 p.362 25393 p.364 25394 p.366 25392 p.368 25385 p.370 25390 p.372

Centralized Ambient Illumination
Stylish shapes bring calm and comfort.








01. CEILING









Power 26W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1500Lm
Cri 90
Dimensions Ø: 40cm H: 14.3cm
Base L: 18cm W: 6cm H: 4cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature Profile 1.5x1.5cm
Color Sandy Black / **Code 2561**
Color Brass / **Code 2564**




Power 42W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2370Lm
Cri 90
Dimensions Ø: 59cm H: 17.2cm
Base L: 20cm W: 6cm H: 4cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature Profile 1.5x1.5cm
Color Sandy Black / **Code 2562**
Color Brass / **Code 2565**






Power 51W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2670Lm
Cri 90
Dimensions Ø: 78cm H: 20.3cm
Base L: 22cm W: 6cm H: 4cm
Dimmable Triac ☐
Material Metal - Aluminium - Acrylic
Special Feature Profile 1.5x1.5cm
Color Sandy Black / **Code 2563**
Color Brass / **Code 2566**






Power 69W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2970Lm
Cri 90
Dimensions L: 140cm W: 51cm H: 6cm
Base Ø: 25cm H: 4cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature Profile 1.5x2cm
Color Sandy Black / **Code 25410**
Color Brushed Gold / **Code 25411**






Power 27W
Input 220-240V, 50/60Hz
Color Temperature 2700K, 3000K, 4000K
Lumen 1274Lm, 1334Lm, 1365Lm
Cri 90
Dimensions Ø: 40cm H: 7.5cm
Base Ø: 25.5cm H: 3.5cm
Dimmable Triac ☒
Material Metal - Aluminium - Acrylic
Special Feature Profile 1x4cm
Color Brushed Gold / **Code 25160**
Color Brushed Silver / **Code 25161**
Color Sandy Black / **Code 25163**






Power 41W
Input 220-240V, 50/60Hz
Color Temperature 2700K, 3000K, 4000K
Lumen 2170Lm, 2199Lm, 2224Lm
Cri 90
Dimensions Ø: 59cm H: 7.5cm
Base Ø: 44cm H: 3.5cm
Dimmable Triac ☒
Material Metal - Aluminium - Acrylic
Special Feature Profile 1x4cm
Color Brushed Gold / **Code 25164**
Color Brushed Silver / **Code 25165**
Color Sandy Black / **Code 25167**





Power 20W
Input 220-240V, 50/60Hz
Color Temperature 2700K, 3000K, 4000K
Lumen 1630Lm, 1663Lm, 1710Lm
Cri 90
Dimensions Ø: 40cm H: 6cm
Base Ø: 30cm H: 3.5cm
Dimmable Triac 
Material Metal - Aluminium - Microprismatic Acrylic
Color White Matt-Gold / **Code 25185**
Color Black Matt-Gold / **Code 25186**
Color Brushed Grey / **Code 25187**






Power 42W
Input 220-240V, 50/60Hz
Color Temperature 2700K, 3000K, 4000K
Lumen 2989Lm, 3035Lm, 3085Lm
Cri 90
Dimensions Ø: 58.5cm H: 6cm
Base Ø: 45cm H: 3cm
Dimmable Triac ☐
Material Metal - Aluminium - Microprismatic Acrylic
Color White Matt-Gold / **Code 25188**
Color Black Matt-Gold / **Code 25189**
Color Brushed Grey / **Code 25190**




2700K




3000K



4000K




Power 42W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K, 3200K, 4000K
 Lumen 2511Lm, 2777Lm, 2933Lm
 Cri 90
 Dimensions Ø: 45cm H: 6cm
 Base Ø: 24.5cm H: 3.5cm
 DALI Dimmable ☐
 Material Metal - Aluminium - Microprismatic Diffuser
 Color Sandy White / **Code 25197**
 Color Sandy Black / **Code 25198**



Power 56W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K, 3200K, 4000K
 Lumen 4316Lm, 4512Lm, 4706Lm
 Cri 90
 Dimensions Ø: 65cm H: 6cm
 Base Ø: 34.5cm H: 3.5cm
 DALI Dimmable ☐
 Material Metal - Aluminium - Microprismatic Diffuser
 Color Sandy White / **Code 25199**
 Color Sandy Black / **Code 25200**







2700K



3200K




4000K





Power	84W
Input	220-240V, 50/60Hz
Color Temperature	2700K, 3200K, 4000K
Lumen	6152Lm, 6486Lm, 6781Lm
Cri	90
Dimensions	Ø: 85cm H: 6cm
Base	Ø: 54.5cm H: 3.5cm
DALI Dimmable	○
Material	Metal - Aluminium - Microprismatic Diffuser
Color	Sandy Black / Code 25201
Color	Sandy White / Code 25202







Power 29W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1942Lm
Cri 80
Dimensions L: 40cm W: 40cm H: 6cm
Base Ø: 23cm H: 4cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature Profile 2x2cm
Color Sandy Black / **Code 23205**
Color Sandy White / **Code 23206**
Color Gold Matt / **Code 23207**





Power 39W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2602Lm
Cri 80
Dimensions L: 59cm W: 59cm H: 6cm
Base Ø: 41cm H: 4cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature Profile 2x2cm
Color Sandy Black / **Code 23208**
Color Sandy White / **Code 23209**
Color Gold Matt / **Code 23210**





Power 58W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3811Lm
Cri 80
Dimensions L: 78cm W: 78cm H: 6cm
Base Ø: 59cm H: 4cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature Profile 2x2cm
Color Sandy Black / **Code 23211**
Color Sandy White / **Code 23212**
Color Gold Matt / **Code 23213**




Power	36W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2125Lm
Cri	80
Dimensions	L: 49cm W: 39cm H: 6.2cm
Base	Ø: 28cm H: 3cm
Dimmable Triac	○
Material	Metal - Aluminium - Acrylic
Color	White Matt / Code 23092
Color	Gold Matt-White Matt / Code 23093









Power 32W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2541Lm
Cri 80
Dimensions L: 60cm W: 60cm H: 6.7cm
Base Ø: 50cm H: 3cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Color White Matt / **Code 23086**
Color Black Matt / **Code 23087**
Color Gold Matt / **Code 23088**




Power 39W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3067Lm
Cri 80
Dimensions L: 80cm W: 80cm H: 6.7cm
Base Ø: 67cm H: 3cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Color White Matt / **Code 23089**
Color Black Matt / **Code 23090**
Color Gold Matt / **Code 23091**



Power 32W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1800Lm
Cri 80
Dimensions Ø: 40cm H: 8.5cm
Base Ø: 32cm H: 3cm
Dimmable Triac
Material Aluminium - Acrylic
Color Sandy Black / **Code 2040**
Color Sandy White / **Code 2041**
Color Brushed Gold Matt / **Code 2042**




Power 43W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3715Lm
Cri 80
Dimensions Ø: 60cm H: 8.5cm
Base Ø: 52cm H: 3cm
Dimmable Triac
Material Aluminium - Acrylic
Color Sandy Black / **Code 2048**
Color Sandy White / **Code 2049**
Color Brushed Gold Matt / **Code 2050**




Power 55W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4080Lm
Cri 80
Dimensions Ø: 80cm H: 8.5cm
Base Ø: 72cm H: 3cm
Dimmable Triac
Material Aluminium - Acrylic
Color Sandy Black / **Code 2056**
Color Sandy White / **Code 2057**
Color Brushed Gold Matt / **Code 2058**






Power 37W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2034Lm
Cri 80
Dimensions Ø: 60cm H: 3.6cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile 2.5x3.6cm
Color Black Matt / **Code 23025**




Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2956Lm
Cri 80
Dimensions Ø: 80cm H: 3.6cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile 2.5x3.6cm
Color Black Matt / **Code 23027**








Power 37W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2034Lm
Cri 80
Dimensions Ø: 60cm H: 3.6cm
Dimmable Triac ☒
Material Aluminium - Acrylic
Special Feature Profile 2.5x3.6cm
Color Gold Matt / **Code 23024**




Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2956Lm
Cri 80
Dimensions Ø: 80cm H: 3.6cm
Dimmable Triac ☒
Material Aluminium - Acrylic
Special Feature Profile 2.5x3.6cm
Color Gold Matt / **Code 23026**







Power 24W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1418Lm
Cri 80
Dimensions L: 60cm W: 64cm H: 6cm
Base Ø: 12cm H: 6cm
Dimmable Triac
Material Aluminium - Silicon
Special Feature Profile 1.5x2cm
Color Black Matt-Gold Matt Ring / **Code 23096**
Color Gold Matt-Black Matt Ring / **Code 23098**



Power 32W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1895Lm
Cri 80
Dimensions L: 84cm W: 80cm H: 6cm
Base Ø: 12cm H: 6cm
Dimmable Triac
Material Aluminium - Silicon
Special Feature Profile 1.5x2cm
Color Black Matt-Gold Matt Ring / **Code 23097**
Color Gold Matt-Black Matt Ring / **Code 23099**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 30cm
Material Metal
Color Black Matt-Gold Leaf / **Code 23257**
Color White Matt-Gold Leaf / **Code 23258**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 70cm H: 40cm
Material Metal
Color Black Matt-Gold Leaf / **Code 23259**
Color White Matt-Gold Leaf / **Code 23260**








Power 30W
Input 220-240V, 50/60Hz
Color Temperature 2700K | 3000K
Lumen 1420Lm | 1564Lm
Cri 90
Dimensions Ø: 35cm H: 16.2cm
Base Ø: 14cm H: 4.2cm
Glass Ø: 35cm H: 12cm
Dimmable Triac ☐
Material Metal - Aluminium - Acrylic - Glass
Color Black Matt-Tawny Glass / **Code 25278**
Color Black Matt-Smoked Glass / **Code 25279**






Power	30W
Input	220-240V, 50/60Hz
Color Temperature	2700K 3000K
Lumen	1800Lm 1883Lm
Cri	90
Dimensions	Ø: 50cm H: 11cm
Base	Ø: 12cm H: 4cm
Dimmable Triac	☐
Material	Aluminium - Glass
Color	Black Matt-Tawny Glass / Code 25268
Color	Black Matt-Smoked Glass / Code 25269




Power	52W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2230Lm
Cri	90
Dimensions	Ø: 80cm H: 6cm
Base	L: 66cm W: 8cm H: 4cm
Dimmable Triac	○
Material	Metal - Aluminium - PVC
Special Feature	Sticks Ø: 1.5cm H: 72cm Ø: 1.5cm H: 37cm
Color	Sandy Brick Red-Black Matt / Code 2571
Color	Sandy Grey-Black Matt / Code 2572





Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2300Lm
Cri 80
Dimensions Ø: 38cm H: 6.5cm
Base Ø: 33cm H: 2cm
Dimmable Triac ☐
Material Metal - Acrylic
Color White Matt / **Code 22127**
Color Black Matt / **Code 22128**






Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1568Lm
Cri	85
Dimensions	Ø: 40cm H: 7cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Color	White Matt / Code 25376
Color	Black Matt / Code 25377





Power 31W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1766Lm
Cri 90
Dimensions Ø: 42.5cm H: 6cm
Base L: 35cm W: 5cm H: 4cm
Non Dimmable ☒
Material Metal - Aluminium - Silicon
Color Sandy White / **Code 2075**




Power 39W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2084Lm
Cri 90
Dimensions Ø: 52.5cm H: 6cm
Base L: 43cm W: 5cm H: 4cm
Non Dimmable ☒
Material Metal - Aluminium - Silicon
Color Sandy Black / **Code 2076**
Sandy White / **Code 2077**






Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3040Lm
Cri	80
Dimensions	L: 51cm W: 41cm H: 12cm
Base	L: 21cm W: 5cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Silicon
Color	Sandy Black / Code 2064
Color	Sandy White / Code 2065





Power 23W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1856Lm
Cri 90
Dimensions L: 80cm W: 45cm H: 3cm
Beam Angle 24°
Dimmable Triac
Material Metal - Aluminium
Color Sandy Black / **Code 23042**











Power 32W + 4x5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 5700Lm
Cri 80
Dimensions L: 90cm W: 67cm H: 12-17cm
Base L: 18cm W: 10.5cm H: 6cm
Spots Dimensions Ø: 4.5cm L: 8cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile 2x1.7cm
Movable Spots

Color Sandy Black / **Code 22020**










Power	52W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4400Lm
Cri	80
Dimensions	L: 90cm W: 67cm H: 8.5cm
Base	L: 18cm W: 18cm H: 8.5cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / Code 2020
Color	Sandy White / Code 2021
Color	Gold Matt / Code 2022



Power	48W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3360Lm
Cri	80
Dimensions	L: 56cm W: 56cm H: 8.5cm
Base	L: 14cm W: 14cm H: 8.5cm
Dimmable Triac	☉
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / Code 2023
Color	Sandy White / Code 2024
Color	Gold Matt / Code 2025



Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2000Lm
Cri	80
Dimensions	L: 46cm W: 46cm H: 6.5cm
Base	L: 14cm W: 14cm H: 6.5cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / Code 2026
Color	Sandy White / Code 2027
Color	Gold Matt / Code 2028





Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions L: 32cm W: 32cm H: 5.5cm
Base L: 12.5cm W: 12.5cm H: 3.5cm
Dimmable Triac ☐
Material Aluminium - Acrylic
Special Feature Profile 2x1.7cm
Color Sandy Black / **Code 2029**
Color Sandy White / **Code 2030**
Color Gold Matt / **Code 2031**



Light That Shapes Your Space
Enhance your wall with lights
that create inviting atmosphere.




02 . WALL




Bulb 3x G9
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 15cm W: 34cm H: 61.5cm
Base Ø: 12cm H: 2.5cm
Material Metal - Aluminium - Glass
Special Feature Smoked Glasses Ø: 12cm
Color Sandy Black-Gold Matt-
Smoked Glass-Opal Glass / **Code 25414**







Bulb	1x G9 LED
Power	4W MAX
Dimensions	L: 14.5cm W: 16.4cm H: 15.6cm
Base	Ø: 12cm L: 2cm
Glass	Ø: 12cm
Material	Metal - Aluminium - Glass
Color	Sandy White-Smoked Glass / Code 2577
Color	Gold Matt-Smoked Glass / Code 2578



Bulb	1x G9 LED
Power	4W MAX
Dimensions	L: 16.6cm W: 20.5cm H: 19.5cm
Base	Ø: 15cm L: 2cm
Glass	Ø: 15cm
Material	Metal - Aluminium - Glass
Color	Sandy White-Smoked Glass / Code 2579
Color	Gold Matt-Smoked Glass / Code 2580




Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1170Lm, 965Lm
Cri	80
Dimensions	Ø: 30cm L: 14.8cm
Base	Ø: 13cm L: 3cm
Dimmable Triac	○
Material	Metal - Aluminium - Acrylic - Glass
Color	Brushed Brass-Clear Glass / Code 25143
Color	Sandy Black-Smoked Glass / Code 25144




Bulb	1x E14 LED
Power	8W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 12.5cm W: 20cm H: 27.5cm
Base	Ø: 15.5cm L: 2.5cm
Material	Metal - Glass
Color	Sandy Black-Gold / Code 22047
Color	Sandy Black-Chrome / Code 22048






Power 2x 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 643Lm
Cri 90
Dimensions Ø: 3.2cm L: 6.2cm H: 40cm
Base L: 3cm W: 2.2cm H: 10cm
Beam Angle 24°
Non Dimmable ☒
Material Metal - Aluminium
Color Sandy White / **Code 25217**
Color Sandy Black / **Code 25218**
Color Brass / **Code 25219**






Power	26W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	950Lm
Cri	90
Dimensions	L: 5.6cm W: 40cm H: 46cm
Base	Ø: 15cm L: 4cm
Dimmable Triac	○
Material	Metal - Aluminium - Acrylic
Color	Black Matt / Code 25408
Color	Brushed Gold / Code 25409




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 295Lm
Cri 80
Dimensions L: 4.5cm W: 30.4cm H: 40.2cm
Base L: 4.5cm W: 3.5cm H: 15.5cm
Ring Ø: 30.4cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Color Sandy Black / **Code 25319**




Power 23W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 695Lm
Cri 80
Dimensions L: 4.5cm W: 49.7cm H: 61.5cm
Base L: 4.5cm W: 3.5cm H: 17.5cm
Ring Ø: 49.7cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Color Sandy Black / **Code 25320**







Power 19W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1260Lm
Cri 80
Dimensions L: 6cm W: 102cm H: 20cm
Base Ø: 6.5cm L: 6cm
Non Dimmable ☒
Material Metal - Aluminium - Silicon
Color Black Matt-Gold Matt / **Code 25267**




Power 14W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 880Lm
Cri 80
Dimensions L: 6cm W: 65cm H: 13cm
Base Ø: 5.5cm L: 6cm
Non Dimmable ☒
Material Metal - Aluminium - Silicon
Color Black Matt-Gold Matt / **Code 25266**






Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	890Lm
Cri	80
Dimensions	L: 13.5cm W: 6.5cm H: 56.8cm
Base	L: 3.8cm W: 4.5cm H: 28.5cm
Opal Glass	Ø: 5cm H: 41.6cm
Dimmable Triac	○
Material	Metal - Glass
Color	Brushed Brass-Opal Glass / Code 25152







Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 621Lm
Cri 80
Dimensions L: 8.5cm W: 10cm H: 40cm
Base Ø: 6.8cm L: 8.5cm
Dimmable Triac ☐
Material Aluminium - PC Diffuser
Special Feature Profile 1.5x1.5cm
Color Gold Matt-Black Matt / **Code 23106**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 710Lm
Cri 80
Dimensions L: 8.5cm W: 10cm H: 60cm
Base Ø: 6.8cm L: 8.5cm
Dimmable Triac ☐
Material Aluminium - PC Diffuser
Special Feature Profile 1.5x1.5cm
Color Gold Matt-Black Matt / **Code 23107**






Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 765Lm
Cri 80
Dimensions L: 6cm W: 12.3cm H: 48.2cm
Base Ø: 12.3cm L: 6cm
Dimmable Triac 
Material Aluminium - Silicon
Special Feature Profile 2x1.5cm
Color Black Matt-Gold Matt Ring / **Code 23102**
Color Gold Matt-Black Matt Ring / **Code 23103**




Power 21W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1271Lm
Cri 80
Dimensions L: 17.5cm W: 7.5cm H: 60cm
Base W: 7.5cm H: 20cm
Dimmable Triac ☒
Material Metal - Aluminium - Acrylic
Color Sandy Black / **Code 1936**
Color Gold Matt / **Code 1935**







Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 777Lm
Cri 80
Dimensions L: 4.5cm W: 50cm H: 50cm
Base L: 4.5cm W: 10cm H: 10cm
Dimmable Triac ☐
Material Aluminium - Acrylic
Special Feature Profile 1.5x1.5cm
Color Gold Matt / **Code 23104**




Power 24W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1163Lm
Cri 80
Dimensions L: 4.5cm W: 100cm H: 100cm
Base L: 4.5cm W: 10cm H: 10cm
Dimmable Triac ☐
Material Aluminium - Acrylic
Special Feature Profile 1.5x1.5cm
Color Gold Matt / **Code 23105**







Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 672Lm
Cri 80
Dimensions L: 4cm W: 35cm H: 55.4cm
Base L: 4cm W: 12cm H: 12cm
Dimmable Triac ☒
Material Metal - Aluminium - Acrylic
Special Feature Profile 2x1.6cm
Color Sandy Black / **Code 25148**




Power 14W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 404Lm
Cri 80
Dimensions L: 8cm W: 20cm H: 100cm
Base L: 4cm W: 20cm H: 5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Features Rotatable Arm
Profile 1.2x1.6cm
Color Sandy Black / **Code 25318**



Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 232Lm
Cri 80
Dimensions L: 8cm W: 20cm H: 60cm
Base L: 4cm W: 20cm H: 5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Features Rotatable Arm
Profile 1.2x1.6cm
Color Sandy Black / **Code 25317**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 319Lm
Cri 80
Dimensions L: 5cm W: 3.5cm H: 81cm
Base L: 5cm W: 3.5cm H: 20cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Profile 1x1.6cm
Color Sandy Black / **Code 25321**






Power 14W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 489Lm
Cri 80
Dimensions L: 7cm W: 3.5cm H: 121cm
Base L: 7cm W: 3.5cm H: 20cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Profile 1x1.6cm
Color Sandy Black / **Code 25322**





Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1506Lm
Cri 80
Dimensions Ø: 1.6cm L: 17cm H: 100cm
Base Ø: 5.5cm L: 15cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature Rotatable Arm
Profile Ø: 1.6cm


Color Black Matt / **Code 20116**
Color Gold Matt / **Code 20117**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 838Lm
Cri 80
Dimensions Ø: 1.6cm L: 17cm H: 60cm
Base Ø: 5.5cm L: 15cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature Rotatable Arm
Profile Ø: 1.6cm


Color Black Matt / **Code 20114**
Color Gold Matt / **Code 20115**






Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1899Lm
Cri 80
Dimensions L: 5cm W: 14cm H: 61cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature Profile 2x1.6cm
Left - Right - Back Light
Color Sandy Black / **Code 25147**







Power 25W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 650Lm
Cri 90
Dimensions L: 5cm W: 20cm H: 61cm
Base L: 5cm W: 17cm H: 4cm
Dimmable Triac 
Material Metal - Aluminium - PVC
Special Feature Profile 1.5x3.5cm
Color Sandy Black / **Code 2582**




Power 40W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1020Lm
Cri 90
Dimensions L: 5cm W: 22.3cm H: 91cm
Base L: 5cm W: 17cm H: 4cm
Dimmable Triac 
Material Metal - Aluminium - PVC
Special Feature Profile 1.5x3.5cm
Color Sandy Black / **Code 2584**







Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	908Lm
Cri	80
Dimensions	L: 10cm W: 48cm H: 55cm
Base	L: 3cm W: 5.5cm H: 15.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1x3cm
Color	Black Matt / Code 1945







Power 14W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions L: 6.3cm W: 30cm H: 122.5cm
Base L: 5cm W: 30cm H: 4cm
Non Dimmable ☒
Material Aluminium - Diffuser
Special Feature Profile 1x1.3cm
Color Black Matt / **Code 19117**



Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1300Lm
Cri 90
Dimensions Ø: 35cm H: 38cm L: 11.7cm
Base Ø: 19.6cm L: 3.5cm
Non Dimmable ☒
Material Metal - Aluminium
Color Sandy Black-White Matt / **Code 1910**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 60-100cm W: 20cm H: 85cm
Base Ø: 8cm H: 2cm
Material Metal - Aluminium
Shade Ø: 20cm
Special Feature Multi-directional - Extendable
Color Black Matt-White / **Code 19218**




Bulb 1x G9 LED, 1x E27 LED
Power 7W MAX, 8W MAX
Input 220-240V, 50/60Hz
Dimensions L: 22cm W: 12cm H: 85cm
Base Ø: 12cm L: 2.5cm
Material Metal - Glass - Opal Glass
Opal Glass Ø: 12cm
Special Feature Dark Champagne Glass Ø: 7cm H: 23cm
Color Sandy Black-Antique Brass / **Code 22054**






Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions L: 13.5cm W: 16.5cm H: 25cm
Base Ø: 10cm H: 3cm
Non Dimmable ☒
Material Metal - Opal Glass
Color White / **Code 20137**




Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions L: 23.5cm W: 25cm H: 33cm
Base Ø: 10cm H: 3cm
Non Dimmable ☒
Material Metal - Opal Glass
Color White / **Code 20136**






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 600Lm
Cri 90
Dimensions L: 9cm W: 14.5cm H: 37cm
Base Ø: 13cm H: 3cm
Opal Glass Ø: 14.5cm L: 5.5cm
Non Dimmable ☒
Material Metal - Opal Glass
Color Gold Matt / **Code 22061**




Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 21cm L: 12cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Gold Matt / **Code 23137**






Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
Dimensions Ø: 12.5cm L: 15cm H: 42cm
Base Ø: 12cm H: 3cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Opal Diffuser Ø: 12.5cm
Color Black Matt-Gold Matt / **Code 2003**





Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
Dimensions Ø: 12.5cm H: 42cm
Base Ø: 15cm H: 0.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Opal Diffuser Ø: 12.5cm
Color Black Matt-Gold Matt / **Code 2004**







Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
Dimensions Ø: 18cm L: 6cm
Non Dimmable ☒
Material Metal - Acrylic
Color Brushed Brass / **Code 20349**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 700Lm
Cri 80
Dimensions Ø: 24cm L: 6cm
Non Dimmable ☒
Material Metal - Acrylic
Color Brushed Brass / **Code 20350**






Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 576Lm
Cri 80
Dimensions Ø: 6cm L: 9cm H: 40cm
Base L: 3cm W: 4cm H: 12cm
Non Dimmable ☒
Material Stainless Steel - Acrylic
Color Brass-Black Matt / **Code 23041**





Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1222Lm
Cri 90
Dimensions L: 17cm W: 11cm H: 40cm
Glass Ø: 11cm H: 14.5cm
Base Ø: 11.5cm L: 4.5cm
Dimmable Triac ☐
Material Metal - Clear Glass - Opal Glass
Color Gold Matt / **Code 23016**





Power	25W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1530Lm
Cri	80
Dimensions	L: 14.7cm W: 37cm H: 9.7cm
Base	L: 3.7cm W: 36cm H: 5.5cm
Shades	Ø: 10cm H: 6.5cm
Dimmable Triac	○
Material	Metal - Aluminium - Plastic
Special Feature	359° Movable Shades
Color	Sandy Black Base-Champagne Shades / Code 25342
Color	Sandy Black Base-Brushed Nickel Shades / Code 25343






Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 8cm W: 26cm H: 36cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Sandy Olive Green-Painted Gold / **Code 22203** 
Color Terracotta-Painted Gold / **Code 22204** 
Color Elephant Grey-Sandy Black / **Code 22205** 







Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
Dimensions L: 9cm W: 9cm H: 30cm
Non Dimmable ☒
Material Metal
Color White Matt / **Code 16155**



Bulb 1x E14
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions L: 18cm W: 11cm H: 18cm
Base Ø: 12cm H: 2cm
Material Metal - Aluminium
Color White Matt-Gold Matt / **Code 20218**
Grey Matt-Gold Matt / **Code 20219**





Power 9.2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 460Lm
Cri 80
Dimensions Ø: 25cm L: 5.5cm
Material Gypsum
Color Pure White / **Code 20272**




Power 7.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 375Lm
Cri 80
Dimensions Ø: 15cm L: 4.1cm
Material Gypsum
Color Pure White / **Code 20271**







Bulb 2x G9
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 7cm W: 11cm H: 18cm
Material Gypsum
Special Feature Up-Down Lighting
Color Pure White / **Code 25383**

Bulb 2x G9
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 7cm W: 11cm H: 18cm
Material Concrete
Special Feature Up-Down Lighting
Color Concrete / **Code 25384**







Bulb 1x G9
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 13cm W: 13cm H: 15cm
Material Concrete
Special Feature Up-Down Lighting
Color Concrete / **Code 180021**



Bulb 1x G9
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 11.5cm W: 11.5cm H: 11.5cm
Material Concrete
Special Feature Up-Down Lighting
Color Concrete / **Code 180023**




Bulb 1x E27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 12cm W: 30cm H: 17cm
Material Concrete
Special Feature Up-Down Lighting
Color Concrete / **Code 180020**





Bulb 2x GU10
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 7cm W: 7.5cm H: 16cm
Material Concrete
Special Feature Up-Down Lighting
Color Concrete / **Code 180022**







Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K
Lumen 536Lm, 597Lm
Cri 80
Dimensions L: 8cm W: 18cm H: 8.5cm
Non Dimmable ☒
Material Gypsum
Color Pure White / **Code 25381**





Power 8.25W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 625Lm
Cri 80
Dimensions L: 4.5cm W: 30cm H: 8cm
Non Dimmable ☒
Material Gypsum
Special Feature Up-Down Lighting
Color Pure White / **Code 25380**






Bulb 1x G9
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 10cm W: 18cm H: 9cm
Material Gypsum
Special Feature Up-Down Lighting
Color Pure White / **Code 25382**





Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 510Lm
Cri 80
Dimensions L: 6cm W: 10cm H: 16cm
Non Dimmable ☒
Material Gypsum
Special Feature Up-Down Lighting
Color Pure White / **Code 25379**







Bulb 1x G9
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 14.5cm W: 32cm H: 5.5cm
Material Gypsum
Special Feature Up-Down Lighting
Color Pure White / **Code 180026**



Bulb 1x G9
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 8.5cm W: 20cm H: 12cm
Material Gypsum
Special Feature Up-Down Lighting
Color Pure White / **Code 180025**



Bulb 1x G9
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 10cm W: 20cm H: 6cm
Material Gypsum
Special Feature Up Lighting
Color Pure White / **Code 180027**




Bulb 1x G9
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 13cm W: 15cm H: 13cm
Material Gypsum
Special Feature Up-Down Lighting
Color Pure White / **Code 180028**





Warm Glow - Flexible Placement
Create cozy corners with floor and
table lights.




03. FLOOR & TABLE




Bulb	1x G9 LED
Power	9W MAX
Dimensions	Ø: 12cm H: 18.8cm
Base	Ø: 12cm H: 6cm
Opal Glass	Ø: 12cm
Material	Metal - Clay - Opal Glass
Special Feature	150cm Black Cable Available
Color	Olive Green-Black / Code 2589
Color	Terracotta-Black / Code 2590



Bulb 2x G9 LED
Power 9W MAX
Dimensions Ø: 28.5cm H: 40.5cm
Base Ø: 18cm H: 0.5cm
Material Metal - Clay
Special Feature 150cm Black Cable Available
Color Terracotta-Sandy Black / **Code 2593**
Color Grey-Sandy Black / **Code 2594**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 35cm H: 55cm
Shade Ø: 35cm H: 22cm
Material Stone - Fabric Shade
Special Feature 150cm Black Cable Available
Color Natural Stone-White Shade / **Code 25428**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 41.8cm
Shade Ø: 30cm H: 14.8cm
Material Stone - Acrylic
Special Feature 150cm Transparent Cable Available
Color Natural Stone-Opal / **Code 25427**






Bulb 2x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 29.5cm H: 48cm
Shade Ø: 29.5cm H: 13cm
Material Metal - Ceramic
Special Feature 150cm Cable Available
Movable Shade
Color Black / **Code 23006**
Color Beige / **Code 23007**





Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1554Lm
Cri 80
Dimensions Ø: 42cm H: 162cm
Glass Ø: 42cm H: 13cm
Base Ø: 29cm H: 1.5cm
Non Dimmable ☒
Material Metal - Smoked Glass
Special Feature 150cm Cable Available
Movable Shade


Color Black Matt / **Code 23055**




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1554Lm
Cri 80
Dimensions Ø: 42cm H: 52cm
Glass Ø: 42cm H: 13cm
Base Ø: 29cm H: 1cm
Non Dimmable ☒
Material Metal - Smoked Glass
Special Feature 150cm Cable Available
Movable Shade

Color Black Matt / **Code 23054**






Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2461Lm
Cri	80
Dimensions	Ø: 32cm H: 53cm
Base	Ø: 20cm H: 3cm
Non Dimmable	☒
Material	Metal - Smoked Glass - Opal Glass
Special Feature	150cm Cable Available
Color	Black Matt / Code 23085




Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions Ø: 21cm H: 155cm
Base Ø: 21cm H: 1cm
Non Dimmable 
Material Metal - Aluminium
Special Feature 150cm Cable Available
Lamp Ø: 6.5cm
Movable
Color Sandy Black / **Code 20109**






Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	611Lm
Cri	90
Dimensions	L: 40.5cm W: 30cm H: 146.5cm
Base	Ø: 30cm H: 2cm
Shade	Ø: 10cm H: 6.5cm
Dimmable Touch	○
Material	Metal - Aluminium - Plastic
Special Feature	359° Movable Shade 150cm Cable Available
Color	Sandy Black Base-Champagne Shades / Code 25344
Color	Sandy Black Base-Brushed Nickel Shades / Code 25345






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 810Lm
Cri 80
Dimensions L: 52cm W: 25cm H: 156.5cm
Base Ø: 25cm H: 0.5cm
Dimmable 
Material Metal - Aluminium - Acrylic
Special Feature 120cm Cable Available
Movable Light Deflectors
3 Step Dimming

Color Brushed Gold / **Code 25194**




Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	420Lm
Cri	80
Dimensions	L: 27.5cm W: 16cm H: 51cm
Base	Ø: 16cm H: 0.5cm
Dimmable	☉
Material	Metal - Aluminium - Acrylic
Special Feature	120cm Cable Available Dimming Switch On Cable Movable Light Deflectors
Color	Brushed Gold / Code 25193






Bulb	1x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 30cm H: 47cm
Base	Ø: 10cm H: 30cm
Material	Metal
Special Feature	150cm Cable Available
Color	Black Matt / Code 20210
Color	Gold Matt / Code 20211




Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 40cm
Base Ø: 14cm H: 0.5cm
Material Metal - Glass
Special Feature 150cm Cable Available
Color Gold Matt-Opal Glass / **Code 20252**







Bulb	1x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 20cm H: 44cm
Base	Ø: 11cm H: 19cm
Material	Metal - Marble - Glass
Special Feature	150cm Cable Available
Color	White Marble-Champagne-Antique Brass / Code 20253




Power	17W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1050Lm
Cri	80
Dimensions	Ø: 12cm H: 152cm
Base	Ø: 22cm H: 0.5cm
Non Dimmable	☒
Material	Metal - Acrylic - Glass
Special Feature	120cm Cable Available
Color	Gold Matt-Champagne Glass / Code 23063
Color	Black Matt-Smoked Glass / Code 23064




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 490Lm
Cri 80
Dimensions Ø: 12cm H: 35cm
Base Ø: 13cm H: 0.5cm
Non Dimmable ☒
Material Metal - Acrylic - Glass
Special Feature 120cm Cable Available
Color Gold Matt-Champagne Glass / **Code 23060**
Color Black Matt-Smoked Glass / **Code 23061**






Bulb	1x G9 LED
Power	5W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 31cm W: 26cm H: 145cm
Smoked Glass	Ø: 18cm H: 23cm
Base	Ø: 26cm W: 3.5cm
Material	Metal - Smoked Glass Outside Opal Glass Inside - Black Marble Base
Special Feature	150cm Cable Available Opal Glass Ø: 10cm
Color	Sandy Black-Black Marble / Code 22053




Bulb 1x E14 LED
Power 8W MAX
Input 220-240V, 50/60Hz
Dimensions L: 24cm W: 24cm H: 110cm
Base L: 24cm W: 24cm H: 3cm
Glass Ø: 8cm H: 18.5cm
Material Metal - Clear Glass - Frost White Glass
Special Feature 150cm Cable Available
Color Sandy Black-Antique Brass / **Code 22136**






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
Dimensions Ø: 11cm H: 42cm
Base Ø: 14cm H: 0.5cm
Non Dimmable ☒
Material Metal - Opal Glass
Special Feature 100cm Cable Available
Glass Ø: 11cm
Color Black Matt / **Code 20134**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions Ø: 16cm H: 160cm
Base Ø: 22cm H: 0.5cm
Non Dimmable ☒
Material Metal - Opal Glass
Special Feature 200cm Cable Available
Glass Ø: 16cm | Ø: 11cm
Color Black Matt / **Code 20135**






- Power 2.5W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K
- Lumen 178Lm
- Cri 80
- Dimensions Ø: 12cm H: 38.5cm
- Base Ø: 12cm H: 2.5cm
- Spot Dimension Ø: 3cm L: 11cm
- Non Dimmable ☒
- Switch On/Off
- Material Metal - Aluminium
- Special Feature Movable Spot
- Color Black Matt / **Code 23036**
- Color Gold Matt / **Code 23037**






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
Dimensions Ø: 22cm H: 151cm
Base Ø: 22cm H: 0.5cm
Spots Dimension Ø: 4cm L: 23cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Movable Spots
Color Sandy Black-Gold / **Code 22032**




Power 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 300Lm
Cri 80
Dimensions L: 23cm W: 18cm H: 50cm
Base Ø: 18cm H: 0.5cm
Spot Dimension Ø: 4cm L: 23cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Movable Spot
Color Sandy Black - Gold / **Code 22030**






Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1600Lm
Cri 80
Dimensions Ø: 16cm H: 150cm
Base Ø: 16cm H: 0.5cm
Non Dimmable 
Material Metal - Aluminium - Acrylic
Color Black Matt / **Code 20123**



Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
Dimensions Ø: 12cm H: 46cm
Base Ø: 12cm H: 0.5cm
Non Dimmable 
Material Metal - Aluminium - Acrylic
Color Black Matt / **Code 20118**









Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1200Lm
Cri 80
Dimensions Ø: 25cm H: 160cm
Base Ø: 25cm H: 0.5cm
Material Metal - Acrylic
Non Dimmable ☒
Special Feature 150cm Cable Available
Shade Ø: 16cm H: 2cm
Uplight

Color Sandy Black / **Code 22065**






Bulb 1x E14
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 17cm H: 42cm
Base Ø: 13cm H: 2cm
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color Black Matt-Gold Matt / **Code 20217**




Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 45cm H: 159cm
Base Ø: 25cm H: 2.5cm
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color Black Matt-Gold Matt / **Code 20216**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 50cm
Shade Ø: 30cm H: 20cm
Material Metal - Thread String Cord - Fabric
Special Feature 120cm Cable Available
Color Natural-Light Beige / **Code 20235**




Bulb 1x E14
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 24cm H: 44cm
Base Ø: 13cm H: 2.5cm
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color Grey Matt-Gold Matt / **Code 20220**




Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions L: 27cm H: 44cm
Base Ø: 15cm H: 2.5cm
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color White Matt-Gold Matt / **Code 20222**





Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 17cm H: 21cm
Base Ø: 11cm H: 2.5cm
Material Metal - Glass
Special Feature 150cm Cable Available
Color Transparent-Antique Brass / **Code 20251**




Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 22cm
Base Ø: 11cm H: 2.5cm
Material Metal - Glass
Special Feature 150cm Cable Available
Color Transparent-Antique Brass / **Code 20250**




Embrace the Bohemian Glow
Soft lighting made from nature's finest.



04. BAMBOO & RATTAN





Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm L: 27cm
Base Ø: 10cm H: 2.5cm
Material Metal - Paper Rope
Special Features 200cm Gold Fabric Cable Adjustable
Color Natural Rope-Brown Beige / **Code 25334**







Bulb
Power
Input
Dimensions
Base
Material
Special Features
Color

1x E27
20W MAX
220-240V, 50/60Hz
Ø: 50cm H: 40cm
Ø: 10cm H: 2cm
Metal - Raffia
200cm Gold Fabric Cable Adjustable
Natural-Gold Matt Base / **Code 23197**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 50cm H: 32cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Seaweed
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Brown Beige / Code 25443




Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 35cm H: 52cm
Base Ø: 10cm H: 2cm
Material Metal - Rattan
Special Features 200cm Gold Fabric Cable Adjustable
Color Natural-Gold Matt Base / **Code 23195**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 21cm
Base Ø: 12cm H: 2.5cm
Material Metal - Paper Rope
Special Features 200cm Gold Fabric Cable Adjustable
Color Natural-Brown Beige / **Code 25440**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 18cm
Base Ø: 12cm H: 2.5cm
Material Metal - Paper Rope
Special Features 200cm Gold Fabric Cable Adjustable
Color Natural-Brown Beige / **Code 25429**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 48cm H: 35cm
Base Ø: 10cm H: 2cm
Material Metal - Paper Rope
Special Feature 200cm Cable Adjustable
Color Natural-Black Matt / **Code 20237**






Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 80cm
Base Ø: 10cm H: 2.2cm
Material Metal - Rattan
Special Features 200cm Gold Fabric Cable Adjustable
Color Natural-Gold Matt Base / **Code 23196**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 53cm H: 24cm
Base Ø: 12cm H: 2.5cm
Material Metal - Rattan
Special Features 200cm Gold Fabric Cable Adjustable
Color Natural-Brown Beige / **Code 25442**




Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 48cm H: 38cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Rattan
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Brown Beige / Code 25441




Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 65cm H: 45cm
Base Ø: 8cm H: 3.5cm
Material Metal - Bamboo
Special Feature 200cm Black Fabric Cable Adjustable
Color Brown-Sandy Black / **Code 22172** 






Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm H: 20cm
Base Ø: 8cm H: 3.5cm
Material Metal - Braided Wheat
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural-Sandy Black / **Code 22166** 






Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 18cm H: 21cm
Base Ø: 8cm H: 3.5cm
Material Metal - Braided Wheat
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural-Sandy Black / **Code 22167** 



Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm H: 45cm
Base Ø: 8cm H: 3.5cm
Material Metal - Braided Wheat
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural-Sandy Black / **Code 22168** 










25

Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm L: 10.5cm
Base Ø: 8cm H: 2.5cm
Material Metal - Bush
Color Natural-Sandy Black / **Code 22175** 



40


Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 10cm
Base Ø: 8cm H: 3.5cm
Material Metal - Bush
Special Feature 200cm Black Fabric Cable Adjustable
Color Natural-Sandy Black / **Code 22173** 




40

Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm L: 11.5cm
Base Ø: 8cm H: 2.5cm
Material Metal - Bush
Color Natural-Sandy Black / **Code 22174** 







Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm L: 11cm
Base Ø: 10cm L: 2.5cm
Material Metal - Rattan
Color Natural / **Code 25332**
Color Black / **Code 25333**




Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm L: 11cm
Base Ø: 10cm L: 2.5cm
Material Metal - Rattan
Color Natural / **Code 25454**
Color Black / **Code 25455**







Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm L: 8cm
Base Ø: 8cm H: 2.5cm
Material Metal - Bamboo
Color Natural-White / **Code 19250**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm L: 8cm
Base Ø: 8cm H: 2.5cm
Material Metal - Bamboo
Color Natural-Black / **Code 19252**



Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm L: 8cm
Base Ø: 8cm H: 2.5cm
Material Metal - Bamboo
Color Natural-White / **Code 19251**
Color Natural-Black / **Code 19253**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm H: 1.5cm
Base Ø: 12cm H: 6cm
Material Metal - Bamboo
Special Feature 150cm Cable Adjustable
Color Natural-Black / **Code 19104**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 1.5cm
Base Ø: 10cm H: 5cm
Material Metal - Bamboo
Special Feature 150cm Cable Adjustable
Color Natural-Black / **Code 19105**





Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm H: 1.5cm
Base Ø: 12cm H: 6cm
Material Metal - Bamboo
Special Feature 150cm Cable Adjustable
Color Natural-White / **Code 19106**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 1.5cm
Base Ø: 10cm H: 5cm
Material Metal - Bamboo
Special Feature 150cm Cable Adjustable
Color Natural-White / **Code 19107**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 80cm W: 60cm H: 30cm
Base Ø: 10cm H: 5cm
Material Metal - Bamboo
Special Feature 200cm Cable Adjustable
Color Natural / **Code 19103**
Color Black / **Code 19108**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions L: 80cm W: 60cm H: 37cm
Base Ø: 8cm H: 2.5cm
Material Metal - Bamboo
Color Black / **Code 19109**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 23cm H: 60cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 200cm Cable Adjustable
Color Natural-Black Matt / **Code 20154**




Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 40cm
Base Ø: 10cm H: 2cm
Material Metal - Paper Rope
Special Feature 200cm Cable Adjustable
Color Natural-Black Matt / **Code 20236**






Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 40cm
Base Ø: 8cm H: 2cm
Material Metal - Bush - Burlap
Special Feature 150cm Cable Adjustable
Color Natural-Black Matt / **Code 20354** 






Bulb 1x E27
Power 11W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 18cm H: 36cm
Base Ø: 10cm H: 2.5cm
Material Metal - Paper
Special Feature 200cm Cable Adjustable
Color Natural-Black Matt / **Code 23071**




Bulb 1x E27
Power 11W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm H: 20cm
Base Ø: 12cm H: 2.5cm
Material Metal - Paper
Special Feature 200cm Cable Adjustable
Color Natural-Black Matt / **Code 23070**





Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 55cm H: 70cm
Base Ø: 8cm H: 3.5cm
Material Rattan
Special Feature 150cm Cable Adjustable
Color Natural / **Code 18181** 





Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm H: 100cm
Base Ø: 8cm H: 3.5cm
Material Metal - Straw
Special Feature 50cm Chain Adjustable
Color Natural Straw / **Code 17129** 




Smart Flow - Smart Glow
Elevate your comfort with
design-driven functionality.




05. FAN





LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52.3" Ø:132.8cm H: 17.5cm
Air Flow	188m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - ABS
Special Feature	Summer & Winter Function Remote Control & Wall Switch Included
Motor Feature	DC Motor 31W 6 Speeds
Color	Black Matt / Code 25395
Color	White Matt / Code 25396



Light Kit for 25395




LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1600Lm
Cri	80
Material	Polycarbonate
Color	Opal / Code 25397

Light Kit for 25396




LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1600Lm
Cri	80
Material	Polycarbonate
Color	Opal / Code 25398





LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	54" Ø: 137cm H: 21cm
Air Flow	195m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - ABS
Special Feature	TUYA WiFi Remote Control Summer & Winter Function
Motor Feature	DC Motor 40W 5 Speeds
Color	Black Matt / Code 20257






LED Light Source	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6500K
Lumen	1900Lm
Cri	80
dB	19
Dimensions	22" Ø: 25cm(closed)-55cm(open) H: 21cm
Air Flow	123m³ min
Night Mode	Time Setting 1h / 2h / 4h
Material	Metal - Polycarbonate
Special Feature	Summer & Winter Function Remote Control & Wall Switch Included
Motor Feature	DC Motor 32W 6 Speeds
Color Double Face	White Matt-Transparent Blades / Code 25329





IP44



LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
IP	44
Dimensions	52" Ø: 152cm H: 32-44.5cm
Air Flow	164m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - ABS Blades
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Remote Control & Wall Switch Incloued
Motor Feature	DC Motor 40W 6 Speeds
Color	White Matt / Code 23003
Color	Black Matt / Code 23004




Light Kit for 23003-23004





LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1600Lm
Cri	80
IP	44
Material	Polycarbonate
Color	Opal / Code 23005





LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	64" Ø: 163cm H: 37.5-50cm
Air Flow	178m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - ABS
Special Feature	2 Down Rods 12.5-25cm Summer Function Possibility of Installation on a Sloping Roof - 20°
Motor Feature	AC Motor 70W 3 Speeds
Color	Black Matt / Code 20258






57



22


LED Light Source	32W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	2100Lm
Cri	80
dB	20
Dimmable Light	○
Dimensions	Ø: 57cm H: 22cm
Air Flow	123m³ min
Night Mode	Time Setting 2h / 4h
Material	Metal - Acrylic - ABS - Hemp Rope
Special Feature	Summer & Winter Function Remote Control & Wall Switch Included
Motor Feature	DC Motor 13W 6 Speeds
Color Double Face	Natural- White / Code 23001






LED Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6500K
Lumen	1500Lm
Cri	80
dB	23
Dimensions	52" Ø: 132cm H: 38-50.5cm
Air Flow	141.9m³ min
Night Mode	Time Setting 1h / 2h / 4h
Material	Metal - Polycarbonate - Bamboo
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Remote Control & Wall Switch Included
Motor Feature	DC Motor 45W 6 Speeds
Color Double Face	Natural-White / Code 25328






LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	134.6m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - Palm Leaf
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Remote Control & Wall Switch Included
Motor Feature	DC Motor 48W 5 Speeds
Color	Brown-Natural Palm Leaf Blades / Code 19139






- LED Light Source Without Light
- Input 220-240V, 50/60Hz
- dB 20
- Dimensions 60" Ø: 152cm H: 31.5-44cm
- Air Flow 145.3m³ min
- Night Mode Time Setting 1h / 4h / 8h
- Material Metal - Wood
- Special Feature 2 Down Rods 12.5-25cm
Summer & Winter Function
- Motor Feature Remote Control & Wall Switch Included
DC Motor 40W
6 Speeds
- Color Gold-Solid Walnut Wood Blades / **Code 23002**







LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	145.3m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 62W 3 Speeds
Color	Brown-Cherry Wood Blades / Code 19143
Color	Black Matt-Cherry Wood Blades / Code 19143-B
Color	Chrome Matt-Natural Wood Blades / Code 19142





- LED Light Source 18W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K, 4000K, 6500K
- Lumen 1500Lm
- Cri 80
- dB 20
- Dimensions 52" Ø: 132cm H: 42.5-55cm
- Air Flow 156.3m³ min
- Night Mode Time Setting 1h / 2h / 4h / 8h
- Material Metal - Glass - Wood
- Special Feature 2 Down Rods 12.5-25cm
Summer & Winter Function
Remote Control & Wall Switch Included
- Motor Feature DC Motor 38W
5 Speeds
- Color White Matt-Natural Wood Blades / **Code 19140**
- Color Black Matt-Natural Wood Blades / **Code 19141**






LED Light Source 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K, 6000K
Lumen 1500Lm
Cri 80
dB 25
Dimensions 49" Ø: 124cm H: 26cm
Air Flow 168m³ min
Night Mode Time Setting 1h / 2h / 4h / 8h
Material Metal - Polycarbonate - Plywood (MDF)
Special Feature Summer Function
Motor Feature AC Motor 55W
3 Speeds


Color Double Face White Matt-Maple Wood Blades
White Matt-White Blades / **Code 19137**






LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	175.3m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 57W 3 Speeds
Color	Black Matt / Code 19136-B





LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	60" Ø: 152cm H: 32-44.5cm
Air Flow	211.7m³ min
Night Mode	Time Setting 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Possibility of Installation on a Sloping Roof - 20° Remote Control & Wall Switch Included
Motor Feature	DC Motor 55W 5 Speeds
Color	Black Matt-Solid Wood Blades / Code 20259






LED Light Source 18W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K, 6500K
Lumen 1500Lm
Cri 80
dB 23
Dimensions 52" Ø: 132cm H: 30cm
Air Flow 141m³ min
Night Mode Time Setting 1h / 2h / 4h / 8h
Material Metal - Polycarbonate - Wood
Special Feature Summer Function
Motor Feature AC Motor 55W
3 Speeds

Color Black Matt-Cherry Wood Blades / **Code 19144**





- | | |
|-------------------|---|
| LED Light Source | 15W |
| Input | 220-240V, 50/60Hz |
| Color Temperature | 3000K, 4000K, 6000K |
| Lumen | 1500Lm |
| Cri | 80 |
| dB | 20 |
| Dimensions | 52" Ø: 132cm H: 37.5-50cm |
| Air Flow | 147.4m³ min |
| Night Mode | Time Setting 1h / 2h / 4h / 8h |
| Material | Metal - Acrylic - Wood |
| Special Feature | 2 Down Rods 12.5-25cm
Summer & Winter Function
Possibility of Installation on a Sloping Roof - 20°
Remote Control & Wall Switch Included |
| Motor Feature | DC Motor 40W
5 Speeds |
| Color | Coffee-Cherry Wood Blades / Code 20256 |




Illuminating Hospitality Excellence
Create unforgettable guest experiences
with elegant hotel lighting.



06. HOTEL




Code 25184 for Right Side Installation




Power 6W + 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 500Lm + 240Lm
Cri 90
Dimensions L: 11.2cm W: 30cm H: 12cm
Non Dimmable ☒
Switch 2 On/Off
Material Metal - Aluminium
Special Feature Up Light
Wireless Charger
USB Charger Type C
USB Charger Type A
Right Side Installation
Color Black Matt / **Code 25184**

Power 6W + 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 500Lm + 240Lm
Cri 90
Dimensions L: 11.2cm W: 30cm H: 12cm
Non Dimmable ☒
Switch 2 On/Off
Material Metal - Aluminium
Special Feature Up Light
Wireless Charger
USB Charger Type C
USB Charger Type A
Left Side Installation
Color Black Matt / **Code 25183**





LED
Bulb 1x G9
Power 5W MAX
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 160Lm
Cri 90
Dimensions L: 11.8cm W: 14.5cm H: 34cm
Base L: 2.7cm W: 6.5cm H: 34cm
Non Dimmable ☒
Switch 2 On/Off
Material Metal - Aluminium - Opal Glass
Special Feature Stick Ø: 2.9cm H: 11cm
Opal Glass Ø: 14.5cm H: 8.5cm
Color Black Matt / **Code 25326**






Power 3W + 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm + 400Lm
Cri 80
Dimensions Ø: 14cm L: 8.1cm
Base Ø: 10cm L: 2cm
Non Dimmable ☒
Switch 2 On/Off
Material Aluminium - Acrylic
Special Features Stick Ø: 2.8cm H: 11cm
Back Light
Color Black Matt / **Code 25303**







Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	145Lm
Cri	95
Dimensions	L: 4.1cm W: 8.6cm H: 8.6cm
Depth	3cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	4.5x4.5cm
Special Features	Recessed Installation Metal Plate with Magnetic Mounting Stick Ø: 2.5cm H: 7.2cm Microprismatic Diffuser
Color	Sandy Black / Code 25281






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	95
Dimensions	L: 6.5cm W: 4.5cm H: 13cm
Base	L: 3cm W: 4.5cm H: 11cm
Dimmable	○
Switch	Touch Dim
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.8cm H: 13cm
Color	Sandy Black-Gold / Code 25282






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	95
Dimensions	Ø: 7.5cm L: 6.5cm H: 8.5cm
Base	Ø: 7.5cm L: 3cm
Dimmable	☉
Switch	Touch Dim
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.8cm H: 8.5cm
Color	Sandy Black-Gold / Code 25283





Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	160Lm
Cri	90
Dimensions	L: 7.7cm W: 5.3cm H: 13cm
Base	L: 3cm W: 5.3cm H: 13cm
Non Dimmable	☒
Switch	On/Off Push
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.9cm H: 11cm
Color	Black Matt-Gold / Code 25182




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	Ø: 8cm L: 40cm
Base	Ø: 8cm H: 3cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.9cm L: 9.5cm
Color	Brushed Brass / Code H63






Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 160Lm
Cri 90
Dimensions Ø: 8cm L: 20-46cm
Base Ø: 8cm L: 3cm
Non Dimmable ☒
Switch On/Off Intergrated Switch on Head
Material Metal - Aluminium
Special Feature Stick Ø: 1.9cm H: 7.7cm
Color Sandy Black / **Code 25149**
Color Gold Matt / **Code 25150**







Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	Ø: 8cm L: 7-15cm H: 12cm
Base	Ø: 8cm H: 3cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 3cm H: 12cm
Color	Black Matt / Code H48-B
Color	Gold / Code H48-G



Power	2.5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	140Lm
Cri	80
Dimensions	L: 12cm W: 8cm H: 20cm
Non Dimmable	☒
Switch	On/Off Push
Material	Metal - Aluminium
Special Feature	USB Charger
Color	Black Matt-Brass / Code 23038




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 7cm-16cm W: 5.5cm H: 15cm
Base	L: 3cm W: 5.5cm H: 15cm
Non Dimmable	⊗
Switch	On/Off Intergrated Switch on Head
Material	Metal - Aluminium
Special Feature	Microprismatic Diffuser Stick Ø: 2.8cm H: 10cm
Color	Brushed Brass / Code H68
Color	Black Matt / Code H68-B




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 4-12.5cm W: 7.8cm H: 18.3cm
Depth	4.5cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	15.8x5.7cm
Special Feature	Recessed Installation USB Charger Stick Ø: 2.8cm H: 11cm
Color	Black Matt / Code H65
Color	Brushed Brass / Code H67






LED
Bulb 3W
Power 1x E27
Input MAX 40W
Color Temperature 220-240V, 50/60Hz
Lumen 3000K
Dimensions 200Lm
Shade L: 13.5cm W: 18cm H: 30cm
Base L: 12cm W: 18cm H: 17cm
Stick L: 2.5cm W: 10cm H: 10cm
Non Dimmable Ø: 3cm L: 11.5cm
Switch
Material
Color Aluminium - Fabric Shade
Brushed Brass-Beige Shade / **Code H73**




Bulb 1x G9 LED
Power 5W MAX
Input 220-240V, 50/60Hz
Dimensions L: 12cm W: 10cm H: 30cm
Base Ø: 8cm H: 2cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Gold Matt / **Code H64**
Color Black Matt / **Code H64-B**






Power	2.5W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	141 Lm + 178Lm
Cri	80
Dimensions	L: 9.7-16cm W: 9cm H: 63.5cm
Non Dimmable	☒
Switch	2 On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Movable Spot Rotatable Back Light (Ø: 1.9cm) Stick Ø: 2.7cm H: 11cm
Color	Black Matt / Code 23039
Color	White Matt / Code 23040






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	140Lm
Cri	95
Dimensions	L: 6.3cm W: 7cm H: 8.5cm
Base	Ø: 7cm L: 2.8cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Microprismatic Diffuser Stick Ø: 2.5cm H: 7.3cm
Color	Sandy White / Code 25284







Power	3W + 5W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm + 800Lm
Cri	80
Dimensions	L: 7-16cm W: 35cm H: 6.3cm
Non Dimmable	☒
Switch	2 On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Up/Down Light Stick Ø: 2.8cm H: 10cm
Color	Black Matt / Code H54
Color	White Matt / Code H52



Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions L: 12.5-19cm W: 4cm H: 20cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Special Feature USB Charger
Color Black Matt / **Code H35**




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 204Lm
Cri 80
Dimensions L: 7-19cm W: 16.5cm H: 6.5cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Special Feature USB Charger
Stick Ø: 3cm L: 14cm
Color Sandy White / **Code H74**
Color Sandy Black / **Code H75**





Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 149Lm
Cri 90
Dimensions Ø: 8cm L: 20-36cm
Base Ø: 8cm L: 2.8cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Special Feature Flex 26cm
Stick Ø: 2.7cm L: 7cm

Color Black Matt / **Code 22049**
Color White Matt / **Code 22050**





Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 180Lm
Cri 80
Dimensions L: 5.5-13.5cm W: 5cm H: 12cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Special Feature Stick Ø: 1.6cm H: 9.5cm
Color Black Matt / **Code H80**






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	255Lm
Cri	80
Dimensions	Ø: 13cm L: 16.4cm H: 13.5cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	USB Charger Flex 19cm Stick Ø: 3cm H: 5cm
Color	White Matt / Code H58




Power	5.6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 15.5cm W: 20cm H: 12cm
Base	L: 2.5cm W: 20cm H: 6cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Acrylic
Color	White Matt / Code 20167







Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	W: 8cm H: 19cm
Depth	6.5cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	17x6cm
Special Feature	Recessed Installation Stick W: 4cm H: 14cm
Color	Black Matt / Code H43



Power	3W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm + 350Lm
Cri	80
Dimensions	L: 8-12cm W: 14cm H: 20cm
Non Dimmable	☒
Switch	2 On/Off
Material	Metal - Aluminium
Special Feature	Back Light Stick Ø: 1.5cm H: 8cm
Color	Black Matt / Code H41




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	210Lm
Cri	80
Dimensions	L: 36cm W: 4cm H: 12cm
Depth	5cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	10.5x3.2cm
Special Feature	Recessed Installation Stick Ø: 2.5cm H: 6cm
Color	Black / Code H69




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	160Lm
Cri	90
Dimensions	Ø: 7cm L: 20-46cm
Base	Ø: 9.5cm L: 0.5cm
Depth	5cm
Non Dimmable	☒
Switch	On/Off Intergrated Switch on Head
Material	Metal - Aluminium
Cutting Hole	Ø: 3.8cm
Special Feature	Recessed Installation Stick Ø: 1.9cm H: 7.7cm
Color	Sandy Black / Code 25151






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	80
Dimensions	L: 20-33cm W: 4.5cm
Base	L: 4.5cm W: 4.5cm H: 11.5cm
Non Dimmable	⊗
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Flex 26cm Stick Ø: 3cm L: 11.5cm
Color	Sandy Black / Code H72





LED 3W
Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Dimensions L: 25cm W: 17cm H: 28cm
Base Ø: 12cm H: 2.5cm
Non Dimmable ☒
Switch 2 On/Off
Material Metal - Aluminium - Fabric Shade
Special Feature Shade Ø: 17cm H: 14.5cm
Stick Ø: 2.8cm L: 9cm


Color Black Matt / **Code H57**



LED 3W
Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions L: 14.5-20cm W: 20cm H: 20cm
Non Dimmable ☒
Switch 2 On/Off
Material Metal - Aluminium - Fabric Shade
Special Feature USB Charger
Shade L: 12cm W: 20cm H: 11cm
Stick Ø: 2.8cm H: 8.5cm

Color Black Matt / **Code H59**







LED	3W
Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Dimensions	L: 25cm W: 15.5cm H: 28cm
Base	Ø: 12cm H: 2.5cm
Switch	2 On/Off
Material	Metal - Bush
Special Feature	Shade Ø: 15.5cm H: 15cm Stick Ø: 2.8cm L: 36cm
Color	Natural-Black Matt / Code 20355 




Beauty Starts With Lighting
A mirror that speaks truth because
great light reveals your best self.



07. MIRRORS




Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1034Lm, 1210Lm
Cri	80
Dimensions	Ø: 60cm L: 3.2cm
Dimmable	○
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function IP44
Color	Mirrored-Black Matt / Code 25388



Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K
Lumen 1012Lm, 1210Lm
Cri 80
Dimensions Ø: 60cm L: 4.7cm H: 92cm
Dimmable 
Material Mirror - Aluminium Frame - Belt
Special Feature Touch Dimming Switch
Power-Off Memory Function
IP44


Color Mirrored-Black Matt / **Code 25387**






Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1034Lm, 1210Lm
Cri	80
Dimensions	Ø: 60cm L: 3.2cm
Dimmable	☉
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function IP44
Color	Mirrored-Anodized Gold / Code 25389







Power	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1564Lm, 1739Lm
Cri	80
Dimensions	L: 3.2cm W: 40cm H: 90cm
Dimmable	☉
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored-Anodized Gold / Code 25386







Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	2085Lm, 2210Lm
Cri	80
Dimensions	L: 5.5cm W: 80cm H: 60cm
Dimmable	☉
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored-Anodized Gold / Code 25393







Power	30W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	2185Lm, 2390Lm
Cri	80
Dimensions	L: 5.5cm W: 120cm H: 70cm
Dimmable	☉
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored-Anodized Gold / Code 25394







Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	2085Lm, 2210Lm
Cri	80
Dimensions	L: 5.5cm W: 80cm H: 60cm
Dimmable	☉
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored-Black Matt / Code 25392





Power	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1585Lm, 1740Lm
Cri	80
Dimensions	L: 3cm W: 80cm H: 55cm
Dimmable	○
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Frameless Power-Off Memory Function Horizontal and Vertical Installation Frosted Lighting Edge IP44
Color	Mirrored / Code 25385






Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K
Lumen 870Lm, 944Lm
Cri 80
Dimensions Ø: 60cm L: 3cm
Dimmable ☉
Material Mirror - Aluminium
Special Feature Touch Dimming Switch
Antifog Touch Switch
Back Light
Frameless
Power-Off Memory Function
IP44

Color Mirror Mirrored / **Code 25390**







Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K
Lumen 985Lm, 1062Lm
Cri 80
Dimensions L: 3cm W: 60cm H: 80cm
Dimmable ☉
Material Mirror - Aluminium
Special Feature Touch Dimming Switch
Antifog Touch Switch
Back Light
Frameless
Power-Off Memory Function
Horizontal and Vertical Installation
IP44


Color Mirrored / **Code 25391**







Power 25W
Input 220-240V, 50/60Hz
Color Temperature 4000K
Lumen 1284Lm
Cri 80
Dimensions Ø: 60cm W: 3.5cm
Dimmable ☒
Material Mirror - Aluminium
Special Feature Touch Dimming Switch
Antifog Touch Switch
Back Light
Frameless
IP54

Color Mirrored / **Code 22067**



Power 36W
Input 220-240V, 50/60Hz
Color Temperature 4000K
Lumen 1763Lm
Cri 80
Dimensions Ø: 80cm W: 3.5cm
Dimmable ☒
Material Mirror - Aluminium
Special Feature Touch Dimming Switch
Antifog Touch Switch
Back Light
Frameless
IP54

Color Mirrored / **Code 22068**





Power	40W
Input	220-240V, 50/60Hz
Color Temperature	4000K
Lumen	1963Lm
Cri	80
Dimensions	L: 70cm W: 3.5cm H: 70cm
Dimmable	☉
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Antifog Touch Switch Back Light Frameless IP54
Color	Mirrored / Code 22069


Moisture-Resistant Precision Lighting
Ideal light for your daily wellness rituals.




08. BATHROOM




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K
Lumen 1023Lm, 1078Lm
Cri 90
Dimensions L: 12.3cm W: 60cm H: 6.2cm
Base L: 6cm W: 15cm H: 4cm
Non Dimmable ☒
Material Metal - Aluminium - Glass
Special Feature IP44
Color Sandy White / **Code 25456**




Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K
Lumen 1580Lm, 1622Lm
Cri 90
Dimensions L: 12.3cm W: 90cm H: 6.2cm
Base L: 6cm W: 15cm H: 4cm
Non Dimmable ☒
Material Metal - Aluminium - Glass
Special Feature IP44
Color Sandy White / **Code 25457**






Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 610Lm
Cri 81
Dimensions L: 10cm W: 61cm H: 7.5cm
Base Ø: 7.5cm L: 10cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP54
Profile 2.5x2.2cm

Color Sandy White / **Code 22124-W**
Color Sandy Black / **Code 22124**




Power 17W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 810Lm
Cri 81
Dimensions L: 10cm W: 81cm H: 7.5cm
Base Ø: 7.5cm L: 10cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP54
Profile 2.5x2.2cm

Color Sandy White / **Code 22125-W**
Color Sandy Black / **Code 22125**




Power 21W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1100Lm
Cri 81
Dimensions L: 10cm W: 100cm H: 7.5cm
Base Ø: 7.5cm L: 10cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP54
Profile 2.5x2.2cm

Color Sandy White / **Code 22126-W**
Color Sandy Black / **Code 22126**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
Dimensions L: 7.2cm W: 60cm H: 6.2cm
Base Ø: 6.2cm L: 7.2cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP 44
Profile 0.8x0.8cm
Color Sandy Black / **Code 20145**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1040Lm
Cri 80
Dimensions L: 7.2cm W: 90cm H: 6.2cm
Base Ø: 6.2cm L: 7.2cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP 44
Profile 0.8x0.8cm
Color Sandy Black / **Code 20146**







Power 16W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1280Lm
Cri 80
Dimensions L: 8cm W: 55cm H: 3.8cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP 44
Color Black Matt / **Code 180041-B**




Power 16W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1280Lm
Cri 80
Dimensions L: 8cm W: 55cm H: 3.8cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP 44
Color Chrome / **Code 180041**







Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1500Lm
Cri 80
Dimensions L: 9cm W: 60cm H: 6cm
Base L: 3cm W: 19.5cm H: 4.5cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP44
Up/Down Light
Profile 6x6cm
Color Black Matt / **Code 22088**








Bulb 1x G9 LED
Power 7W MAX
Input 220-240V, 50/60Hz
Dimensions L: 16.7cm W: 16cm H: 16.7cm
Base L: 8cm W: 3cm H: 8cm
Material Aluminium - Opal Glass
Special Feature IP 44
Color Brushed Brass / **Code 20149**





Power 16W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1280Lm
Cri 80
Dimensions L: 60cm W: 6cm H: 6cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature IP 44
Color Chrome / **Code 20150**



Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	760Lm
Cri	80
Dimensions	L: 9.3cm W: 6.3cm H: 31cm
Base	L: 3cm W: 6cm H: 15.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Acrylic
Special Feature	IP44
Color	Chrome / Code 22087



Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1500Lm
Cri	80
Dimensions	L: 9.5cm W: 60cm H: 6.3cm
Base	L: 3cm W: 19.5cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Acrylic
Special Feature	IP44
Color	Chrome / Code 22085



Power	21W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2200Lm
Cri	80
Dimensions	L: 9.5cm W: 90cm H: 6.3cm
Base	L: 3cm W: 19.5cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Acrylic
Special Feature	IP44
Color	Chrome / Code 22086

16155	144	2050	44	22053	193	23086	43	25150	322	25379	157
17129	266	2056	44	22054	129	23087	43	25151	347	25380	154
180020	150	2057	44	22061	132	23088	43	25152	102	25381	152
180021	150	2058	44	22065	205	23089	43	25160	22	25382	156
180022	151	2064	66	22067	377	23090	43	25161	22	25383	148
180023	151	2065	66	22068	377	23091	43	25163	22	25384	148
180025	159	2075	64	22069	379	23092	39	25164	24	25385	370
180026	158	2076	64	22085	397	23093	39	25165	24	25386	362
180027	158	2077	64	22086	397	23096	51	25167	24	25387	358
180028	159	20109	174	22087	396	23097	51	25182	320	25388	360
180041	390	20114	118	22088	392	23098	51	25183	309	25389	357
180041-B	390	20115	118	22124	384	23099	51	25184	309	25390	372
18181	264	20116	118	22124-W	386	23102	107	25185	26	25391	374
1910	127	20117	118	22125	384	23103	107	25186	26	25392	368
1935	108	20118	202	22125-W	386	23104	110	25187	26	25393	364
1936	108	20123	202	22126	384	23105	110	25188	28	25394	366
1945	124	20134	196	22126-W	386	23106	104	25189	28	25395	272
19103	254	20135	196	22127	60	23107	104	25190	28	25396	272
19104	250	20136	130	22128	60	23137	133	25193	180	25397	273
19105	250	20137	130	22136	194	23195	224	25194	179	25398	273
19106	252	20145	388	22166	238	23196	230	25197	30	25408	97
19107	252	20146	388	22167	238	23197	220	25198	30	25409	97
19108	254	20149	394	22168	238	23205	37	25199	30	25410	20
19109	254	20150	395	22172	236	23206	37	25200	30	25411	20
19117	126	20154	256	22173	242	23207	37	25201	32	25414	83
19136-B	298	20167	342	22174	243	23208	37	25202	32	25427	166
19137	296	20210	183	22175	243	23209	37	25217	94	25428	166
19139	288	20211	183	22203	142	23210	37	25218	94	25429	226
19140	294	20216	206	22204	142	23211	37	25219	94	25440	226
19141	294	20217	206	22205	142	23212	37	25266	100	25441	235
19142	292	20218	145	23001	284	23213	37	25267	100	25442	233
19143	292	20219	145	23002	290	23257	52	25268	57	25443	223
19143-B	292	20220	210	23003	280	23258	52	25269	57	25454	247
19144	302	20222	210	23004	280	23259	52	25278	54	25455	247
19218	128	20235	209	23005	280	23260	52	25279	54	25456	382
19250	248	20236	257	23006	168	2561	16	25281	314	25457	382
19251	248	20237	228	23007	168	2562	16	25282	316	H35	338
19252	248	20250	213	23016	139	2563	18	25283	319	H41	345
19253	248	20251	212	23024	48	2564	16	25284	334	H43	344
2003	134	20252	184	23025	46	2565	16	25303	312	H48-B	324
2004	134	20253	187	23026	48	2566	18	25317	115	H48-G	324
2020	73	20256	304	23027	46	2571	59	25318	115	H52	337
2021	73	20257	276	23036	198	2572	59	25319	98	H54	337
2022	73	20258	282	23037	198	2577	87	25320	98	H57	350
2023	75	20259	300	23038	325	2578	87	25321	116	H58	342
2024	75	20271	146	23039	332	2579	87	25322	116	H59	350
2025	75	20272	146	23040	332	2580	87	25326	310	H63	321
2026	77	20349	136	23041	138	2582	122	25328	287	H64	331
2027	77	20350	136	23042	68	2584	122	25329	278	H64-B	331
2028	77	20354	258	23054	170	2589	163	25332	246	H65	328
2029	78	20355	352	23055	170	2590	163	25333	246	H67	328
2030	78	22020	70	23060	190	2593	165	25334	218	H68	327
2031	78	22030	200	23061	190	2594	165	25342	140	H69	346
2040	44	22032	200	23063	189	25143	89	25343	140	H72	348
2041	44	22047	91	23064	189	25144	89	25344	176	H73	330
2042	44	22048	91	23070	262	25147	120	25345	176	H74	339
2048	44	22049	340	23071	261	25148	113	25376	63	H75	339
2049	44	22050	340	23085	173	25149	322	25377	63	H80	341

ZAMPELIS S.A.

Greece , Attica , Keratea , Kivouri

Postal: 19001 , P.O. box: 4791

Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521

info@zambelislights.gr | zambelislights.gr

